

22 A



• NOTE BOOK •

No. C-78

~~137-28~~

1

~~April 10-1942~~

~~3 PM from 1/4 mi. corner~~

~~80 rods N of 1/2 at 5-C~~

~~137-28 from N 0 26° W~~

~~2 1/2 mi. at 5-C~~

~~N end rock gravel  
ridge NE SW~~

1-15-

~~N end line~~

~~N end Rock ridge~~

~~line at 60° E 180 ft~~

~~50 ft W 3 ft if~~

~~SW end line~~

~~S 7° W about 400~~

~~approx on line N 1/2~~

~~approx set by Harold~~

~~at this S 0 16° E~~

~~285 ft~~



2

~~run S 89° 15' W~~  
~~on line 1/16 in~~  
~~300 that in @ 380~~

~~Ln is. NE-SW~~

~~@ 300 + 138 = 438 that~~

~~60 d spoke in point~~

~~15 NW from~~

~~5 N SW of foot~~

~~possibly, set back~~

~~2 ft in. continues~~

~~to slope up~~

~~438 + 107.2~~

~~107.2~~

~~545.2 that RR 60 d in~~

~~NW edge of green 9" R of Alms~~

~~545.2 + 61.7~~

~~61.7~~

~~606.9 that Tree~~

~~6" JP N 85° W 3.35 via slope~~

~~7" JP S 20° E 7.3~~

Leonard

~~Am N 89° 15' E 101.5~~

~~Hub 00 d - on ridge ft~~

~~Back shot~~

~~$\Delta$  Hill of 1/10 = 20~~

~~A 1 km S 89° 15' W 300 ft~~

~~131 " N — W —~~

~~600 + 220.5 =~~

~~220~~

~~600 0~~

~~220.5~~

~~579 5~~

~~379.5~~



~~Kalid @ 7/16 - 00~~

~~Pl A1 bear 89°15'W 300~~

~~Red needs 295~~

~~Pl B1 bear N51° W~~

~~379.5 chd = (375 station)~~

~~Plr 300 c~~

~~1 H 79°30'W 300~~

~~2 Foot cut bank 4' H  
left bank~~

~~2 H 70°10'W 4270~~

~~4 ft from foot cut Rth.  
8 ft H~~

~~3 H 57°W 300~~

~~6 ft 4 foot of cut bank  
and 40 ft from N  
and cut. 4 ft~~

~~B1 bear N51°W 375~~

~~Rock R. west T. A1.~~

~~BS N 89° 15' E Pa~~

~~S 76° 13' W 300 fm~~

~~@ 100 m 30' R.~~

~~Low water 15' L~~

~~@ 200 Low water 15' L~~

~~R. 10' R.~~

~~Foot @ cut B 4 30' R.~~

~~@ 300~~

~~Low water 25 L~~

~~I ca 10' R.~~

~~Foot partly cut B 5~~

~~33 R.~~

~~@ 350 Low shore 30' R~~

~~@ 400 Low shore 27 R~~

~~450 Low shore 15' R~~

~~500 Low shore 5' R - 500 m 10' R~~



~~Trans A1 35N 89°15'E R~~

~~S Low shore scattering~~

~~Run N 40° E 55'~~

~~@ A1 Low shore 30'~~

~~edge of present~~

~~Run S 76° 13' W~~

~~@ 100 Low shore 25 R~~

~~@ 200 edge of~~

~~@ 200 Low shore 10 R~~

~~edge of present~~

~~Hi water~~

~~@ 300 Low shore 10 R~~

~~RS 64° 48' W 1000~~

~~Trans A1 35N 89°15'E Run~~

~~S 64° 48' W about 1000 ft~~

~~and Out for night 5.45~~

Pick up Mr  
Miller

~~Apr 11-44~~

~~From A to B~~

~~Stop at 900 @ 300-600 ft~~

~~on air~~

~~@ 600 Low Water 86 R~~

~~@ 650 Low Shore 50 R~~

~~@ 700 " " 27 R~~

~~@ 775 " " 15 R~~

~~@ 900 " " 25 R~~

~~@ 950 Low point for~~

~~N.E. low R. 50 f~~

~~@ 970 Low ice~~

~~1047.3 feet under A~~

@ 950

Point 41

from SW 25' R

@ 970 Low Shore 15' L



~~Loah up~~

~~12-13-14 Wabed~~

~~Turf~~

~~in Sect 12-14~~

~~Oliver Olson~~

~~1047.3~~  
~~Area 947.3~~

~~BSN 64°48'E 111~~

~~SP 10, N 48°15'E 52.88~~

~~" 8.8 56°35'W 30.97~~

~~Spot at base~~

~~on Point from NE~~  
~~= S 10 47.30 A~~

~~So shore of point~~

~~Low sea wall~~

~~S 20°W 45 //~~

~~S 50°W 60 //~~

60

~~= SW Point~~

~~Went to~~

35

~~SW of point~~

~~S 85°W 35~~

~~N side of Point N 40°W 21~~

~~N side of Point N 20°E 60~~



1073 1047.3  
300  
1347.3

~~Take Point on West side~~

~~Point of land from the  
West~~

~~Still at 1047.3 181~~

~~Station~~

~~SE Cor of Pt W of Pt~~

~~N 85° W 180 and~~

~~Continues N 85° W 600 ft~~

~~E Side of Pt over in 190~~

~~H 65° W 190~~

~~NE Cor of Pt 43° W 210~~

~~210 from which the~~

~~N side of Point extends~~

~~also about about~~

~~West 300 ft +~~

~~T = 1047.3 13 S N 6448 E~~

~~Ran N 4° E~~

~~@ 44 LV 1st N E S W~~

~~@ 150 Low shore~~

~~@ 175 Low shore 100 R~~

~~@ 200 " " 15° R~~

~~@ 250 " " 30° R~~

~~@ 300 " " 15° R~~

~~300 + 196.1 = 496.1~~

~~Ch. Kuba~~

~~@ 400 Low shore 35 R~~

~~Run 12-30~~

~~1st~~

~~1.25 LV~~

~~Run 496.1 = 61~~

~~SS 4° W~~

~~Bt bear N 78° 04' E~~



23  
69

~~Low shore S 28° E 70~~

~~S 64° E 100~~

Run N 78° 04' E

300 fm 60v

@ 100 Low shn

~~@ 60 " " 35 R~~

~~@ 100 " " 35 R~~

~~@ 150 " " 40 R~~

~~@ 200 " " 75 R~~

~~@ 300 " " 65 R~~

~~@ 350 " " 50 R~~

~~@ 575 Low shn 50 R~~

~~@ 600 " " 25 R~~

~~@ 700 " " 35 R~~

~~@ 800 " "~~

~~@ 775 " " 40 R~~

~~800 " " 25 R~~

~~850 to 900 " 10 R~~

~~937.4 S 1/2 Bl.~~

937  
13  
050

~~@ 920 Low shore 15 R~~

~~@ 937.4 Low shore 15 R~~

Ex level inner shore

~~Sta BT~~

~~@ 950 Low shore 25 R~~

~~3-20 PM waste~~

~~Back to R~~



~~230 PM~~

~~Back over St 1047.3~~

~~Focus on St A1~~

~~N 64°48'E 1047.3~~

~~The station is 1325.12~~

~~West of Temp St cor~~

~~See the bears~~

~~S 3°37'W 936.50 935.14~~

~~S 3°37'W 935.14~~

~~@ 25 ft pt out in~~

~~AK 665 N/A on ice~~

~~= St D-1~~

11)

~~From 665 138. N 3° 37' E~~

~~Low shore Run~~

~~B RN 67° 44' E 1310.7~~

~~To 86 (E1)~~

~~Take West end of Pt~~

~~7 land from the 200~~

~~S 18° E 80 To 100~~

~~S 80° E 80 yd~~

~~N 77° E 130~~

~~N 73° E 157~~

~~N 75° E 190~~

Run N

Run N 67° 44' E

@ 300 fm 600 fm

@ 300 Low sha



842 W.

Stanley Walker

~~2300 Shon 70' R~~

~~2450 good Shon 80~~

~~2600 " " 70 R~~

~~2550 " " 60' R~~

~~700 " " 30' R~~

~~700 pin wa~~

~~850 Shon 40' R~~

~~900 Pin Shon 60' R~~

~~1200 pin~~

~~1200 + 110.7 = 1310.70~~

~~860 E 1' Pin 3x40'~~

~~green shale on top~~

~~Bohannon~~

~~@ 1210 E Shore~~  
~~Sand Point~~

~~runs L 100 ft~~

~~@ 1200 Shore 10 R~~

~~@ 1100 Shore 15 R~~

~~@ 1090 Shore 20 R~~

~~@ 1075 Shore 25 R~~

~~30 To 100 R~~

~~@ 100 R~~

~~Narrow Low~~

~~accretion 25 ft~~

~~up to run~~

~~SE 70 ft~~



Paul returns 5-11-74  
Mayer Cut

~~Area E 1/16 bet 6-7~~

~~137-28~~

~~Focus~~

~~N 3° 37' E~~

~~N 89° 18' E to Amy Cut~~

~~out E W so line not 6~~

~~Should read 87° 15'~~

Should read

~~N 89° 15' E~~

Tahiti Shoreline

~~N 42° 6' E 1.55 / 55.0~~

~~N 66° 40' 170~~

~~N 75° 30' E 250~~

~~Run S 84° 15' E 700~~

~~Stations~~

~~Take W photo US Island~~

~~S 67°05'E 550~~

~~S 59°10'E 525~~

~~S 51°30'E 525~~

~~S 48°25'E 570~~

~~Quit 5:50 PM~~



~~Four E-BS~~

~~N 84° 15' W on 1/15~~

~~Take N. And LK~~

~~Shon N 60° 310~~

~~N 50 W 280~~

~~N 31 W 210~~

~~N 16 W 170~~

~~N 5° E 125~~

~~N 38° E 120~~

~~N 62° E 105~~



~~S 83 E 150~~

~~S 42 E 155~~

~~S 22 E 180~~

~~SOUTH 160~~

~~S 26° W 160~~





Fred Mayer  
Hatcherson

~~Pack Tr on Bay Port~~  
~~N 1310.7 (E. 1" BS)~~  
~~S 67° 44' W on Dt.~~

~~N 15~~

~~S on Ch Grand ridge~~  
~~from N 8° E 150 w~~  
~~SE Ch N 14° E 150~~

~~Take Point of land~~  
~~from the Pt~~

~~NE Cor N 58° W 80~~  
~~NW Cor N 68° W 120~~  
~~SE on W side pt 88° W 90~~  
~~S 69° W 100~~

Now Take E Sect of P.L.

N W 70

S 62° W 40 ft water

Point of Sand Dunes

N end of Low

Main Lane

E Edge Low means

Sand bears S 25° W 100

S 15° W 200 ft.

then sand 5' E of Low Sta

Narrow

S 14° W 200

Low bank in Water R 15 ft

Water end of Low water

is 115 R. Dist 100

even narrow E W

S 13° W W 240

N end Low cut bank 15 R



~~BS 367 44' W Dat~~  
~~S 13° 35' W~~  
~~S 10° 25' W S 12° 25' W~~

~~300 - 600 ft~~

~~@ 240 ft on Low Cl~~

~~bank 20' R 6' Hi~~

~~@ 300 yd end Hi' Cl Bk 20 R~~

~~@ 8' Hi~~

~~@ 375 foot 11' R 12 R 15 Hi~~

~~@ 375 foot 11' R Cl Bk 15 R~~

~~5 Highest point of Bank~~

~~40 ft Hi~~

~~shades to 600~~

~~@ 600 Foot 25' R 35 Hi~~

~~@ 900 ft~~

~~@ 700 Foot 30 R - Bk 15 Hi~~

$$\begin{array}{r} 1300 \\ 222 \\ + 78 \\ \hline \end{array}$$

~~@ 773 about 200~~

~~E-W at Linn, 30 E 7~~

~~Low cut Blk 8 H~~

~~Nale from here at 144~~

~~Foot of Blk 20~~

~~Along at 600 ft +~~

~~@ 800 Foot 30 R. 2' cut Blk~~

~~850 Foot 30 R. 2' cut Blk~~

~~@ 900 foot Foot 25 R. 2' cut Blk~~

~~978 Hat under R~~

815 F.I.

~~Foot of Blk 10 R 8' H~~



~~T over F-1 - 978~~

~~BS H 10° 25' E Run~~  
~~12° 25'~~

~~S 9° 28' W~~

~~all go home to~~

~~Dinner with Paul and~~  
~~port~~

~~T back over Big Port~~

~~BS S 67° 44' W R~~

~~S 9° 28' W~~

~~300 - 600 - 700 + 228 =~~  
~~228~~  
~~1128~~

~~1128. Hub~~

~~T over 2 1128~~

~~BS on Big Port~~

~~H 9° 28' E on big port~~

~~old data from H 8° 45' W~~

~~158 ft~~ ~~158~~

~~Foot of sea wall~~

~~N 12° W 100 - 160~~

~~5 ft E of foot cut bank -  
bank 10' Ht~~

~~N 39° W 107. 70 ft 12' Ht~~

~~S 80° W 50 ft. foot cut~~

~~Bank 7' Ht~~

~~Low sea wall~~

~~S 42° W 95. Top line~~

~~Sea wall 15' E of foot~~

~~cut bank 8' Ht~~

~~S 38° W 150. E of foot 20 ft.~~

~~Bank 7' Ht.~~

~~S 38° 30' W 200. Low sea wall~~

~~S 42° W 250 Low sea wall~~



Split @ 1128 BS 14 9'28"E

Take 6 ft ridge + gravel

Run S 42° W ~~4163'~~ 412'

Take T @ 1128

Take 6' gravel ridge

S 30° W 50'

S 11° W 100 T. 400.

S 42°

Run S 42° W

~~601~~

188

~~68~~ 600

188

412

300 pm

112

412

$$\begin{array}{r} 3 \ 65.5 \\ \hline 228 \end{array}$$

$$\begin{array}{r} 3) \ 65.5 \\ \hline 218 \end{array}$$

~~Tower H 12 BS N 42°E~~

~~Low Shore Lin~~

~~N 19°E 120~~

~~N 52°W 140 - 7 ft out from~~

~~Low Bank~~

~~N 59°W 200~~

~~N 61°W 290 =~~

~~So side US Island~~

~~So End of narrow~~

~~gravel ridge 6' across~~

~~Trunk of~~

~~S 76°30'E 200~~

~~21310 25~~

~~655.12~~

~~E N 61°W 200~~

~~22 ft N of S end~~

~~of gravel Ridge~~



~~Com @ pt 9 chs x 90 LKSE~~  
~~and 50 LKS N of the Center line~~  
~~of Rec 31-138-29~~

~~Running~~

~~North 5 ch + E 2 ch~~

S 5 ch W 2 ch

To place of beg

$$\begin{array}{r} \text{comapt} \quad 66 \\ 9 \\ \hline 594 \end{array}$$

$$\begin{array}{r} 66 \\ 9 \\ \hline 594 \end{array}$$

$$\begin{array}{r} 653.40 \\ 90 \text{ hrs } 90 \text{ LCI} \\ \hline \end{array}$$

$$\begin{array}{r} 9 \quad 66 \\ 9 \\ \hline 594 \end{array}$$

$$\begin{array}{r} 1320 \\ 660 \\ \hline \end{array}$$

$$\begin{array}{r} 594 \quad 5 \\ 59.4 \\ \hline 653.4 \\ 33 \\ \hline 686.7 \end{array}$$



5  
L 6 9 2 hours

594

31

66

186

186  
2046

9 Chains + 36 Rods

$$\begin{array}{r} 66 \\ 9 \overline{) 594} \end{array} \begin{array}{l} 5 \\ \text{feet} \end{array}$$

$$\begin{array}{r} 165 \\ 36 \\ \hline 990 \quad 3 \\ 495 \quad \hline 594 \end{array}$$

165

$$\begin{array}{r} 165 \\ 9 \overline{) 1485} \end{array}$$