T. 140 R. 28

15

15

T. 140 R. 28

EUGENE DIETZGEN CO.

DRAWING MATERIALS, MATHEMATICAL and SURVEYING INSTRUMENTS

Chicago New York San Francisco New Orleans Pittsburg Toronto

Distances from Center of Roadway for Cross-Sectioning
Roadway 16 feet wide. Side Slopes 1 on 1.
For Single Track Embankment.

H	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	H
0	8.0	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	0
1	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	1
2	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	2
3	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	3
4	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	4
5	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	5
6	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	6
7	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	7
8	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	8
9	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	9
10	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	10
11	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	11
12	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	12
13	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	13
14	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	14
15	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	15
16	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	16
17	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	17
18	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	18
19	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	19
20	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	20
21	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	21
22	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	22
23	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	23
24	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	24
25	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	25
26	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	26
27	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	27
28	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	28
29	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	29
30	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	30
31	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	31
32	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	32
33	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	33
34	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	34
35	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	35
36	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	36
37	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	37
38	46.0	46.1	46.2	46.3	46.4	46.5	46.6	46.7	46.8	46.9	38
39	47.0	47.1	47.2	47.3	47.4	47.5	47.6	47.7	47.8	47.9	39
40	48.0	48.1	48.2	48.3	48.4	48.5	48.6	48.7	48.8	48.9	40

Example—If point is 22.6 ft. above grade, how far should it be from center line to be a slope stake point? Ans. from Table 30.6. For same slopes but other widths of roadbed, correct above figures by one-half difference in width of roadbed; thus in example above, for 20 ft. roadbed distance will be 30.6+(20—16)÷2 or 2 ft. added to 30.6 =32.6. For slopes of 1 on 1½ see inside of back cover.

#1

Leblanc
Weisser

T. 140 R. 28

Index Page 70



T. 140 R. 28

See page 70

T. 140 — R. 28





LOOK FOR
J. PINE S 40°W 17 LKS.
FIR E 30° E 9 LKS.

RANDOM LINE
WRITTEN 50 yd INTERVALS

1/32 / 1/16 - 140-28

26+40	Found ~~Know~~ B.T		
21+10	Lake shore		
20+00	Enter Swamp		
13+20	Set approx 1/16 cor. N. 3" Birch		
9+00	Started in aspen and Redpine		
7+00	Started in swamp willows		
5			
2+48	Hit creek 9 ft.	wide	
1+00	Started in ST.	5-9	
0+00	Started N. from	25 30 36 31	

Date: 2-10-41

Party: Yager
LeBlanc
Gravelle
Zimbrick

Location:
Ash 6" N 37° E 18 lks.
Aspen 24" S 45° W 8 lks.
Bearings Mag.

L.Y. 2-12-41

Local Tie:
Pine 24" N 60° W 19 lks
Tam 5" N 12° E 38 lks

Distance - 33+66



51+80	Set in approx Sec. Cor. 3" aspen	35/94/14-37
	20° North of Sec. Cor. 20 ft Found X mark B.T.	
39+60	Set approx 1/4 Cor. 3" Birch	
35+15	OFFSET 20 ft. And cont. N.	
33+00	Started in aspen and red pine— End of Lake + birch	
26+40	Cont'd from 35/30	

Date 2-10-41 2.

Party: Yager
LeBlanc
Gravelle
Zimbrick

Weather
Temp. 6° NNE 8 MPH
Road: SNOW 12 inch
Trees: SNOW 12 inch
Jr. Rod: Mostly SNOW 25 lks.
Discussion

L.Y. 8-12-41

Look for:

W.B. Birch 8" N 58° E 22 lks
Bl. Oak 7" S 55° E 22 lks
Y. Pine 24" S 65° W 26 "
Y. Aspen 10" N 53° W 25 "



Date 2-10-41 3.

party: Yager
Le Blanc
Granville
Timbrick

Jasper 7" 16.6 W 3.19 lks.
Aspen 5" 11.0 E. 38 lks.
Tag 5 Ash
Dist 33 ft.

26+41 set approx. ¼ cor N.
set 3" aspen Stake
24+00 enter Jack pine

8+20 set approx. ¼ cor W.
Set 3" J. Pine Stake

1+00 Started in Aspen & red pine
00+00 started from $\frac{24}{25}\,\frac{19}{30}$

13/14
20/19 140-28

51+58	hit iron pipe Found B.T. Red pine dead set approx. sec. cor. 3 ft. East of iron pipe 2" Spruce
44+20	enter Spruce and cedar Swamp
39+60	set approx. ¼ cor. N. set 3" Aspen stake
36+00	enter Aspen
26+40	cont'd. N. from

Date: 2-13-41 16.
Inst
party: Yager
LeBlanc
Gravelle
Zimbrick

Last fore: N 52° E 23 links.
Was back 7 55 E 22 links.
Pointed 50 15 45 W 26 links.
Aspen 10 N 37 W 25 links.

14+41	Set	1" 2"	approx ½ cor. Tamarack		12½/8
	Enter	~~a spot~~	Birch		
14+30	End	of	tamarack swamp	and Enter spruce cedar	
13+20	Set	1" 2"	approx ½ cor. Tamarack		
9+00	Enter	tamarack	swamp		
0+00	Stamped N				13/14 30/18

Date: 2-13-41 17

party: Yager
LeBlanc
Chevelle
Zimbrick

Lookout
Spruce 4' N 82° E 5 Ks.
W. Birch 5' N 75° W 15 Ks.
P.I. ST 22+70

					12/▽ 13/18
52+80	Set	in	approx		
	Sec	cor.			
		2"	Birch		
	Found	no	B.T.		
39+60	Set	in	approx. to cor.		
		2"	Aspen		
27+20	End	of	spruce-Balsam and cedar		
	Enter aspen and Red pine				
31+40	End of		Birch and Enter spruce and Balsam and cedar swamp		
~~0+00~~	~~Started~~		~~North Storm~~		
26+40	cont'd N.				13/18

160' E of cor.
Cedar 10" N 35° E 6 lks.
Tam. 10" S 55° E 13 lks.
Cedar 14" S 37° W. 17 lks.
Cedar 6" W. 37° W. 8 lks.
Pine S 35

Date 2-13-41 18.

Party Yager
Hall
Zumbrunnen
Gravelle

26+40	set	in	approx	13	140-38
	1/4	cor			
		2"	spruce		
16+60	Enter	spruce	swamp		
13+80	Set	1 in	approx	1/16	cor
		2"	aspen		
00+00	started	N. from			12 | 7 / 13 | 18

looked for.
Fir 8 S67°E. 71 Ls.
W Birch 6' S59°W. 71 Ls.
DIST. 3640

party Yager
LeBlanc
Zimbrick
Granville
Kortekaas
Schintz

50+01 Mi Ip Sec Cat. 214 Bt. W 13/13 14.028

50+10 End of hike and start

in pasture

49+80 Started on hike

39+60 Set up approx 4 car

2" Birch

39+00 End of spruce swamp

And Enter aspen and Red pine

36+20 Creek N.

12/17

Date: - 2-24-41 20.

party: Yager

Peterson

Zimbrick

Graville

Monte Haas

Schmidt

lookout

Aspen 5' N. 78° E. 22 IHS.

N Birch 45 63° E. 38 "

NBirch 7 S 34° W 9 "

N Birch 5' N. 34 W. 17 IHS.

2+40 set in 12 14028
all Aspen approx ¼ con.

2+10 Hit road

1st +0 set in ¼ cor.
3" aspen
Endoscraplandandemterasch

1+60 Epiph Chap Land

Wtod stanford M. trem 1/6
12/7

Date: -7-24-41 01.

100 for.
T2N. R1S 63° E 1KS.
T2N. R1S 53° W. 24 HS.
DIST 2640

party: Vogt
Bedlaze
Zimbrick
Graville
Mahtekras
Schmitz

R

52+78 Rt. center of road 1/2 140-28

39+41 Set Rm approx for 24" Birch

36+40 cont'd N. from 1/6

Date: 2-24-41 92

Party: Kagen
McBlane

Look for
Tree 7 N. 1° E. 243 lks.
Tree 9' S. 89° W. 33 lks.
Cedar 30' N. 56° W. 244 lks.
No other Trees Near.
DISTURBED

T1 140-28

Date

98

Party:

Lashfar
Spruce 6' N 40° E. 10 HS.
T Sym. 12' N. 38° W. 20 HS.
T DIST 2640.

T 140-28.

Date

24.

Party:

Lodi Spr.
W. pine. 14' S. 30° E. 20 lks.
Spruce. 4° S. 78° W. 140 lks.

26+40	set	in	approx $\frac{1}{2}$ cor.		34+35
		2"	Tamarack		
13+20	set	in	approx. $\frac{1}{16}$ cor.	4" aspen	
	End	as	Birch and jack pine,		
		and	started in aspen w/ pine		
10+00	End	on S	spruce and started in Birch		
			and jackpine		
1+00	Started	N	spruce and	Birch	
0+00	Started	N.			

Date: 8-12-41 35.

Party: Le Blanc

Look for:

J. Pine 6"
S-15° W 206 lks
No other trees

Sabins
Magel
Maine
Meelpeng



					$\frac{27}{4}$ | $\frac{26}{35}$
52+80	Set	in	2"	Spruce	
	Found	iron	pipe		
47+40	End	of	Jack	pine and	started
46+00	Cross	a road		in Birch	w pine
39+80	Set	in	approx	$\frac{1}{16}$ Cor.	
		2"	aspen		
37+20	Started	in	Jack	pine	

Date: 2-12-41

Party: LeBlanc
Nagel
Schultz
Meeberg
Moore

Look for:

Aspen 8" S 41° E lks
Fir 4" N 77° E 22lks
W. Birch 4" N 43° W 37 lks
Aspen 8" S 25° W 7lks

Found:

56+40	set	in	approx	¼ cor	27 T 26
13+00	set	in	approx	¼ cor.	
0+00	Lake Shore				27 T 36 34 T 35

Date - 2-12-41 27.

party - Medberg
Hartland
Schultz
Magey
Malone

Look For:
Mon. 48 chains.
Aspen: 6" S 75° E 10 lks
Aspen: 10" N 60° W 10 lks

Found:

P. Line
N 57° 40' E

53+80	set	in	approx sec.	cor	
	55ft	N.W.	of	iron	pipe
	other	pipe	168 ft	W of	approx
		2"	aspen		
	End	of	Lake		
39+61	set	in	approx ½	cor.	
32+21	End	of	Ridge	and	stake[illegible]
32+21	Begin	in	Ridge	Shm	-15
26+50	contd.	N.	Shore		27/26

Date - 3-13-41
Party - McElberg
Helgabee
Schultz
Magee
Mabee

Look for:
Dry Oak 5" N 70° E 28 lks
" " 8" S 60° W 9 lks

Found:
No Evidence

R. 1:17 E
N. 50 links

Look for:
Elm 7" S 80° E 16 lks
Oak 11" S 33 W 28 lks

26+40	Set	1" iron pipe 2'	approx ¼ cor Birch	
	Found	no	B.T.	
16+90	End of		Lake	
	started in		aspen and Birch scattering	
13+20	Set	1" iron pipe 2'	approx ¼ cor ash	
	Found	no	B.T.	
10+90	Hit	lake	shore	
	Found Iron Pipe Meander Corner 3' East of line. (E.O.M. 3/10/14)			
7+20	Hit	hard		
				22/29 27/26
3+00	Started in		aspen and ash	
	End of		Lake	
0+00	Started N 160 ft. To		From Iron pipe middle of road	

Date - 3-16-14 29

Party - Medberg
Leppla
Schuttig
Moore

Look for:
N. pine 24" S 40° E 6 lks

Look for: M.C.
Aspen 6" N 5° E 14 lks
Aspen 5" N 24° W 30 lks

Little Boy lake

Look for: M.C.
Blk. Ash 4" S 20° W 29 lks
" " 7" E 27 lks



52+80	Set	) in 2"	approx	Sec. Elder	Cor. 15 22 23
39+60	Set	1/2	approx	½ Cor.	
38+90	Started on base				
38+90	Hit	Trail			
26+40	cont'd. N.		from	22-23	

party - Woodberg
LeBlanc
Schultz
Meeks

Lake

little Big Lake

Look for: M. C.
Elm 5° S 40 W 31 lks Found

Random line
N. 50° E. - - -
40.

					15 feet
2 6 + 45	Set	1 in 2"	approx. ash	1/4	cor.
13 + 20	Set	1 in 2"	approx ash	3/16	cor.
0 + 00	started N		from S		15/14 22/23

Date - 2-14-41 31

path Meeberg Lo Blazed Sch with Monds

Lake

R. Line N. 30° W E

52+80	set	1"	approx ash	sec.	cor.
39+60	set	1"	approx ash	½ cor.	
26+40	contd. N. from 15+14				

Date - 2-14-41 32

party - Meeberg
Leland
Schutz
Mosher

Lake

N. line
N 5° E

26.40	SET APPROX 1/4 cor 2" CEDAR			1941
19+15	HIT EDGE OF LAKE & ENTERED MIXED BIRCH & ASPEN			
13+20	set in 2"	approx 1/2	Cor.	
00+00	started	N. from	10/15 | 11/14	

2-17-41 33

PARTY
McCLURE
WEISSER
SCHULTZ
MOORE

-Look for
Aspen 6" S 10° E 75 lks
Birch 12" S 15° W 10 lks Found

Look for M.C.
Oak 9" N 73° E 41 lks
W. pine 4" W 10 lks

FOUND NO MC OR ORIG EVIDENCE

LAKE

B. 1.17 a

N. 5° E

51+90	SET	APPROX.	SEC	COR.
39+66	SET	APPROX.	1/16	COR
39+92	HIT	3" ASPEN	MEADOW	

ENTERED ALPINE 10+11

CONTINUED ON SAME LINE

2-17-41

PARTY
MEEDERS
WELSER
SCHMITZ
MOORE

Look for
W. Birch 9" S 55° E 23 lks
W. Birch 7" N 29° W 15 lks
R Maple 4" N 50° E 28"
R Maple 5" S 65° W 26"

Found 3" IRON PIPE AND STARTED DUGA FROM THERE. T.P. WAS 25' E OF ECC 51+90
NO OTHER EVIDENCE

Meadow

Timber

Timber eventually Heavy meadow

R. Line
N 50° W E

24+40	SET APPROX. ¼ COR. 2" ASPEN	
24+50	INTO CEDAR SWAMP	
16+00	INTO LAKE	
12+20	SET APPROX. ¼ COR. 8" BIRCH	
2+00	ENTERED CEDAR SWAMP	
0+00	STARTED FROM ORIG. ¼ COR. ENTERED CEDAR SWAMP	

2-17-41

PARTY
Mead
Wagner
Schuette
Moore

Look for:
Ced. 9" N 30° W 17 lks
Ced. 5" N 80 E 26 lks

FOUND B.T.
CEDAR N 30° W 17 LKS
AT AT MEAS TRAVERSE

Iron pipe Approx 25 ft W. of CCC line

CEDAR SWAMP

R. Line E
N 0° 40' E

PARTY
Meet at Post Office
Work from
School to
Moore

Look for:
J. pine: 5" S 40° W 17 lks
Fir. 6" S 30° E 9 lks

Found:

Ran line
N. 5° 40" E

52+80	SET	approx ¼ Cor 2 Ln Birch		31 136 3 1 R
	68 ±	To middle of road		
	Found	B.T. 83 ± Brs. in appleon		
	Sec.	Cor		
39+66	SET	APPROX ¼ COR 2 Ln Ash		
31+56	HIT	SMALL ASPEN		
26+40	Contd.	N From		3+9

26+40	Set iron approx ¼ cor. 2" aspen
32+44	Found no Evidence
3+40	Hit Lake Shore
	Found Two Red Pine B.T.'s
19+00	End of road And in aspen And Birch
104+20	Set iron approx ¼ cor. 3" aspen
	Also Farm Land
2+00	Started in Aspen And Red Pine
7+10	Hit road And started N. road
1+30	Started in Spruce Swamp
00+00	Started N. from I.P.

COR. IN LAKE

PARTY
Mecklenberg
Kapel
[illegible]
Moore

LOOK FOR M.T.
W. B. inch 7° S 78° E
W. B. inch 7° N 12° W

Pine
B.T.
Pine
B.T.
Fence
Spruce
Mitchell

52+80	Found trees	Beech	Blazed	Recent	
	Set	1' approx	Sec.	Cor.	
	Sec. Cor. 8 ft	N.E. 0.5	Iron	pipe	
	~~0.5~~ at 18 ft.	3"	Aspen		
49+80	Hit	road			
43+11	Hit	road			
40+59					
39+20	Hit	Edge of	Lake	and Ent	
39+60	Set	1' approx	Tie Cor.	aspen	
	Ass. Set 1.6 ft.	2"	oak	Blaze Hub Pipe	
34+00					
26+40	Cont.	N.	Iron		32/33

Date-2-26-41 38.

party - Meelberg
Leo Blanc
Nagel
Schultz

Found:
Frost Plates
on N.P. trees

LOOK FOR.
W. PINE 12" S 5W LINKS.
W. PINE 18" W LINKS
W. PINE 24" N 60 E 8 LINKS
OAK 4" S 70 E 12 LINKS

LOOK FOR MC.
W. PINE 18" W 8 LINKS
OAK 10" N 70 E 4 LINKS

LOOK FOR MC.
W. BEECH 7" N 5 70 E 6 LINKS.
W. BEECH 7" N 65° W 2 LINKS.

26+40	Set	in 3" Aspen	approx.	1/4	cor.
15+20	set	in 2" aspen	approx.	1/4	Cor.
					29/28 30/33
0+00	started N.	Stream	from	P.	
0+00	Started N.	Stream			

Date - 7.26-41 39.

Party - Meeberg
Heblade
Nagel
Sedwick

LOOK FOR:
N. Pine 11" S 75 W 93 LKS.
Oak 6 ins. S. 36 E. 32 LKS.

52+80	Set	1/2	Approx sec. cor		
		3"	Birch		
	Found small stick marked				
	52+30	And blazed Birch at			
	sec cor. 76	N. 50° E	Hit iron pipe		
39+60	Set	1/2	Approx 1/4 cor		
		1"	Birch		
26+40	cont.	N.	from	29	38

Date - 7-26-41 10.

Party - Needlers
Le Blanc
Nassef
Schultz

Look For:
Oak 5" S. 33 E. 31 Lks.
N. Pine 30" S. 52 W. 5 Lks.
W. Pine 33" N. 35 W. 32 Lks.
W. Pine 24" N. 30 E. 40 Lks. + found;

26+40	Set 12	Approx 3"	Birch	½ Cor.
13+20	Set 12	2"	Birch	Approx ½ Cor.
0+00	Started N.	from		

Hook Rat:
ACpost 5" N. 8° E 19 lks.
Oak 6" S 51 W 41 lks.

Date - 7-26-41

Party - Frost, Ibele
Le Blanc
Nagel
Schultz

52+80	Set in Approx. sec cor. 2" Aspen	
	Hit iron pipe at 53+09	
	088 set + 29 ft.	
29+60	Set in Approx 1/16 cor. 3" Aspen	
31+82	Hit Road	
26+40	Contd N. 20/21	

Date - 7-28-41 42,
Party - McCleary
LeBlanc
Magel
Zumbrick
Fisher
Sanitz



Leak Fork
Birch 6" N. 40 E. 48 lks
N. Pine 30" S. 22 E. 99 lks
Oak 5" S. 72 W. 59 1/2 lks
Oak 6" N. 51 W. 66 lks.

26+41 set in Appx ¼ cap.
2" Birch

13+10 set in approx ¼ cap.
4" oak

0700 started N. from 17/16 2 9 41

parts - Members
Mc Berg
Mc Black
Fisher
Dagel
Schmidt
Fitzpatrick

Lookout:
N. Pine 20° N. 11 Miles
W. Pine 0° S 48 E 12 Miles

52+80 set in approx. sec cor.
2" spruce

45+60 Hit trail

42+20 Hit Spruce swamp

39+60 set in approx ¼ cor
3" Birch

31+10 Hit Road

26+40 cont'd N. & runs 17½

Date - 2-28-41

Party - Mackey
Sebianc
Zimbrick

No 901
Fisher
Schiff

book Fish.
Tam 6" N.62E 30 LKS
Blk Ash 5" S45E 75 LKS.
R Maple 8" N.36W 36 LKS.
R. Maple 7" S56W 52 LKS.

2644	set in Approx ¼ cor. 2" Aspen	
13+21	set in Approx ¼ cor 2" ash	
	Started in Aspen	
3+86	End of Spruce swamp	
	offset 122 ft. West	
0+00	started N. from 8/9 17/16	

Date - 3-12-44/45
Party - Bebb/Lange
Initial

Back Fob
Maple 6" N. 85 E 34 lks
Hickory 6" S 12 W 30 lks



52+99 set in approx sec. cor
3" Birch rubbing E. and W.
Hit, brushed line running E & W.
offset 123 ft. East to old
brushed line running N. & S.
Iron pipe approx. 1 ft. E. of said line
(Notes office E 0.1ft)
3/13/47

39+60 set in approx 1/4 cor.
2" espen

26+40 contd. N from 8+9

Date - 3-12-47 46.
Party - Le Blanc
Birch brush
Found Natives tobacco
Iron pipe
(Cut, stake)

Brushed line E&W.
C.L.W. corner
offset to 123' E.
N.P.
Old brushed line
Cache removed
Bak fd.
W pipe 2y" S 74 W 60 links
D pipe/84 N. 60 E 84 lks.
E pipe 2y" S 45 E 1.56 lks

26+11	set	in approx. 1/2 cap. 2" aspen		
13+20	set	in approx. 1/2 cap. 3" basswood		
11+80	End of Aspen and started in small Birch			
0+00	started	N. 8 from	5/8/49	

Date - 3-12-49.

Part - Bell Base Finished

Oak Perk!
Drainpipe 24" SBLG55LHS

C.C.C. Weighted

Old brushed line

1+P.

12359.

51+80 Set in Approx. Sec Cor.
2" Aspen
231 ft. West of Libo Found
post

39+90 Started in Cripchard
39+61 Set in Approx 1/16 Cor.
3" Aspen

26+91 Contd. N. Stem 5/4

Date - 3-12-41 48
Party - Bolam
Weather: Clear, Cool
Transit: Set post Sta. Loading Ch.
Dug Pits (North and East)
Blazed post with hatchet
1/0 Aspen
C.C.C. to brushed
Old Ephemeral line

26+40 Set 1n Approx 1/4 cor.
2" Elder

14+11 Hit Lake shore
13+21 Set 1n Approx 1/16 cor.
2" Elder

10+a.. End of aspen And started
in open land

36|31
1|6

1+00 Started N 1n Aspen And pin

0+00 Started N from center of road

Date - 2-27-41 55,

party - Yager
LeBlaze
Shultz
Graville
Kartekaas
Schintz

52+00 set iron pipe, spc. cor.
2" brass wood

Method of Land Share

39+64 Set iron pipe, cor.
2" Brass

39+66 Fd. iron pipe & Ang. Station in open field

36+00 Center of N. Stream 36/31

Date 7-29-41, 52
Party Yager
DeShazo
Schultz
Gravline
Kerteniuss
Schultz

26+40	Set in approx	$\frac{1}{4}$	Cor.		
		2" Aspen			
17+10	Hit Road				
	Found Iron pipe 98t. W Found another pipe.				
14+59	Found Iron				
13+80	End of Lane Stake				
13+24	Set in app. ox ¼ cor.				
	2" B.T. [illegible]				
					25 30
0+00	Started N.	[illegible]			36 31

Date - 2-27-51
Party - Yager
Leibert
Schultz
Granville
Hartekaas
Schinitz



Found Iron pipe on Line
other pipe 98t W.
B.T. Red pine W. 98t. of pipe on line
B.T. White pine W. 13 9t. of pipe on Line

52+80 Set in Approx. sec. cor.
3" Birch

40+00 started N. in aspen and w. pine
39+60 End of road
39+61 Set in ¼ Approx ¼ cor.
3" Birch

26+40 contd N. from 25|30

Found no Evidence

Date - 2-22-41

party - Yager
LeBlanc
Schultz
Granville
Kortekaas
Schintz

26+40	set in	approx. 2"	1/4 cor. 13 / hour		
13+21	set in	approx. 3"	1/4 cor. 13/hour		
0+00	started N.	from		34/19 35 30	

Date - 2-3-05 8.

Party - Kagel
LeBlanc
Schultz
Gravitte
Koltakaas
Schmitz

52+80	set in Appro. Sec. cor.	2"	Binch
39+60	set in Approx $\frac{1}{16}$ cor.		
39+00	Hitkaka shiko	2"	Binch
26+40	contd N. S rim 24.19		

Date - 8-5-41
party - Jaeger
2 Blads
2 Instmen
Tantegas
Gravitis

Work

~

Date - 3 - 5 - 41
party - 2 Blacks
2 Whites

26 to 41	set in 2" Birch	Approx $\frac{1}{4}$ cor.			
13 to 26	Set in 2" Birch	Approx $\frac{1}{16}$ cor.			
0 to 13	Started N. Smith		13 | 8 34 | 9		

Snake

52+80	set	in approx. 2"	Birch	sec. cut
39+60	set	in approx. 2"	Birch	½ cut
26+40	contd.	N.	Birch	18

61

Date - 3-5-41

Party - Le Blanc
Zimmerick

Parker

24+40	Set	in Approx. ¼ cor 2" Birch		
13+20	Set	in Approx. ¼ cor 2" Birch		
0+00	started N.	from		12/17 13/18

Date - 3-5-41
party - Le Blanc
Zimmerlet

1 Bike

52+81 set in Approx sec. cor.
3" Binch

39+60 set in Approx 1/16 cor.
2" Binch

26+40 contd. N. from 12+7

Date - 3-5-41 63
party - leslie
Zimonick

Sharp

26+40	set	ih	Approx	¼	cor.
26+10	}		2"	spruce	
	}	Hit	Tamarack	Swamp	
13+20	set	ih	Approx.	1/16	Cor.
			3"	Tamarack	
10+65	Ent.	of	Lake	Adj.	Started Birch spruce Aspen
0+00	started N.	from		1/2	1/16

Date - 3-5-41
party - LeBlanc Zimbrick



52+80	set	in Approx 3"	Birch		
49+10	Hit	take	shape		
43+20	Hit	road			
39+11	set	in Approx 2"	½ cab Ash		
37+21	Started	in	Birch, Ash		
29+21	End of space Aspen			And Hit	
26+40	cont'd	N.	Spruce		1½

Date - 3-7-41 65
paint - Blaze
Timbrick



		140-28	140-29	page
North	between	25	30	1
"	"	"	"	2
"	"	24	19	3
"	"	"	"	16
"	"	13	18	17
"	"	"	"	18
"	"	12	7	19
"	"	"	"	20
"	"	1	6	21
"	"	"	"	22
"	"	140-28 34	35	25
"	"	"	"	26
"	"	27	26	27
"	"	"	"	28
"	"	22	23	29
"	"	"	"	30
"	"	15	14	31
"	"	"	"	32
"	"	10	11	33
"	"	"	"	34
"	"	3	2	35
"	"	"	"	36
North	140-28	32	33	37
"	"	"	"	38
"	"	29	28	39
"	"	"	"	40
"	"	20	21	41
"	"	"	"	42

		140 - 28	Page
North	Between	17 - 16	43
"	"	" "	44
"	"	8 - 9	45
"	"	" "	46
"	"	5 - 4	47
"	"	" "	48

North on Tshp. Line 140 - 29 - 28

North	between	36 - 31	55
"	"	" "	56
"	"	25 - 30	57
"	"	" "	58
"	"	24 - 19	59
"	"	13 - 18	60
"	"	" "	61
"	"	12 - 7	62
"	"	" "	63
"	"	1 - 6	64
"	"	" "	65


Gieker
1 mi
Neeley
1 mi
Dennen
1/2 mi
Jogers
2 mi

Yager —
Gravella W.
LaBlanc — note #1
Zinklick — clarin.

Perman —
Evans —
Brostrom — note #2
Minor — clarin.
LeClair —

Meelberg —
Remenic or Nagel
Moore C
Weisser — note #1
Schultz, R — clarin

Fisher —
Kritzer
Vorlie — note #2
Schultz, D — clarin

DIETZGEN'S RAILROAD CURVE AND REDUCTION TABLES



CURVE FORMULAS

Radius=R=$\frac{50}{\text{sin. } D/2}$ (1) Degree of Curve=D and sin. $\frac{D}{2}=\frac{50}{R}$ (2)

Tangent=T=R tan $\frac{\Delta}{2}$ (3) Length of Curve=L=$100\frac{\Delta}{D}$ (4)

Middle ordinate=M= R(1—cos. $\frac{\Delta}{2}$) (5) =R vers $\frac{\Delta}{2}$ (6)

External=E=T tan $\frac{\Delta}{4}$ (7) =R ÷ cos. $\frac{\Delta}{2}$ —R (8)=R exsec $\frac{\Delta}{2}$ (9)

Long Chord=C=2 R sin. $\frac{\Delta}{2}$ (10) Δ=Central Angle

EXPLANATION AND USE OF TABLES

Stations.—Given P. I.=Sta. 161 +60.35 to find Sta. of P. C. and P. T. Δ=62° 10′ D=8° 20′. From Table IV for 1° curve T=3454.1 and ÷8⅓=414.49 ft. From Table V correction=.36 or T=414.85 ft. P. C.=Sta. P.I.—T=157 +45.50. Also from (4) L=746.00 and P. T.=Sta. P. C. +L=164 +91.50.

Offsets.—Tangent offsets vary (approximately) directly with D and with square of the distance. Thus tangent offset for Sta. 158 on above curve is 2.16 ft. found as follows. From Table III tangent offset for 100 ft.=7.27 ft. Distance=158—Sta. P. C.=54.50, hence offset=7.27 (54.50 ÷ 100)²=2.16 ft. Also square of any distance divided by twice the radius equals (approximately) the distance from tangent to curve. Thus (54.50)² ÷ (2 x 688.26)=2.16 ft.

Deflections.—Deflection angle=½ D for 100 ft., ¼ D for 50 ft., etc. For c ft.=(in minutes) .3 x C x D° or=defl. for 1 ft. from Table III x C. For Sta. 158 of above curve=.3 x 54.5 x 8⅓=136.2′ or 2° 16.2′, or=2.50 x 54.5=136.2′ from Table III. For Sta. 159 deflection angle=2° 16.2′ +8° 20′ ÷ 2=6° 26.2′, etc.

Externals.—May be found in similar manner to tangents. Thus E for curve above is 91.37. For from Table IV for 1° curve E=960.6 for 8° 20′=960.6 ÷ 8⅓=91.27 and from Table V correction=.10 or E=91.37 ft. Or suppose Δ=32° and E is measured and found to be 42 ft. What is D? From Table IV E=230.9 and ÷42=5.5 or D=5° 30′.

Table I.—Minutes in Decimals of a Degree.

1′	.0167	11′	.1833	21′	.3500	31′	.5167	41′	.6833	51′	.8500
2	.0333	12	.2000	22	.3667	32	.5333	42	.7000	52	.8667
3	.0500	13	.2167	23	.3833	33	.5500	43	.7167	53	.8833
4	.0667	14	.2333	24	.4000	34	.5667	44	.7333	54	.9000
5	.0833	15	.2500	25	.4167	35	.5833	45	.7500	55	.9167
6	.1000	16	.2667	26	.4333	36	.6000	46	.7667	56	.9333
7	.1167	17	.2833	27	.4500	37	.6167	47	.7833	57	.9500
8	.1333	18	.3000	28	.4667	38	.6333	48	.8000	58	.9667
9	.1500	19	.3167	29	.4833	39	.6500	49	.8167	59	.9833
10	.1667	20	.3333	30	.5000	40	.6667	50	.8333	60	1.0000

Table II.—Inches in Decimals of a Foot.

1–16	3–32	1/8	3–16	1/4	5–16	3/8	1/2	5/8	3/4	7/8
.0052	.0078	.0104	.0156	.0208	.0260	.0313	.0417	.0521	.0625	.0729

1	2	3	4	5	6	7	8	9	10	11
.0833	.1667	.2500	.3333	.4167	.5000	.5833	.6667	.7500	.8333	.9167

Table III.—Radii, Ordinates and Deflections.

Deg.	Radius	Mid. Ord.	Tan. Offset	Def. for 1 Foot	Deg.	Radius	Mid. Ord.	Tan Offset	Def. for 1 Foot
0° 10′	34377.5	.036	.145	0.05′	7°	819.02	1.528	6.105	2.10′
20	17188.8	.073	.291	0.10	20′	781.84	1.600	6.395	2.20
30	11459.2	.109	.436	0.15	30	764.49	1.637	6.540	2.25
40	8594.42	.145	.582	0.20	40	747.89	1.673	6.685	2.30
50	6875.55	.182	.727	0.25	8	716.78	1.746	6.976	2.40
1	5729.65	.218	.873	0.30	20	688.16	1.819	7.266	2.50
10	4911.15	.255	1.018	0.35	30	674.69	1.855	7.411	2.55
20	4297.28	.291	1.164	0.40	40	661.74	1.892	7.556	2.60
30	3819.83	.327	1.309	0.45	9	637.28	1.965	7.846	2.70
40	3437.87	.364	1.454	0.50	20	614.56	2.037	8.136	2.80
50	3125.36	.400	1.600	0.55	30	603.80	2.074	8.281	2.85
2	2864.93	.436	1.745	0.60	40	593.42	2.110	8.426	2.90
10	2644.58	.473	1.891	0.65	10	573.69	2.183	8.716	3.00
20	2455.70	.509	2.036	0.70	30	546.44	2.292	9.150	3.15
30	2292.01	.545	2.181	0.75	11	521.67	2.402	9.585	3.30
40	2148.79	.582	2.327	0.80	30	499.06	2.511	10.02	3.45
50	2022.41	.618	2.472	0.85	12	478.34	2.620	10.45	3.60
3	1910.08	.655	2.618	0.90	30	459.28	2.730	10.89	3.75
10	1809.57	.691	2.763	0.95	13	441.68	2.839	11.32	3.90
20	1719.12	.727	2.908	1.00	30	425.40	2.949	11.75	4.05
30	1637.28	.764	3.054	1.05	14	410.28	3.058	12.18	4.20
40	1562.88	.800	3.199	1.10	30	396.20	3.168	12.62	4.35
50	1494.95	.836	3.345	1.15	15	383.07	3.277	13.05	4.50
4	1432.69	.873	3.490	1.20	30	370.78	3.387	13.49	4.65
10	1375.40	.909	3.635	1.25	16	359.27	3.496	13.92	4.80
20	1322.53	.945	3.718	1.30	30	348.45	3.606	14.35	4.95
30	1273.57	.982	3.926	1.35	17	338.27	3.716	14.78	5.10
40	1228.11	1.018	4.071	1.40	18	319.62	3.935	15.64	5.40
50	1185.78	1.055	4.217	1.45	19	302.94	4.155	16.51	5.70
5	1146.28	1.091	4.362	1.50	20	287.94	4.374	17.37	6.00
10	1109.33	1.127	4.507	1.55	21	274.37	4.594	18.22	6.30
20	1074.68	1.164	4.653	1.60	22	262.04	4.814	19.08	6.60
30	1042.14	1.200	4.798	1.65	23	250.79	5.035	19.94	6.90
40	1011.51	1.237	4.943	1.70	24	240.49	5.255	20.79	7.20
50	982.64	1.273	5.088	1.75	25	231.01	5.476	21.64	7.50
6	955.37	1.309	5.234	1.80	26	222.27	5.697	22.50	7.80
10	929.57	1.346	5.379	1.85	27	214.18	5.918	23.35	8.10
20	905.13	1.382	5.524	1.90	28	206.68	6.139	24.19	8.40
30	881.95	1.418	5.669	1.95	29	199.70	6.360	25.04	8.70
40	859.92	1.455	5.814	2.00	30	193.18	6.583	25.88	9.00

Note. Chord Deflection=2 times tangent deflection.

Table IV.—Tangents and Externals to a 1° Curve.

Central Angle	Tangent	External	Central Angle	Tangent	External	Central Angle	Tangent	External
1°	50.00	.22	11°	551.70	26.50	21°	1061.9	97.57
10′	58.34	.30	10′	560.11	27.31	10′	1070.6	99.16
20	66.67	.39	20	568.53	28.14	20	1079.2	100.75
30	75.01	.49	30	576.95	28.97	30	1087.8	102.35
40	83.34	.61	40	585.36	29.82	40	1096.4	103.97
50	91.68	.73	50	593.79	30.68	50	1105.1	105.60
2	100.01	.87	12	602.21	31.56	22	1113.7	107.24
10	108.35	1.02	10	610.64	32.45	10	1122.4	108.90
20	116.68	1.19	20	619.07	33.35	20	1131.0	110.57
30	125.02	1.36	30	627.50	34.26	30	1139.7	112.25
40	133.36	1.55	40	635.93	35.18	40	1148.4	113.95
50	141.70	1.75	50	644.37	36.12	50	1157.0	115.66
3	150.04	1.96	13	652.81	37.07	23	1165.7	117.38
10	158.38	2.19	10	661.25	38.03	10	1174.4	119.12
20	166.72	2.43	20	669.70	39.01	20	1183.1	120.87
30	175.06	2.67	30	678.15	39.99	30	1191.8	122.63
40	183.40	2.93	40	686.60	40.99	40	1200.5	124.41
50	191.74	3.21	50	695.06	42.00	50	1209.2	126.20
4	200.08	3.49	14	703.51	43.03	24	1217.9	128.00
10	208.43	3.79	10	711.97	44.07	10	1226.6	129.82
20	216.77	4.10	20	720.44	45.12	20	1235.3	131.65
30	225.12	4.42	30	728.90	46.18	30	1244.0	133.50
40	233.47	4.76	40	737.37	47.25	40	1252.8	135.35
50	241.81	5.10	50	745.85	48.34	50	1261.5	137.23
5	250.16	5.46	15	754.32	49.44	25	1270.2	139.11
10	258.51	5.83	10	762.80	50.55	10	1279.0	141.01
20	266.86	6.21	20	771.29	51.68	20	1287.7	142.93
30	275.21	6.61	30	779.77	52.89	30	1296.5	144.85
40	283.57	7.01	40	788.26	53.97	40	1305.3	146.79
50	291.92	7.43	50	796.75	55.13	50	1314.0	148.75
6	300.28	7.86	16	805.25	56.31	26	1322.8	150.71
10	308.64	8.31	10	813.75	57.50	10	1331.6	152.69
20	316.99	8.76	20	822.25	58.70	20	1340.4	154.69
30	325.35	9.23	30	830.76	59.91	30	1349.2	156.70
40	333.71	9.71	40	839.27	61.14	40	1358.0	158.72
50	342.08	10.20	50	847.78	62.38	50	1366.8	160.76
7	350.44	10.71	17	856.30	63.63	27	1375.6	162.81
10	358.81	11.22	10	864.82	64.90	10	1384.4	164.86
20	367.17	11.75	20	873.35	66.18	20	1393.2	166.95
30	375.54	12.29	30	881.88	67.47	30	1402.0	169.04
40	383.91	12.85	40	890.41	68.77	40	1410.9	171.15
50	392.28	13.41	50	898.95	70.09	50	1419.7	173.27
8	400.66	13.99	18	907.49	71.42	28	1428.6	175.41
10	409.03	14.58	10	916.03	72.76	10	1437.4	177.55
20	417.41	15.18	20	924.58	74.12	20	1446.3	179.72
30	425.79	15.80	30	933.13	75.49	30	1455.1	181.89
40	434.17	16.43	40	941.69	76.86	40	1464.0	184.08
50	442.55	17.07	50	950.25	78.26	50	1472.9	186.29
9	450.93	17.72	19	958.81	79.67	29	1481.8	188.51
10	459.32	18.38	10	967.38	81.09	10	1490.7	190.74
20	467.71	19.06	20	975.96	82.53	20	1499.6	192.99
30	476.10	19.75	30	984.53	83.97	30	1508.5	195.25
40	484.49	20.45	40	993.12	85.43	40	1517.4	197.53
50	492.88	21.16	50	1001.7	86.90	50	1526.3	199.82
10	501.28	21.89	20	1010.3	88.39	30	1535.3	202.12
10	509.68	22.62	10	1018.9	89.89	10	1544.2	204.44
20	518.08	23.38	20	1027.5	91.40	20	1553.1	206.77
30	526.48	24.14	30	1036.1	92.92	30	1562.1	209.12
40	534.89	24.91	40	1044.7	94.46	40	1571.0	211.48
50	543.29	25.70	50	1053.3	96.01	50	1580.0	213.86

Table IV.—Tangents and Externals to a 1° Curve.

Central Angle	Tangent	External	Central Angle	Tangent	External	Central Angle	Tangent	External
31°	1589.0	216.3	**41°**	2142.2	387.4	**51°**	2732.9	618.4
10′	1598.0	218.7	10′	2151.7	390.7	10′	2743.1	622.8
20	1606.9	221.1	20	2161.2	394.1	20	2753.4	627.2
30	1615.9	223.5	30	2170.8	397.4	30	2763.7	631.7
40	1624.9	226.0	40	2180.3	400.8	40	2773.9	636.2
50	1633.9	228.4	50	2189.9	404.2	50	2784.2	640.7
32	1643.0	230.9	**42**	2199.4	407.6	**52**	2794.5	645.2
10	1652.0	233.4	10	2209.0	411.1	10	2804.9	649.7
20	1661.0	235.9	20	2218.6	414.5	20	2815.2	654.3
30	1670.0	238.4	30	2228.1	418.0	30	2825.6	658.8
40	1679.1	241.0	40	2237.7	421.4	40	2835.9	663.4
50	1688.1	243.5	50	2247.3	425.0	50	2846.3	668.0
33	1697.2	246.1	**43**	2257.0	428.5	**53**	2856.7	672.7
10	1706.3	248.7	10	2266.6	432.0	10	2867.1	677.3
20	1715.3	251.3	20	2276.2	435.6	20	2877.5	682.0
30	1724.4	253.9	30	2285.9	439.2	30	2888.0	686.7
40	1733.5	256.5	40	2295.6	442.8	40	2898.4	691.4
50	1742.6	259.1	50	2305.2	446.4	50	2908.9	696.1
34	1751.7	261.8	**44**	2314.9	450.0	**54**	2919.4	700.9
10	1760.8	264.5	10	2324.6	453.6	10	2929.9	705.7
20	1770.0	267.2	20	2334.3	457.3	20	2940.4	710.5
30	1779.1	269.9	30	2344.1	461.0	30	2951.0	715.3
40	1788.2	272.6	40	2353.8	464.6	40	2961.5	720.1
50	1797.4	275.3	50	2363.5	468.4	50	2972.1	725.0
35	1806.6	278.1	**45**	2373.3	472.1	**55**	2982.7	729.9
10	1815.7	280.8	10	2383.1	475.8	10	2993.3	734.8
20	1824.9	283.6	20	2392.8	479.6	20	3003.9	739.7
30	1834.1	286.4	30	2402.6	483.3	30	3014.5	744.6
40	1843.3	289.2	40	2412.4	487.2	40	3025.2	749.6
50	1852.5	292.0	50	2422.3	491.0	50	3035.8	754.6
36	1861.7	294.9	**46**	2432.1	494.8	**56**	3046.5	759.6
10	1870.9	297.7	10	2441.9	498.7	10	3057.2	764.6
20	1880.1	300.6	20	2451.8	502.5	20	3067.9	769.7
30	1889.4	303.5	30	2461.7	506.4	30	3078.7	774.7
40	1898.6	306.4	40	2471.5	510.3	40	3089.4	779.8
50	1907.9	309.3	50	2481.4	514.3	50	3100.2	784.9
37	1917.1	312.2	**47**	2491.3	518.2	**57**	3110.9	790.1
10	1926.4	315.2	10	2501.2	522.2	10	3121.7	795.2
20	1935.7	318.1	20	2511.2	526.1	20	3132.6	800.4
30	1945.0	321.1	30	2521.1	530.1	30	3143.4	805.6
40	1954.3	324.1	40	2531.1	534.2	40	3154.2	810.9
50	1963.6	327.1	50	2541.0	538.2	50	3165.1	816.1
38	1972.9	330.2	**48**	2551.0	542.2	**58**	3176.0	821.4
10	1982.2	333.2	10	2561.0	546.3	10	3186.9	826.7
20	1991.5	336.3	20	2571.0	550.4	20	3197.8	832.0
30	2000.9	339.3	30	2581.0	554.5	30	3208.8	837.3
40	2010.2	342.4	40	2591.0	558.6	40	3219.7	842.7
50	2019.6	345.5	50	2601.1	562.8	50	3230.7	848.1
39	2029.0	348.6	**49**	2611.2	566.9	**59**	3241.7	853.5
10	2038.4	351.8	10	2621.2	571.1	10	3252.7	858.9
20	2047.8	354.9	20	2631.3	575.3	20	3263.7	864.3
30	2057.2	358.1	30	2641.4	579.5	30	3274.8	869.8
40	2066.6	361.3	40	2651.5	583.8	40	3285.8	875.3
50	2076.0	364.5	50	2661.6	588.0	50	3296.9	880.8
40	2085.4	367.7	**50**	2671.8	592.3	**60**	3308.0	886.4
10	2094.9	371.0	10	2681.9	596.6	10	3319.1	892.0
20	2104.3	374.2	20	2692.1	600.9	20	3330.3	897.5
30	2113.8	377.5	30	2702.3	605.3	30	3341.4	903.2
40	2123.3	380.8	40	2712.5	609.6	40	3352.6	908.8
50	2132.7	384.1	50	2722.7	614.0	50	3363.8	914.5

Table IV.—Tangents and Externals to a 1° Curve.

Central Angle	Tangent	External	Central Angle	Tangent	External	Central Angle	Tangent	External
61°	3375.0	920.2	**71°**	4086.9	1308.2	**81°**	4893.6	1805.3
10′	3386.3	925.9	10′	4099.5	1315.6	10′	4908.0	1814.7
20	3397.5	931.6	20	4112.1	1322.9	20	4922.5	1824.1
30	3408.8	937.3	30	4124.8	1330.3	30	4937.0	1833.6
40	3420.1	943.1	40	4137.4	1337.7	40	4951.5	1843.1
50	3431.4	948.9	50	4150.1	1345.1	50	4966.1	1852.6
62	3442.7	954.8	**72**	4162.8	1352.6	**82**	4980.7	1862.2
10	3454.1	960.6	10	4175.6	1360.1	10	4995.4	1871.8
20	3465.4	966.5	20	4188.5	1367.6	20	5010.0	1881.5
30	3476.8	972.4	30	4201.2	1375.2	30	5024.8	1891.2
40	3488.3	978.3	40	4214.0	1382.8	40	5039.5	1900.9
50	3499.7	984.3	50	4226.8	1390.4	50	5054.3	1910.7
63	3511.1	990.2	**73**	4239.7	1398.0	**83**	5069.2	1920.5
10	3522.6	996.2	10	4252.6	1405.7	10	5084.0	1930.4
20	3534.1	1002.3	20	4265.6	1413.5	20	5099.0	1940.3
30	3545.6	1008.3	30	4278.5	1421.2	30	5113.9	1950.3
40	3557.2	1014.4	40	4291.5	1429.0	40	5128.9	1960.2
50	3568.7	1020.5	50	4304.6	1436.8	50	5143.9	1970.3
64	3580.3	1026.6	**74**	4317.6	1444.6	**84**	5159.0	1980.4
10	3591.9	1032.8	10	4330.7	1452.5	10	5174.1	1990.5
20	3603.5	1039.0	20	4343.8	1460.4	20	5189.3	2000.6
30	3615.1	1045.2	30	4356.9	1468.4	30	5204.4	2010.8
40	3626.8	1051.4	40	4370.1	1476.4	40	5219.7	2021.1
50	3638.5	1057.7	50	4383.3	1484.4	50	5234.9	2031.4
65	3650.2	1063.9	**75**	4396.5	1492.4	**85**	5250.3	2041.7
10	3661.9	1070.2	10	4409.8	1500.5	10	5265.6	2052.1
20	3673.7	1076.6	20	4423.1	1508.6	20	5281.0	2062.5
30	3685.4	1082.9	30	4436.4	1516.7	30	5296.4	2073.0
40	3697.2	1089.3	40	4449.7	1524.9	40	5311.9	2083.5
50	3709.0	1095.7	50	4463.1	1533.1	50	5327.4	2094.1
66	3720.9	1102.2	**76**	4476.5	1541.4	**86**	5343.0	2104.7
10	3732.7	1108.6	10	4489.9	1549.7	10	5358.6	2115.3
20	3744.6	1115.1	20	4503.4	1558.0	20	5374.2	2126.0
30	3756.5	1121.7	30	4516.9	1566.3	30	5389.9	2136.7
40	3768.5	1128.2	40	4530.4	1574.7	40	5405.6	2147.5
50	3780.4	1134.8	50	4544.0	1583.1	50	5421.4	2158.4
67	3792.4	1141.4	**77**	4557.6	1591.6	**87**	5437.2	2169.2
10	3804.4	1148.0	10	4571.2	1600.1	10	5453.1	2180.2
20	3816.4	1154.7	20	4584.8	1608.6	20	5469.0	2191.1
30	3828.4	1161.3	30	4598.5	1617.1	30	5484.9	2202.2
40	3840.5	1168.1	40	4612.2	1625.7	40	5500.9	2213.2
50	3852.6	1174.8	50	4626.0	1634.4	50	5517.0	2224.3
68	3864.7	1181.6	**78**	4639.8	1643.0	**88**	5533.1	2235.5
10	3876.8	1188.4	10	4653.6	1651.7	10	5549.2	2246.7
20	3889.0	1195.2	20	4667.4	1660.5	20	5565.4	2258.0
30	3901.2	1202.0	30	4681.3	1669.2	30	5581.6	2269.3
40	3913.4	1208.9	40	4695.2	1678.1	40	5597.8	2280.6
50	3925.6	1215.8	50	4709.2	1686.9	50	5614.2	2292.0
69	3937.9	1222.7	**79**	4723.2	1695.8	**89**	5630.5	2303.5
10	3950.2	1229.7	10	4737.2	1704.7	10	5646.9	2315.0
20	3962.5	1236.7	20	4751.2	1713.7	20	5663.4	2326.6
30	3974.8	1243.7	30	4765.3	1722.7	30	5679.9	2338.2
40	3987.2	1250.8	40	4779.4	1731.7	40	5696.4	2349.8
50	3999.5	1257.9	50	4793.6	1740.8	50	5713.0	2361.5
70	4011.9	1265.0	**80**	4807.7	1749.9	**90**	5729.7	2373.3
10	4024.4	1272.1	10	4822.0	1759.0	10	5746.3	2385.1
20	4036.8	1279.3	20	4836.2	1768.2	20	5763.1	2397.0
30	4049.3	1286.5	30	4850.5	1777.4	30	5779.9	2408.9
40	4061.8	1293.6	40	4864.8	1786.7	40	5796.7	2420.9
50	4074.4	1300.9	50	4879.2	1796.0	50	5813.6	2432.9

Table IV.—Tangents and Externals to a 1° Curve.

Central Angle	Tangent	External	Central Angle	Tangent	External	Central Angle	Tangent	External
91°	5830.5	2444.9	101°	6950.6	3278.1	111°	8336.7	4386.1
10′	5847.5	2457.1	10′	6971.3	3294.1	10′	8362.7	4407.6
20	5864.6	2469.3	20	6992.0	3310.1	20	8388.9	4429.2
30	5881.7	2481.5	30	7012.7	3326.1	30	8415.1	4450.9
40	5898.8	2493.8	40	7033.6	3342.3	40	8441.5	4472.7
50	5916.0	2506.1	50	7054.5	3358.5	50	8468.0	4494.6
92	5933.2	2518.5	102	7075.5	3374.9	112	8494.6	4516.6
10	5950.5	2531.0	10	7096.6	3391.2	10	8521.3	4538.8
20	5967.9	2543.5	20	7117.8	3407.7	20	8548.1	4561.1
30	5985.3	2556.0	30	7139.0	3424.3	30	8575.0	4583.4
40	6002.7	2568.6	40	7160.3	3440.9	40	8602.1	4606.0
50	6020.2	2581.3	50	7181.7	3457.6	50	8629.3	4628.6
93	6037.8	2594.0	103	7203.2	3474.4	113	8656.6	4651.3
10	6055.4	2606.8	10	7224.7	3491.3	10	8684.0	4674.2
20	6073.1	2619.7	20	7246.3	3508.2	20	8711.5	4697.2
30	6090.8	2632.6	30	7268.0	3525.2	30	8739.2	4720.3
40	6108.6	2645.5	40	7289.8	3542.4	40	8767.0	4743.6
50	6126.4	2658.5	50	7311.7	3559.6	50	8794.9	4766.9
94	6144.3	2671.6	104	7333.6	3576.8	114	8822.9	4790.4
10	6162.6	2684.7	10	7355.6	3594.2	10	8851.0	4814.1
20	6180.2	2697.9	20	7377.8	3611.7	20	8879.3	4837.8
30	6198.3	2711.2	30	7399.9	3629.2	30	8907.7	4861.7
40	6216.4	2724.5	40	7422.2	3646.8	40	8936.3	4885.7
50	6234.6	2737.9	50	7444.6	3664.5	50	8965.0	4909.9
95	6252.8	2751.3	105	7467.0	3682.3	115	8993.8	4934.1
10	6271.1	2764.8	10	7489.6	3700.2	10	9022.7	4958.6
20	6289.4	2778.3	20	7512.2	3718.2	20	9051.7	4983.1
30	6307.9	2792.0	30	7534.9	3736.2	30	9080.9	5007.8
40	6326.3	2805.6	40	7557.7	3754.4	40	9110.3	5032.6
50	6344.8	2819.4	50	7580.5	3772.6	50	9139.8	5057.6
96	6363.4	2833.2	106	7603.5	3791.0	116	9169.4	5082.7
10	6382.1	2847.0	10	7626.6	3809.4	10	9199.1	5107.9
20	6400.8	2861.0	20	7649.7	3827.9	20	9229.0	5133.3
30	6419.5	2875.0	30	7672.9	3846.5	30	9259.0	5158.8
40	6438.4	2889.0	40	7696.3	3865.2	40	9289.2	5184.5
50	6457.3	2903.1	50	7719.7	3884.0	50	9319.5	5210.3
97	6476.2	2917.3	107	7743.2	3902.9	117	9349.9	5236.2
10	6495.2	2931.6	10	7766.8	3921.9	10	9380.5	5262.3
20	6514.3	2945.9	20	7790.5	3940.9	20	9411.3	5288.6
30	6533.4	2960.3	30	7814.3	3960.1	30	9442.2	5315.0
40	6552.6	2974.7	40	7838.1	3979.4	40	9473.2	5341.5
50	6571.9	2989.2	50	7862.1	3998.7	50	9504.4	5368.2
98	6591.2	3003.8	108	7886.2	4018.2	118	9535.7	5395.1
10	6610.6	3018.4	10	7910.4	4037.8	10	9567.2	5422.1
20	6630.1	3033.1	20	7934.6	4057.4	20	9598.9	5449.2
30	6649.6	3047.9	30	7959.0	4077.2	30	9630.7	5476.5
40	6669.2	3062.8	40	7983.5	4097.1	40	9662.6	5504.0
50	6688.8	3077.7	50	8008.0	4117.0	50	9694.7	5531.7
99	6708.6	3092.7	109	8032.7	4137.1	119	9727.0	5559.4
10	6728.4	3107.7	10	8057.4	4157.3	10	9759.4	5587.4
20	6748.2	3122.9	20	8082.3	4177.5	20	9792.0	5615.5
30	6768.1	3138.1	30	8107.3	4197.9	30	9824.8	5643.8
40	6788.1	3153.3	40	8132.3	4218.4	40	9857.7	5672.3
50	6808.2	3168.7	50	8157.5	4239.0	50	9890.8	5700.9
100	6828.3	3184.1	110	8182.8	4259.7	120	9924.0	5729.7
10	6848.5	3199.6	10	8208.2	4280.5	10	9957.5	5758.6
20	6868.8	3215.1	20	8233.7	4301.4	20	9991.0	5787.7
30	6889.2	3230.8	30	8259.3	4322.4	30	10025.0	5817.0
40	6909.6	3246.5	40	8285.0	4343.6	40	10059.0	5846.5
50	6930.1	3262.3	50	8310.8	4364.8	50	10093.0	5876.1

Table V.—Corrections for Tangents and Externals.

These corrections are to be added to the approximate values, found by dividing the tangent, or external, for a 1° curve (Table IV) by the degree of curve, in order to obtain the true tangents, or externals. Intermediate values may be obtained by interpolation.

For Tangents Add

Central Angle	Degree of Curve													
	5°	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	65°	70°
10°	.03	.06	.09	.13	.16	.19	.22	.25	.28	.31	.34	.38	.42	.46
15°	.04	.10	.14	.19	.24	.29	.34	.39	.45	.51	.58	.58	.63	.68
20°	.06	.13	.19	.26	.32	.39	.45	.51	.58	.65	.72	.79	.84	.90
25°	.08	.16	.24	.33	.40	.49	.58	.67	.75	.83	.90	.99	1.06	1.14
30°	.10	.19	.29	.39	.49	.59	.69	.79	.89	.99	1.09	1.20	1.29	1.39
35°	.11	.22	.34	.47	.58	.69	.70	.81	.92	1.04	1.29	1.42	1.54	1.66
40°	.13	.26	.40	.53	.67	.80	.93	1.06	1.20	1.34	1.49	1.64	1.79	1.94
45°	.15	.30	.44	.60	.76	.91	1.06	1.21	1.37	1.52	1.70	1.87	2.04	2.21
50°	.17	.34	.51	.68	.85	1.02	1.19	1.36	1.54	1.72	1.91	2.10	2.29	2.48
55°	.19	.38	.57	.76	.95	1.14	1.32	1.52	1.72	1.92	2.14	2.35	2.56	2.77
60°	.21	.42	.63	.84	1.05	1.27	1.49	1.71	1.94	2.17	2.38	2.60	2.83	3.07
65°	.23	.46	.69	.93	1.16	1.40	1.64	1.88	2.13	2.38	2.63	2.88	3.13	3.39
70°	.25	.51	.76	1.02	1.28	1.54	1.80	2.06	2.33	2.60	2.88	3.16	3.44	3.72
75°	.27	.56	.83	1.12	1.40	1.69	1.98	2.27	2.57	2.87	3.16	3.47	3.78	4.09
80°	.30	.61	.91	1.22	1.53	1.84	2.15	2.46	2.78	3.10	3.44	3.78	4.12	4.46
85°	.33	.66	1.00	1.33	1.68	2.02	2.36	2.70	3.05	3.40	3.77	4.14	4.55	4.89
90°	.36	.72	1.09	1.45	1.83	2.20	2.57	2.94	3.32	3.70	4.10	4.50	4.91	5.32
95°	.39	.79	1.19	1.55	2.00	2.40	2.80	3.20	3.61	4.02	4.40	4.98	5.38	5.83
100°	.43	.86	1.30	1.74	2.18	2.62	3.06	3.50	3.95	4.40	4.88	5.37	5.85	6.34
110°	.51	1.03	1.56	2.08	2.61	3.14	3.67	4.21	4.76	5.31	5.86	6.43	7.01	7.60
120°	.62	1.25	1.93	2.52	3.16	3.81	4.45	5.11	5.77	6.44	7.12	7.80	8.50	9.22

For Externals Add

Central Angle.	Degree of Curve													
	5°	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	65°	70°
10°	.001	.003	.004	.006	.007	.003	.009	.011	.012	.014	.015	.017	.018	.020
15°	.003	.007	.010	.014	.018	.023	.027	.029	.032	.035	.039	.043	.047	.051
20°	.006	.011	.017	.022	.028	.034	.038	.045	.051	.057	.063	.070	.076	.083
25°	.009	.018	.027	.036	.046	.056	.065	.074	.083	.093	.106	.120	.127	.135
30°	.013	.025	.038	.051	.065	.078	.090	.103	.116	.129	.149	.170	.179	.188
35°	.018	.035	.054	.072	.086	.109	.131	.153	.175	.197	.213	.230	.247	.264
40°	.023	.046	.070	.093	.117	.141	.172	.203	.234	.265	.277	.290	.315	.341
45°	.030	.060	.093	.119	.153	.184	.216	.254	.289	.325	.351	.378	.411	.445
50°	.037	.075	.116	.151	.189	.227	.266	.305	.345	.384	.425	.467	.508	.550
55°	.046	.093	.142	.188	.236	.233	.332	.381	.420	.479	.530	.582	.641	.700
60°	.056	.112	.168	.225	.283	.340	.398	.457	.516	.575	.639	.697	.774	.851
65°	.067	.135	.204	.273	.343	.412	.483	.554	.625	.697	.711	.845	.922	1.01
70°	.080	.159	.240	.321	.403	.485	.568	.652	.735	.819	.906	.994	1.08	1.17
75°	.095	.182	.286	.383	.480	.578	.678	.777	.877	.977	1.07	1.18	1.29	1.39
80°	.110	.220	.332	.445	.558	.671	.787	.903	1.02	1.13	1.25	1.38	1.50	1.62
85°	.128	.259	.391	.524	.657	.790	.926	1.06	1.20	1.34	1.47	1.62	1.76	1.91
90°	.149	.299	.450	.603	.756	.910	1.07	1.22	1.38	1.54	1.70	1.87	2.03	2.20
95°	.174	.350	.522	.706	.985	1.06	1.25	1.43	1.62	1.80	1.99	2.18	2.38	2.58
100°	.200	.401	.604	.809	1.01	1.22	1.43	1.64	1.85	2.06	2.28	2.50	2.73	2.96
110°	.263	.536	.806	1.08	1.35	1.63	1.91	2.20	2.48	2.76	3.05	3.35	3.66	3.96
120°	.360	.721	1.08	1.45	1.82	2.19	2.57	2.95	3.33	3.72	4.11	4.50	4.91	5.32

Table VI.—Corrections for Sub-Chords and Long Chords.

FOR SUB-CHORDS ADD										Excess of arc per 100 ft.	LONG CHORDS				
D	10	20	30	40	50	60	70	80	90		D	200	300	400	500
4°	.00	.00	.01	.01	.01	.01	.01	.01	.00	.02	1	199.99	299.97	399.92	499.85
6	.00	.01	.01	.02	.02	.02	.02	.01	.01	.05	2	199.97	299.88	399.70	499.39
8	.01	.02	.02	.03	.03	.03	.03	.02	.01	.08	3	199.93	299.73	399.32	498.63
10	.01	.02	.03	.04	.05	.05	.05	.04	.02	.13	4	199.88	299.51	398.78	497.57
12	.02	.04	.05	.06	.07	.07	.07	.05	.03	.18	5	199.81	299.24	398.10	496.20
14	.02	.05	.07	.08	.09	.10	.09	.07	.04	.25	6	199.73	298.90	397.26	494.53
16	.03	.06	.09	.11	.12	.12	.12	.09	.05	.33	7	199.63	298.51	396.28	492.57
18	.04	.08	.11	.14	.15	.16	.15	.12	.07	.41	8	199.51	298.05	395.14	490.31
20	.05	.10	.14	.17	.19	.20	.18	.15	.09	.51	9	199.38	297.54	393.86	487.75
22	.06	.12	.17	.21	.23	.24	.22	.18	.10	.62	10	199.24	296.96	392.42	484.90
24	.07	.14	.20	.25	.28	.28	.26	.21	.12	.74	12	198.90	295.63	389.12	478.34
26	.09	.17	.24	.29	.32	.33	.31	.25	.15	.86	14	198.51	294.06	385.22	470.65
28	.10	.19	.27	.34	.37	.38	.36	.29	.17	1.00	16	198.05	292.25	380.76	461.86
30	.11	.22	.31	.39	.43	.44	.41	.33	.19	1.15	18	197.54	290.21	375.74	452.02
32	.13	.25	.36	.44	.49	.50	.47	.38	.22	1.31	20	196.96	287.94	370.17	441.15
34	.15	.28	.40	.50	.55	.57	.53	.43	.25	1.48	22	196.32	285.44	364.06	429.30
36	.17	.32	.45	.56	.62	.64	.59	.48	.28	1.66	24	195.63	282.71	357.43	416.53
38	.18	.36	.51	.62	.70	.71	.66	.53	.31	1.86	26	194.87	279.76	350.30	402.89
40	.21	.40	.56	.69	.77	.79	.73	.59	.35	2.06	28	194.06	276.59	342.69	388.43
42	.23	.44	.62	.76	.85	.87	.81	.65	.38	2.28	30	193.18	273.20	334.61	373.20
44	.25	.48	.68	.84	.94	.96	.89	.72	.42	2.50	32	192.25	269.61	326.08	357.28
46	.27	.52	.75	.92	1.02	1.05	.98	.78	.46	2.74	34	191.26	265.81	317.12	340.73
48	.30	.57	.81	1.00	1.12	1.14	1.06	.86	.50	2.99	36	190.21	261.80	307.77	323.61
50	.32	.62	.89	1.09	1.21	1.24	1.15	.93	.55	3.24	38	189.10	257.60	298.03	305.99
52	.35	.67	.96	1.18	1.31	1.35	1.25	1.01	.59	3.52	40	187.94	253.21	287.94	287.94
54	.38	.73	1.04	1.28	1.42	1.46	1.35	1.09	.64	3.80	42	186.72	248.63	277.51	269.54
56	.41	.78	1.12	1.38	1.53	1.57	1.46	1.17	.69	4.09	44	185.44	243.87	266.78	250.85
58	.44	.84	1.20	1.48	1.65	1.69	1.57	1.26	.74	4.40	46	184.10	239.93	255.78	231.95
60	.47	.91	1.29	1.59	1.76	1.81	1.68	1.35	.80	4.72	48	182.71	233.83	244.51	212.92

Note.—When a chord of less than 100 ft. is used the corrections given in the above table should be added to the nominal length of chord to get the length which should be used in order that the 100 ft. points will check with those obtained by using the standard 100 ft. chord. Thus in locating a 14° curve by 25 ft. chords measure 25′.06 for each chord. Long chords are useful in passing obstacles.

Table VII.—Middle Ordinates for Rails in Feet.

Deg. of Curve	LENGTH OF RAILS							Deg. of Curve	LENGTH OF RAILS.						
	32	30	28	26	24	22	20		32	30	28	26	24	22	20
1°	.022	.020	.016	.013	.011	.009	.008	16°	.356	.313	.273	.236	.200	.170	.139
2	.045	.038	.034	.029	.025	.021	.017	17	.378	.333	.290	.252	.213	.180	.148
3	.067	.058	.051	.044	.037	.031	.026	18	.400	.351	.306	.265	.225	.190	.156
4	.089	.079	.069	.060	.050	.042	.035	19	.423	.371	.324	.280	.238	.201	.165
5	.112	.099	.086	.074	.063	.053	.044	20	.445	.392	.341	.296	.250	.212	.174
6	.134	.117	.102	.088	.076	.064	.052	21	.466	.410	.357	.309	.262	.222	.182
7	.156	.137	.120	.104	.088	.074	.061	22	.487	.430	.375	.325	.275	.233	.191
8	.179	.158	.137	.119	.100	.085	.070	23	.509	.450	.390	.338	.287	.243	.199
9	.201	.175	.153	.133	.112	.095	.078	24	.531	.469	.408	.354	.299	.253	.208
10	.223	.196	.171	.148	.125	.106	.087	25	.552	.486	.424	.367	.311	.263	.216
11	.245	.216	.188	.163	.139	.117	.096	26	.573	.506	.441	.382	.323	.274	.225
12	.268	.236	.206	.179	.151	.128	.105	27	.594	.524	.457	.396	.335	.284	.233
13	.290	.254	.222	.192	.163	.138	.113	28	.618	.545	.475	.411	.348	.294	.242
14	.312	.275	.239	.207	.175	.148	.122	29	.638	.564	.491	.424	.361	.303	.250
15	.334	.295	.257	.223	.188	.159	.131	30	.660	.583	.508	.438	.374	.313	.259

Slope Reductions.

When distances are measured on a slope they may be reduced to the equivalent horizontal distance by the following approximate rule:—subtract from the slope distance the square of the rise divided by twice the slope distance. Thus for a slope distance of 250.3 ft. and a rise of 15 ft. correction=$15^2 \div 2 \times 250.3$=.45 (by slide rule) or horizontal distance=250.3—.45=249.85. When vertical angle=V. A. is measured horizontal distance=slope distance—slope distance (1—Cos. V. A.). Thus for slope distance of 248.7 ft. and V. A. of 4° 20′ from Table VIII Cos=.99714 and correction=1—.99714=.00286 per foot or total of .286× 2½ (near enough)=.57 and horizontal distance=248.7—.57=248.13 ft.

Trigonometrical Formulas.

See fig. (a).

sin. $A=\frac{a}{c}$

cos. $A=\frac{b}{c}$

tan. $A=\frac{a}{b}$

cot. $A=\frac{b}{a}$

sec. $A=\frac{c}{b}$

cosec. $A=\frac{c}{a}$



Formula for Solving Triangles.

Given	Sought.	Right triangles. See fig. (a).
a, c	A, B, b	$\sin. A=\frac{a}{c}$, $\cos. B=\frac{a}{c}$, $b=\sqrt{(c+a)\,(c-a)}$
a, b	A, B, c	$\tan. A=\frac{a}{b}$, $\cot. B=\frac{a}{b}$, $c=\sqrt{a^2+b^2}$.
A, a	B, b, c	$B=90°-A$, $b=a \cot. A$, $c=\frac{a}{\sin. A}$.
A, b	B, a, c	$B=90°-A$, $a=b \tan. A$, $c=\frac{b}{\cos. A}$.
A, c	B, a, b	$B=90°-A$, $a=c \sin. A$, $b=c \cos. A$
Given	Sought.	Oblique triangles. See fig. (b).
A, B, a	b	$b=\frac{a \sin. B}{\sin. A}$
A, a, b	B	$\sin. B=\frac{b \sin. A}{a}$
a, b, C	$A-B$	$\tan. \frac{1}{2}(A-B)=\frac{(a-b) \tan. \frac{1}{2}(A+B)}{a+b}$
a, b, c	A	If $s=\frac{1}{2}(a+b+c)$, $\sin. \frac{1}{2}A=\sqrt{\frac{(s-b)\,(s-c)}{b\,c}}$, $\cos. \frac{1}{2}A=\sqrt{\frac{s\,(s-a)}{b\,c}}$, $\tan. \frac{1}{2}A=\sqrt{\frac{(s-b)\,(s-c)}{s\,(s-a)}}$, $\sin. A=\frac{2\sqrt{(s-a)\,(s-b)\,(s-c)\,s}}{b\,c}$
A, B, C, a	area	$\text{area}=\frac{a^2 \sin. B \sin. C}{2 \sin. A}$
A, b, c	area	$\text{area}=\frac{1}{2} b\,c \sin. A$
a, b, c	area	$s=\frac{1}{2}(a+b+c)$, $\text{area}=\sqrt{s\,(s-a)(s-b)(s-c)}$

Table VIII.—Natural Trigonometrical Functions.

Angle	Sine.	Tan.	Cotg.	Cosin.		Angle	Sine.	Tan.	Cotg.	Cosin.	
°						°					
0	0	0	∞	1	90	8	.1392	.1405	7.115	.99027	82
10	.0029	.0029	343.8	1	50	10	.1421	.1435	6.968	.98986	50
20	.0058	.0058	171.9	.99998	40	20	.1449	.1465	6.827	.98944	40
30	.0087	.0087	114.6	.99996	30	30	.1478	.1495	6.691	.98902	30
40	.0116	.0116	85.94	.99993	20	40	.1507	.1524	6.561	.98858	20
50	.0145	.0145	68.75	.99989	10	50	.1536	.1554	6.435	.98814	10
1	.0175	.0175	57.29	.99985	89	9	.1564	.1584	6.314	.98769	81
10	.0204	.0204	49.10	.99979	50	10	.1593	.1614	6.197	.98723	50
20	.0233	.0233	42.96	.99973	40	20	.1622	.1644	6.084	.98676	40
30	.0262	.0262	38.19	.99966	30	30	.1650	.1673	5.976	.98629	30
40	.0291	.0291	34.37	.99958	20	40	.1679	.1703	5.871	.98580	20
50	.0320	.0320	31.24	.99949	10	50	.1708	.1733	5.769	.98531	10
2	.0349	.0349	28.64	.99939	88	10	.1736	.1763	5.671	.98481	80
10	.0378	.0378	26.43	.99929	50	10	.1765	.1793	5.576	.98430	50
20	.0407	.0407	24.54	.99917	40	20	.1794	.1823	5.485	.98378	40
30	.0436	.0437	22.90	.99905	30	30	.1822	.1853	5.396	.98325	30
40	.0465	.0466	21.47	.99892	20	40	.1851	.1883	5.309	98272	20
50	.0494	.0495	20.21	.99878	10	50	.1880	.1914	5.226	.98218	10
3	.0523	.0524	19.08	.99863	87	11	.1908	.1944	5.145	.98163	79
10	.0552	.0553	18.07	.99847	50	10	.1937	.1974	5.066	.98107	50
20	.0581	.0582	17.17	.99831	40	20	.1965	.2004	4.989	.98050	40
30	.0610	.0612	16.35	.99813	30	30	.1994	.2035	4.915	.97992	30
40	.0640	.0641	15.60	.99795	20	40	.2022	.2065	4.843	.97934	20
50	.0669	.0670	14.92	.99776	10	50	.2051	.2095	4.773	.97875	10
4	.0698	.0699	14.30	.99756	86	12	.2079	.2126	4.705	.97815	78
10	.0727	.0729	13.73	.99736	50	10	.2108	.2156	4.638	.97754	50
20	.0756	.0758	13.20	.99714	40	20	.2136	.2186	4.574	.97692	40
30	.0785	.0787	12.71	.99692	30	30	.2164	.2217	4.511	.97630	30
40	.0814	.0816	12.25	.99668	20	40	.2193	.2247	4.449	.97566	20
50	.0843	.0846	11.83	.99644	10	50	.2221	.2278	4.390	.97502	10
5	.0872	.0875	11.43	.99619	85	13	.2250	.2309	4.331	.97437	77
10	.0901	.0904	11.06	.99594	50	10	.2278	.2339	4.275	.97371	50
20	.0929	.0934	10.71	.99567	40	20	.2306	.2370	4.219	.97304	40
30	.0958	.0963	10.39	.99540	30	30	.2334	.2401	4.165	.97237	30
40	.0987	.0992	10.08	.99511	20	40	.2363	.2432	4.113	.97169	20
50	.1016	.1022	9.788	.99482	10	50	.2391	.2462	4.061	.97100	10
6	.1045	.1051	9.514	.99452	84	14	.2419	.2493	4.011	.97030	76
10	.1074	.1080	9.255	.99421	50	10	.2447	.2524	3.962	.96959	50
20	.1103	.1110	9.010	.99390	40	20	.2476	.2555	3.914	.96887	40
30	.1132	.1139	8.777	.99357	30	30	.2504	.2586	3.867	.96815	30
40	.1161	.1169	8.556	.99324	20	40	.2532	.2617	3.821	.96742	20
50	.1190	.1198	8.345	.99290	10	50	.2560	.2648	3.776	.96667	10
7	.1219	.1228	8.144	.99255	83	15	.2588	.2679	3.732	.96593	75
10	.1248	.1257	7.953	.99219	50	10	.2616	.2711	3.689	.96517	50
20	.1276	.1287	7.770	.99182	40	20	.2644	.2742	3.647	.96440	40
30	.1305	.1317	7.596	.99144	30	30	.2672	.2773	3.606	.96363	30
40	.1334	.1346	7.429	.99106	20	40	.2700	.2805	3.566	.96285	20
50	.1363	.1376	7.269	.99067	10	50	.2728	.2836	3.526	.96206	10
					82						74
	Cosin.	Cotg.	Tan.	Sine.	Angle.		Cosin.	Cotg.	Tan.	Sine.	Angle.

Table VIII.—Natural Trigonometrical Functions.

Angle	Sine.	Tan.	Cotg.	Cosin.		Angle	Sine.	Tan.	Cotg.	Cosin.	
°						°					
16	.2756	.2867	3.487	.96126	74	24	.4067	.4452	2.246	.91355	66
10	.2784	.2899	3.450	.96046	50	10	.4094	.4487	2.229	.91236	50
20	.2812	.2931	3.412	.95964	40	20	.4120	.4522	2.211	.91116	40
30	.2840	.2962	3.376	.95882	30	30	.4147	.4557	2.194	.90996	30
40	.2868	.2994	3.340	.95799	20	40	.4173	.4592	2.177	.90875	20
50	.2896	.3026	3.305	.95715	10	50	.4200	.4628	2.161	.90753	10
17	.2924	.3057	3.271	.95615	73	25	.4226	.4663	2.145	.90631	65
10	.2952	.3089	3.237	.95545	50	10	.4253	.4699	2.128	.90507	50
20	.2979	.3121	3.204	.95459	40	20	.4279	.4734	2.112	.90383	40
30	.3007	.3153	3.172	.95372	30	30	.4305	.4770	2.097	.90259	30
40	.3035	.3185	3.140	.95284	20	40	.4331	.4806	2.081	.90133	20
50	.3062	.3217	3.108	.95195	10	50	.4358	.4841	2.066	.90007	10
18	.3090	.3249	3.078	.95106	72	26	.4384	.4877	2.050	.89879	64
10	.3118	.3281	3.048	.95015	50	10	.4410	.4913	2.035	.89752	50
20	.3145	.3314	3.018	.94924	40	20	.4436	.4950	2.020	.89623	40
30	.3173	.3346	2.989	.94832	30	30	.4462	.4986	2.006	.89493	30
40	.3201	.3378	2.960	.94740	20	40	.4488	.5022	1.991	.89363	20
50	.3228	.3411	2.932	.94646	10	50	.4514	.5059	1.977	.89232	10
19	.3256	.3443	2.904	.94552	71	27	.4540	.5095	1.963	.89101	63
10	.3283	.3476	2.877	.94457	50	10	.4566	.5132	1.949	.88968	50
20	.3311	.3508	2.850	.94361	40	20	.4592	.5169	1.935	.88835	40
30	.3338	.3541	2.824	.94264	30	30	.4617	.5206	1.921	.88701	30
40	.3365	.3574	2.798	.94167	20	40	.4643	.5243	1.907	.88566	20
50	.3393	.3607	2.773	.94068	10	50	.4669	.5280	1.894	.88431	10
20	.3420	.3640	2.747	.93969	70	28	.4695	.5317	1.881	.88295	62
10	.3448	.3673	2.723	.93869	50	10	.4720	.5354	1.868	.88158	50
20	.3475	.3706	2.699	.93769	40	20	.4746	.5392	1.855	.88020	40
30	.3502	.3739	2.675	.93667	30	30	.4772	.5430	1.842	.87882	30
40	.3529	.3772	2.651	.93565	20	40	.4797	.5467	1.829	.87743	20
50	.3557	.3805	2.628	.93462	10	50	.4823	.5505	1.816	.87603	10
21	.3584	.3839	2.605	.93358	69	29	.4848	.5543	1.804	.87462	61
10	.3611	.3872	2.583	.93253	50	10	.4874	.5581	1.792	.87321	50
20	.3638	.3906	2.560	.93148	40	20	.4899	.5619	1.780	.87178	40
30	.3665	.3939	2.539	.93042	30	30	.4924	.5658	1.767	.87036	30
40	.3692	.3973	2.517	.92935	20	40	.4950	.5696	1.756	.86892	20
50	.3719	.4006	2.496	.92827	10	50	.4975	.5735	1.744	.86748	10
22	.3746	.4040	2.475	.92718	68	30	.5000	.5774	1.732	.86603	60
10	.3773	.4074	2.455	.92609	50	10	.5025	.5812	1.720	.86457	50
20	.3800	.4108	2.434	.92499	40	20	.5050	.5851	1.709	.86310	40
30	.3827	.4142	2.414	.92388	30	30	.5075	.5890	1.698	.86163	30
40	.3854	.4176	2.394	.92276	20	40	.5100	.5930	1.686	.86015	20
50	.3881	.4210	2.375	.92164	10	50	.5125	.5969	1.675	.85866	10
23	.3907	.4245	2.356	.92050	67	31	.5150	.6009	1.664	.85717	59
10	.3934	.4279	2.337	.91936	50	10	.5175	.6048	1.653	.85567	50
20	.3961	.4314	2.318	.91822	40	20	.5200	.6088	1.643	.85416	40
30	.3987	.4348	2.300	.91706	30	30	.5225	.6128	1.632	.85264	30
40	.4014	.4383	2.282	.91590	20	40	.5250	.6168	1.621	.85112	20
50	.4041	.4417	2.264	.91472	10	50	.5275	.6208	1.611	.84959	10
					66						58
	Cosin.	Cotg.	Tan.	Sine.	Angle.		Cosin.	Cotg.	Tan.	Sine.	Angle.

Table VIII.—Natural Trigonometrical Functions.

Angle	Sine.	Tan.	Cotg.	Cosin.	
°					
32	.5299	.6249	1.600	.84805	58
10	.5324	.6289	1.590	.84650	50
20	.5348	.6330	1.580	.84495	40
30	.5373	.6371	1.570	.84339	30
40	.5398	.6412	1.560	.84182	20
50	.5422	.6453	1.550	.84025	10
33	.5446	.6494	1.540	.83867	57
10	.5471	.6536	1.530	.83708	50
20	.5495	.6577	1.520	.83549	40
30	.5519	.6619	1.511	.83389	30
40	.5544	.6661	1.501	.83228	20
50	.5568	.6703	1.492	.83066	10
34	.5592	.6745	1.483	.82904	56
10	.5616	.6787	1.473	.82741	50
20	.5640	.6830	1.464	.82577	40
30	.5664	.6873	1.455	.82413	30
40	.5688	.6916	1.446	.82248	20
50	.5712	.6959	1.437	.82082	10
35	.5736	.7002	1.428	.81915	55
10	.5760	.7046	1.419	.81748	50
20	.5783	.7089	1.411	.81580	40
30	.5807	.7133	1.402	.81412	30
40	.5831	.7177	1.393	.81242	20
50	.5854	.7221	1.385	.81072	10
36	.5878	.7265	1.376	.80902	54
10	.5901	.7310	1.368	.80730	50
20	.5925	.7355	1.360	.80558	40
30	.5948	.7400	1.351	.80386	30
40	.5972	.7445	1.343	.80212	20
50	.5995	.7490	1.335	.80038	10
37	.6018	.7536	1.327	.79864	53
10	.6041	.7581	1.319	.79688	50
20	.6065	.7627	1.311	.79512	40
30	.6088	.7673	1.303	.79335	30
40	.6111	.7720	1.295	.79158	20
50	.6134	.7766	1.288	.78980	10
38	.6157	.7813	1.280	.78801	52
10	.6180	.7860	1.272	.78622	50
20	.6202	.7907	1.265	.78442	40
30	.6225	.7954	1.257	.78261	30
40	.6248	.8002	1.250	.78079	20
50	.6271	.8050	1.242	.77897	10
39	.6293	.8098	1.235	.77715	51
10	.6316	.8146	1.228	.77531	50
20	.6338	.8195	1.220	.77347	40
30	.6361	.8243	1.213	.77162	30
40	.6383	.8292	1.206	.76977	20
50	.6406	.8342	1.199	.76791	10
40	.6428	.8391	1.192	.76604	50
10	.6450	.8441	1.185	.76417	50
20	.6472	.8491	1.178	.76229	40
30	.6494	.8541	1.171	.76041	30
40	.6517	.8591	1.164	.75851	20
50	.6539	.8642	1.157	.75661	10
41	.6561	.8693	1.150	.75471	49
10	.6583	.8744	1.144	.75280	50
20	.6604	.8796	1.137	.75088	40
30	.6626	.8847	1.130	.74896	30
40	.6648	.8899	1.124	.74703	20
50	.6670	.8952	1.117	.74509	10
42	.6691	.9004	1.111	.74314	48
10	.6713	.9057	1.104	.74120	50
20	.6734	.9110	1.098	.73924	40
30	.6756	.9163	1.091	.73728	30
40	.6777	.9217	1.085	.73531	20
50	.6799	.9271	1.079	.73333	10
43	.6820	.9325	1.072	.73135	47
10	.6841	.9380	1.066	.72937	50
20	.6862	.9435	1.060	.72737	40
30	.6884	.9490	1.054	.72537	30
40	.6905	.9545	1.048	.72337	20
50	.6926	.9601	1.042	.72136	10
44	.6947	.9657	1.036	.71934	46
10	.6967	.6713	1.030	.71732	50
20	.6988	.9770	1.024	.71529	40
30	.7009	.9827	1.018	.71325	30
40	.7030	.9884	1.012	.71121	20
50	.7050	.9942	1.006	.70916	10
	.7071	1.	1.	.70711	45
					°
	Cosin.	Cotg.	Tan.	Sine.	Angle.

Table IX.—Calculation of Earthwork.

Width	HEIGHT														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	.02	.04	.06	.07	.09	.11	.13	.15	.17	.18	.20	.22	.24	.26	.28
2	.04	.07	.11	.15	.18	.22	.26	.30	.33	.37	.41	.44	.48	.52	.56
3	.06	.11	.17	.22	.28	.33	.39	.44	.50	.56	.61	.67	.72	.78	.83
4	.07	.15	.22	.30	.37	.44	.52	.59	.67	.74	.81	.89	.96	1.04	1.11
5	.09	.19	.28	.37	.46	.56	.65	.74	.83	.93	1.02	1.11	1.20	1.30	1.39
6	.11	.22	.33	.44	.56	.67	.78	.89	1.00	1.11	1.22	1.33	1.44	1.55	1.67
7	.13	.26	.39	.52	.65	.78	.91	1.04	1.16	1.30	1.42	1.55	1.68	1.81	1.94
8	.15	.30	.44	.59	.74	.89	1.04	1.19	1.33	1.48	1.63	1.78	1.92	2.08	2.22
9	.17	.33	.50	.67	.83	1.00	1.17	1.33	1.50	1.67	1.83	2.00	2.17	2.33	2.50
10	.18	.37	.56	.74	.93	1.11	1.30	1.48	1.67	1.85	2.04	2.22	2.41	2.59	2.78
11	.20	.41	.61	.82	1.02	1.22	1.43	1.63	1.83	2.04	2.24	2.44	2.65	2.85	3.06
12	.22	.44	.67	.89	1.11	1.33	1.56	1.78	2.00	2.22	2.44	2.67	2.89	3.11	3.33
13	.24	.48	.72	.96	1.20	1.44	1.68	1.92	2.16	2.41	2.65	2.89	3.13	3.37	3.61
14	.26	.52	.78	1.04	1.30	1.55	1.81	2.08	2.33	2.59	2.85	3.11	3.37	3.63	3.89
15	.28	.56	.83	1.11	1.39	1.67	1.94	2.22	2.50	2.78	3.06	3.33	3.61	3.89	4.17
16	.30	.59	.89	1.18	1.48	1.78	2.07	2.37	2.67	2.96	3.26	3.56	3.85	4.15	4.44
17	.31	.63	.94	1.26	1.57	1.89	2.20	2.52	2.83	3.15	3.46	3.78	4.09	4.41	4.72
18	.33	.67	1.00	1.33	1.67	2.00	2.33	2.67	3.00	3.33	3.67	4.00	4.33	4.67	5.00
19	.35	.70	1.06	1.41	1.76	2.11	2.46	2.82	3.17	3.52	3.87	4.22	4.57	4.92	5.28
20	.37	.74	1.11	1.48	1.85	2.22	2.59	2.96	3.33	3.70	4.07	4.44	4.81	5.18	5.56
21	.39	.78	1.17	1.55	1.94	2.33	2.72	3.11	3.50	3.89	4.28	4.67	5.06	5.44	5.83
22	.41	.81	1.22	1.63	2.04	2.44	2.85	3.26	3.67	4.07	4.48	4.89	5.30	5.70	6.11
23	.43	.85	1.28	1.70	2.13	2.56	2.98	3.41	3.83	4.26	4.68	5.11	5.54	5.96	6.39
24	.44	.89	1.33	1.78	2.22	2.67	3.11	3.56	4.00	4.44	4.89	5.33	5.78	6.22	6.67
25	.46	.92	1.39	1.85	2.31	2.78	3.24	3.70	4.17	4.63	5.09	5.56	6.02	6.48	6.94
26	.48	.96	1.44	1.92	2.41	2.89	3.37	3.85	4.33	4.82	5.30	5.78	6.26	6.74	7.24
27	.50	1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00	5.50	6.00	6.50	7.00	7.50
28	.52	1.04	1.55	2.07	2.59	3.11	3.63	4.15	4.67	5.18	5.70	6.22	6.74	7.26	7.78
29	.54	1.07	1.61	2.15	2.68	3.22	3.76	4.30	4.83	5.37	5.91	6.44	6.98	7.52	8.06
30	.56	1.11	1.67	2.22	2.78	3.33	3.89	4.44	5.00	5.55	6.11	6.67	7.22	7.78	8.33
31	.57	1.15	1.72	2.30	2.87	3.44	4.02	4.59	5.17	5.74	6.32	6.89	7.46	8.04	8.61
32	.59	1.18	1.78	2.37	2.96	3.56	4.15	4.74	5.33	5.92	6.52	7.11	7.70	8.30	8.89
33	.61	1.22	1.83	2.44	3.05	3.67	4.28	4.89	5.50	6.11	6.72	7.33	7.94	8.55	9.17
34	.63	1.26	1.89	2.52	3.15	3.78	4.40	5.04	5.67	6.29	6.93	7.56	8.18	8.81	9.44
35	.65	1.30	1.94	2.59	3.24	3.89	4.53	5.18	5.83	6.48	7.13	7.78	8.42	9.08	9.72
36	.67	1.33	2.00	2.67	3.33	4.00	4.66	5.33	6.00	6.67	7.33	8.00	8.67	9.33	10.00
37	.68	1.37	2.06	2.74	3.42	4.11	4.79	5.48	6.17	6.85	7.54	8.22	8.91	9.59	10.28
38	.70	1.41	2.11	2.82	3.52	4.22	4.92	5.63	6.33	7.03	7.74	8.44	9.15	9.85	10.56
39	.72	1.44	2.17	2.89	3.61	4.33	5.05	5.78	6.50	7.22	7.95	8.67	9.39	10.11	10.83
40	.74	1.48	2.22	2.96	3.70	4.44	5.18	5.92	6.67	7.41	8.15	8.89	9.63	10.37	11.11

Table gives cu. yds. in 1 ft. of a triangle of given width and height. Corrections for tenths of width are one tenth the values found under each height considering the widths from 1 to 9 as tenths and similarly the corrections for tenths of height are one tenth the figures opposite width considering the heights from 1 to 9 as tenths. Thus if w =16.2 and h =5.3, cu. yds. =1.48+.028+.089 =1.597 cu. yds. or practically 160 cu. yds. per 100 ft. If w exceeds 40 ft., use one half and multiply result by 2, if both w and h are large use one half of each and multiply result by 4. Any cross-section may be divided into triangles by the following rule. To the triangle of the sum of the outside cuts (or fills) =h, and ½ the roadbed =w, add the triangles formed by taking the distance out to each break in turn (=w's) by the difference between the cuts (or fills) on each side of it (=h's) always subtracting the outer from the inner.

DIAGRAM FOR OBTAINING HORIZONTAL AND VERTICAL DISTANCES FROM STADIA READINGS

Enter on the horizontal scale with the value of the stadia reading or interval times the stadia constant (usually taken as 100) and run vertically upward to intersection with line representing the vertical angle. The location of this point with reference to the dotted line marked "ONE," etc., gives the correction to be subtracted from the entering value and to which "f + c" (usually about 1 ft.) must be added to obtain the Horizontal Distance The reading on vertical scale plus about 0.1 ft. for each 5° of vertical angle [= (f + c Sino)] is the Vertical Distance.





DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

Roadway 16 feet wide. Side Slopes 1 on 1½

For Single Track Embankment.

H	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	H
0	8.0	8.2	8.3	8.5	8.6	8.8	8.9	9.1	9.2	9.4	0
1	9.5	9.7	9.8	10.0	10.1	10.3	10.4	10.6	10.7	10.9	1
2	11.0	11.2	11.3	11.5	11.6	11.8	11.9	12.1	12.2	12.4	2
3	12.5	12.7	12.8	13.0	13.1	13.3	13.4	13.6	13.7	13.9	3
4	14.0	14.2	14.3	14.5	14.6	14.8	14.9	15.1	15.2	15.4	4
5	15.5	15.7	15.8	16.0	16.1	16.3	16.4	16.6	16.7	16.9	5
6	17.0	17.2	17.3	17.5	17.6	17.8	17.9	18.1	18.2	18.4	6
7	18.5	18.7	18.8	19.0	19.1	19.3	19.4	19.6	19.7	19.9	7
8	20.0	20.2	20.3	20.5	20.6	20.8	20.9	21.1	21.2	21.4	8
9	21.5	21.7	21.8	22.0	22.1	22.3	22.4	22.6	22.7	22.9	9
10	23.0	23.2	23.3	23.5	23.6	23.8	23.9	24.1	24.2	24.4	10
11	24.5	24.7	24.8	25.0	25.1	25.3	25.4	25.6	25.7	25.9	11
12	26.0	26.2	26.3	26.5	26.6	26.8	26.9	27.1	27.2	27.4	12
13	27.5	27.7	27.8	28.0	28.1	28.3	28.4	28.6	28.7	28.9	13
14	29.0	29.2	29.3	29.5	29.6	29.8	29.9	30.1	30.2	30.4	14
15	30.5	30.7	30.8	31.0	31.1	31.3	31.4	31.6	31.7	31.9	15
16	32.0	32.2	32.3	32.5	32.6	32.8	32.9	33.1	33.2	33.4	16
17	33.5	33.7	33.8	34.0	34.1	34.3	34.4	34.6	34.7	34.9	17
18	35.0	35.2	35.3	35.5	35.6	35.8	35.9	36.1	36.2	36.4	18
19	36.5	36.7	36.8	37.0	37.1	37.3	37.4	37.6	37.7	37.9	19
20	38.0	38.2	38.3	38.5	38.6	38.8	38.9	39.1	39.2	39.4	20
21	39.5	39.7	39.8	40.0	40.1	40.3	40.4	40.6	40.7	40.9	21
22	41.0	41.2	41.3	41.5	41.6	41.8	41.9	42.1	42.2	42.4	22
23	42.5	42.7	42.8	43.0	43.1	43.3	43.4	43.6	43.7	43.9	23
24	44.0	44.2	44.3	44.5	44.6	44.8	44.9	45.1	45.2	45.4	24
25	45.5	45.7	45.8	46.0	46.1	46.3	46.4	46.6	46.7	46.9	25
26	47.0	47.2	47.3	47.5	47.6	47.8	47.9	48.1	48.2	48.4	26
27	48.5	48.7	48.8	49.0	49.1	49.3	49.4	49.6	49.7	49.9	27
28	50.0	50.2	50.3	50.5	50.6	50.8	50.9	51.1	51.2	51.4	28
29	51.5	51.7	51.8	52.0	52.1	52.3	52.4	52.6	52.7	52.9	29
30	53.0	53.2	53.3	53.5	53.6	53.8	53.9	54.1	54.2	54.4	30
31	54.5	54.7	54.8	55.0	55.1	55.3	55.4	55.6	55.7	55.9	31
32	56.0	56.2	56.3	56.5	56.6	56.8	56.9	57.1	57.2	57.4	32
33	57.5	57.7	57.8	58.0	58.1	58.3	58.4	58.6	58.7	58.9	33
34	59.0	59.2	59.3	59.5	59.6	59.8	59.9	60.1	60.2	60.4	34
35	60.5	60.7	60.8	61.0	61.1	61.3	61.4	61.6	61.7	61.9	35
36	62.0	62.2	62.3	62.5	62.6	62.8	62.9	63.1	63.2	63.4	36
37	63.5	63.7	63.8	64.0	64.1	64.3	64.4	64.6	64.7	64.9	37
38	65.0	65.2	65.3	65.5	65.6	65.8	65.9	66.1	66.2	66.4	38
39	66.5	66.7	66.8	67.0	67.1	67.3	67.4	67.6	67.7	67.9	39
40	68.0	68.2	68.3	68.5	68.6	68.8	68.9	69.1	69.2	69.4	40

Example—If point is 22.6 ft. above grade, how far should it be from center line to be a slope stake point? Ans. from Table 41.9. For same slopes but other widths of roadbed correct above figures by one-half difference in width of roadbed; thus in example above for 20 ft. roadbed distance will be 41.9 + (20—16) ÷ 2 or 2 ft. added to 41.9 = 43.9. For slopes of 1 on 1 see inside of front cover.

T. 140 R. 28

15

15