

EMILY
CAM
REFUGE

EMILY CAM
REFUGE

EMILY CAM^o REFUGE

EUGENE DIETZGEN CO.

DRAWING MATERIALS, MATHEMATICAL and
SURVEYING INSTRUMENTS

Chicago New York San Francisco New Orleans Pittsburg Toronto

Distances from Center of Roadway for Cross-Sectioning
Roadway 16 feet wide. Side Slopes 1 on 1.
For Single Track Embankment.

H	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	H
0	8.0	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	0
1	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	1
2	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	2
3	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	3
4	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	4
5	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	5
6	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	6
7	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	7
8	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	8
9	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	9
10	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	10
11	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	11
12	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	12
13	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	13
14	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	14
15	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	15
16	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	16
17	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	17
18	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	18
19	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	19
20	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	20
21	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	21
22	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	22
23	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	23
24	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	24
25	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	25
26	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	26
27	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	27
28	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	28
29	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	29
30	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	30
31	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	31
32	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	32
33	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	33
34	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	34
35	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	35
36	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	36
37	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	37
38	46.0	46.1	46.2	46.3	46.4	46.5	46.6	46.7	46.8	46.9	38
39	47.0	47.1	47.2	47.3	47.4	47.5	47.6	47.7	47.8	47.9	39
40	48.0	48.1	48.2	48.3	48.4	48.5	48.6	48.7	48.8	48.9	40


Example—If point is 22.6 ft. above grade, how far should it be from center line to be a slope stake point? Ans. from Table 30.6. For same slopes but other widths of roadbed, correct above figures by one-half difference in width of roadbed; thus in example above, for 20 ft. roadbed distance will be $30.6 + (20 - 16) \div 2$ or 2 ft. added to $30.6 = 32.6$. For slopes of 1 on $1\frac{1}{2}$ see inside of back cover.


Copyright, 1914, by Eugene Dietzgen Co.

*Emily Game Refuge
Boundary.*

The paper stock of this book is made of a high grade 50% rag paper having a water resisting surface and is sewed with Bing Special Enamel Waterproof Thread.

Made in U. S. A.





Survey Emily Game Refuge.

Use this line for refuge boundary
Hit Lake - find old state not scribed
Continue on cut line East

13+10 End fence

Follow fence line

0+00 Start East from $\frac{14}{13}$ 139-25
use E of intersection $\frac{23}{24}$
of roads

Boundary-

N 80 E Main Highway

Curve in road

I have crew mark line for cutting
area I use this line for boundary.
Sufficiently close and within refuge

Satisfied that this line (random) is
random line starts at this corner.

Town road $\frac{30}{31} \frac{29}{52} 139-25$ and find that
123' N. of line (random). Go West to

line and find T.R. Corner to $\frac{27}{34} \frac{26}{32} 139-25$
Approx. corner. Go East on random.

53+25 Hit random line E+W. 1455 E. of

26+49 Continue J. from Orig 1/4

Line correlated to 1/4 26+27 139-25

Tree to S.E. Dist. West of orig 1/4 655'

26+49 West of Orig. 1/4 stake and bearing

13+20 Old stake 32' from our line

0+00 Start J. from $\frac{21}{25} \frac{22}{57} 139-25$
Use E intersection
of roads.

Random line S 49° 28' E line from to runs S 62°
109 Bearing

44+00 Finish for day -

Continue S. on same Bearing.
26+40 Concrete monument 1.5' West

13+26 Concrete monument 3.4' E.

with Mr. Ward-Langer.

Controversy as per my conversation,
red top control stake to avoid any
lots I use this line instead of the
As this line has been surveyed for

0+00 Start S. from $\frac{26}{35} \frac{25}{36}$ 139-26

700

Lot stake
Lot stakes
Road E-W

to road at 0+00.

Correct line East ^{22'} from 21+00 S.

to orig. stake marked 21^{and} East 33+30.

Correct line from Town cor. $\frac{36}{1} | 139-25$
 $1 | 138-25$

52+92 Town cor. $\frac{36}{1} | 139-25 - 138-25$

running N. follow this line to
instap. East. 61' East find line
visible must be 21^{and} to sections.

33+30 Find orig. stake scribed 21^{and} B

Continue N.
line.


with 1/4 of 1/4 visible. This stake is on

26+50 Find spared stake 3' burnt or scribed
(scribed)

21+00 offset E. 22' to line N+S.

Old line cut

0+00 Start N. from $\frac{1}{12} | 138-25$
use \pm road



0+00 Start N from $\frac{25}{36}$ 139-25 See page

I accepted his location of corner.
my random line running very close,
also where the line ran originally and
correct. From his description
witnesses this corner as being
random line. Jettler Cecil Wiegman

5 Find old stake 65.0' East of

26+40 Set Temp 1/4.

0+00 Start N. from $\frac{36}{1}$ 139-25
1 139-25

15.

Cont. to $\frac{25}{36}$
139-25

Old stake (not orig.)

52496 Fell 46.2' N of Tron Pipe of
Sec. 14 13 138-26
23/29

46+00 Levee swam p. for high land

42+00 Cross

34+00 End of Cedar - low land brush

High land
46+00
46+00
Space
Brush

CEDAR
CEDAR

2000 Set 4' Cedar 1/4 Cor. M-23

15+00 entered Cedar Swamp

14+00 leave field - hit lowland brush

5+75 hit field

5+00 hit grassy swale

0+00 Start East from 15/4 139-26
22/23

cedar
h.v.

SPRING
Bullman

field

11850
1400

SPRING
Bullman

TAGELIM


11850
1400

Party
T. Parks E
O'Brien Spangler
Hillard K
Stares Bellinger
A. E. Miles D.

Dec. 19 - 1941
Wax M - No Snow

cedar
h.v.

The image shows an open notebook with two pages. The left page is ruled with a grid of 6 columns and 12 rows. The right page is ruled with a grid of 10 columns and 12 rows. The pages are white with faint grid lines. The notebook is bound in the center, and the pages are slightly aged. There is no text or other markings on the pages.



The image shows an open notebook with two pages. The left page is ruled with a grid of 10 columns and 10 rows. The right page is ruled with a grid of 12 columns and 12 rows. The pages are otherwise blank, with no text or drawings. The notebook has a dark cover visible around the edges.

39+00

36+00

33+00

30+00

27+00

29+00

21+00

18+00

15+00

12+00

9+00

6+00

3+00

0+46

Cross under high line

0+00

Start N from $\frac{25}{36}$ 137-25-24

Dec. 11 1941

Look for:-

Found:-

yellow birch 5'
Fir 6" N80W 20.4

Grant A. Chief of Party
Forsythe COMPASS
Stonek Chain
Johnson A. STAKES
Gilbertson I. Hook
Schmitt W. Hook

Brush

6+00 High land
4+00 brush

Swamp

2+00
1+00 Swamp
0+00

52+80 Set Temp cor. to —

$\frac{24}{23}$ 139-25

Set 5" Red Oak

51+06-4 hit East and West's Survey line

line fell 1+90 East of Temp. cor.

36+31

hit highland brush

36+30

left spur

29+00

hit head spur SWAM

26+00

Set Appox. 1/4 cor.

sec. $\frac{25}{26}$ 139-25

26+00

4" Poplar-

Look for:

FOUND

11. Pine 10' 5590
Aspen 10' 2810 85'

4" Aspen Post - Blazed on
2 sides

AT 51+06-4 found 3"
Asp 1+90 west of line

Brush
Maple
Aspen

Aspen
Maple

South to sec. $\frac{25}{30}$ 139-25
~~24-14~~ at Lake Edna Bet. 24-county line
Line corrected from M.C.

28+92 hit lake. Fell Pt 53 West
of original corner.


Look for:

M.C.

Y. Pine 10" 573 W 23'

18

50 Y. Pine - 10" Y. Pine
with very good
situation all it



26+40 Set Temp 1/4 Sec Car

25+10 Leave swale

24+20 Enter swale

22+90 E old foot road

21+00 Leave Swamp
Belong 3-8

14+75 Enter Swamp

8+95 Leave Swamp

5+00 Enter Swamp
poplar 1-5

1+00 ASPEN 1-5


0+00 Start of Car State on brushed
15/14
22/23

Set Approx
1/4 Car State

19

Look for -
Fir 10° N 70° E 1/4
W Birch 7° S 34° W 10 W 11

Found No
Evidence of
B.T. or Cr.



Open Swamp

Aspen

23° So. of Corrected line
State on brushed line

Dec 14
7738 226

26+40 Set temp 1/2 Cor Stake

24+62 C Road E+W

13+75
13+15 Hay Road

10+99

7+40 Enter Hay meadow

open swale
swale brushy enter
bare Aspen

0+00 Start at App. Cor Stake on Random Line

Twp 139-R 26 10/11
15/14

U-App 12-24-41 (2)

1/2 Stake Compass Havel
Chain Smith
Brushing Tattle
Water

Turn pile Road E+W


Look for:-

N. Birch 6" 589 E 29 Lks
W " 7" N 55 W 4 "

Found No
Evidence

Rolling land
Scattered N Pine 6" to 10"

Sec 10



Rolling land
& Barren

Run N 60° 0' E

SW AMP

52480

Set App. Sec Cor
on Lake

51450.8

Offset East to stake on Lake
Set from Orig. Notes from Lake
Shore Dist 52' App. on true Line

49475

Enter Lake

45492

Leave Lake

43445

Lake Shore

29425

Leave Swale

38410

Enter Swale

28-40 Start App. 1/4 Stake & Ram Line 10 11

on So Shore Lake

Look for M.C.

N Pine 16" East 24 11cs
W Pine 10' 524W 31 11

Dec. 1942 22
Compass Hask
Chain Schmidt
Brushing Tottle
Melom

found No.
Evidence

Papoose
Lake

Sec 10

Scrub

160.0 Rammer Line

Swale

Aspen & R Oak

level land
Scattered W & N Pine 6" to 12"

1/4 Cor

500 11
T138 R26

26+40 Set App. Stake

24+80

23+80

19+25

17+90 Enter swamp

15+75 Leave Swale
15+45 Enter Swale

2+30 Leave Lake

0100 Start at Sec Cor on Lake
Run East $\frac{3}{10} \frac{2}{11}$

Look for M.C. on
Line bet Sec 2+11

Tam 10" N 82° E 110 Lbs
W Pine 20" S 66° E 67 "

Dec 26th 41

T. Mine

John Lantman

Edman

Brush - McBride

Niles

Swamp

Found No
Evidence

Swamp

Brush

Swale

Brush

Brush

Look for M.C.

No Evidence
found

23

Sec 2

Range Line S 84° 0' E

Sec 11
T 138 R 26

52+80 Stop at this point

51+03

47+80 Leave Swale

46+80 ENTER Swale

44+10 Leave Swale

43+80 ENTER Swale Leave Hill

39+10 Leave Swamp ENTER Hill

33+70 ENTER SWAMP

32+25 Leave Swamp

27+20 Enter Swamp

26+40 Start at Approx 1/2 Mile

3
11

Dec 29th 1941


24

Look For:-

Aspen 7"
" 5"
W Pine 6" N40 E 41 lbs
N 35 W 37 " 0
S 32 W 19 "

W Pine 12"

Tr Inme
Chain Edman
Picket Kantner
Brush McBride
" Niles



26+40 Set Appri 14 Stake
26+49 Off set West 15' Concrete
monument

23+00 leave pine country

21+00 line bet. Jack pine + Birch

13+26 Offset East 3.4' to Concrete
monument

12+00 ENTER PINE COUNTRY

11+00 CENTER OF VALLEY

on Town Line
START AT CENTER OF ROAD 26/25
RUN LINE SOUTH 25/36 139-26

25

Look for

Survey made about
a week ago no
Notes taken

Aspen + Birch

Jan 35

Jack
RING
20 10'

56° 30' E

Random Line

Jack pine
20 10'

Jan 36

77° 39' R 26

52+80 Set Approx Sec Cor. Stake
Swamp about 60° West

45+00 Start Mixed Aspen & Hardwood

43+00 Started at this point on Dec 30th
Ran south

30+55 Top high ridge good view of
Country

26+40 Start at approx 1/4 Stake 35+36

Dec 30th 1941

26

Look for
Tim 7" N44 W 33 L
Tim 8" N34 E 69 "
" 8" S 73 E 47 "
Tim 5" S 43 W 25 "

Chain Home
Edman
Picket Langman
Brush Mc Bride
" Niles

Found No
Evidence

Aspen & Hard
Wood

Dec 30

Aspen
& Birch

Hard
Wood
& Birch

56° 30' E
Ransden Line

Sec 36

T/39 R 26

26+40 Set App 1/4 Stake

18+35 \pm old road E+W

14+40 Leave SWAMP ENTER ASPEN P Road road

10+00 ENTER SWAMP
9+80 Leave SWALE

3+00 ENTER SWALE

0+00 START LINE ON APPROP SEC, 35/36
CORNER RUNNING SOUTH E/W


Dec 30th 1941 27
T Inme

Lock for:-
White Birch 5" N80 E 11 Lks
Espan 8" West 81 Lks

Cham Edman
Picket Langman
Brush McBride
Niles

erect over hand
Brush

Found No
Evidence



53+32 Intersect Line E & W Offset
West to Approx Sec Cor
343.7'
2/1
11/12

35+30 Leave Swamp

32+80 ENDER SWALE

26+40 Start of App 1/2 Cor

Field notes Look
Page # 24

Dec 31st 1941

28

Tr Home
Jana Edman
Lagrange
Brush in Grade
Niles

Found No
Evidence
Correct Line Crossing
Lockersalls

Run 56°30' E

Brush

Sec 2

Brush

Random Line

Sec 1

7158 R 26

Burnt over land
Brush

26+40 1/4 Cor in Lake

24+80

Water Line River

22+00

Leave Spruce

19+70

Enter Spruce

17+80

Cross old road

5+00

Leave Aspen

Enter hardwood

1+80

Leave Swale

0+80

Enter Swale

STARTED

Line West

0+00

FROM Road
Run West

2/1
11/12

Look for N/C E side
Elm 8" N 50 E 15' 1/2"
Aspen 11" 55 E 24'

Lake

29

Jan 1st 1941

T. Shore
Chap. Lyckegoth
Pickett's Langran
Brushing Mc Bride
" Edman

HILL

HILL

STRAUSS

738 RZS
Sec 11

Hardwood

Rancho Line 584-011

Sec 2

Aspen
Buck
Swale

Aspen
Buck

138-25

52+80 SET Appink Sec. Corner on Lake

3 | 2
10 | 11

26+40 Start
SET 1/4 CORNER ON Lake
Rod West

2
11

Jan 15 1941

30

Look for M.C. on
West side of Pinal
Lake

Elev 9" N 82 W 176' lks
Elev 6" S 85 W 164 "

Notes 561.3 from Cor
on Lake to M.C.

T. I. ...
Chas. ...
Edman

Little Pinal Lake

See 11
top of Pinal

L X K e

Random line 5800-11

L X K e

Bees

26+20

25+81 1/4 Cor stake on old Brush Line

20+95 Leave Swamp

17+95 Enter spruce swamp 2' to 4'

14+83 E Winter Road NW + SE

13+00 Leave Hdr Enter aspen 1-3'

10+80 E Winter Road N + S

6+80 Leave Ash swamp Enter Birch + Oak
Hardwood

4+00 Leave Bog

2+00 Leave Lake

0+00 Start at app. Cor. on Lake Run West

Look for 1/4 Cor $\frac{3}{10}$

Aspen 7" N30 W 23 / ks
" 8" S 12 E 17 "

Sec 10

Ragden Line S 82° 0' W
Following old brushed line

Sec 3

138-25

52+80 Stake

52+20 Leave Swale

52+07 Squared stake on old brushed line

Site 00 Enter swale

42+70 Leave Tam Brush + Feathered NW

Pac by trees

30+18 Enter Tam Swamp

Look for BT. $\frac{4}{9} \frac{3}{10}$ 138-25

W Pac	8"	N 45	E 38	1ks
J "	3"	N 65	W 23	"
Tam	8"	S 50	E 22	"
Tom	7	S 78	W 49	"

Kempdon Line S 24° 0' W
following old brushed line

25740 Ender SWALE

23420 Ender ASPEN

20750 Ender SWAMP

18+20 Ender ASPEN Birch

18+20 LEAVE SWAMP BRUSH

13+06 Drainage ditch So. and NE


6+50 Swamp Brush


1+50 Enter Hay meadow


~~Drainage Ditch~~





26410 leave swale

































































































































DIETZGEN'S RAILROAD CURVE AND REDUCTION TABLES

Copyright, 1914, by Eugene Dietzgen Co., New York City



CURVE FORMULAS

Radius= $R = \frac{50}{\sin \frac{D}{2}}$ (1) Degree of Curve= D and $\sin \frac{D}{2} = \frac{50}{R}$ (2)

Tangent= $T = R \tan \frac{\Delta}{2}$ (3) Length of Curve= $L = 100 \frac{\Delta}{D}$ (4)

Middle ordinate= $M = R(1 - \cos \frac{\Delta}{2})$ (5) $= R \text{vers} \frac{\Delta}{2}$ (6)

External= $E = T \tan \frac{\Delta}{4} = R \div \cos \frac{\Delta}{2} - R$ (8) $= R \text{exsec} \frac{\Delta}{2}$ (9)

Long Chord= $C = 2 R \sin \frac{\Delta}{2}$ (10) $\Delta =$ Central Angle

EXPLANATION AND USE OF TABLES

Stations.—Given P. I.—Sta. 161 + 60.35 to find Sta. of P. C. and P. T. $\Delta = 62^\circ 10'$ $D = 8^\circ 20'$. From Table IV for 1° curve $T = 3454.1$ and $\div 8\frac{1}{2} = 414.49$ ft. From Table V correction = 36 or $T = 414.85$ ft. P. C. = Sta. P. I. — $T = 157 + 45.50$. Also from (4) $L = 746.00$ and P. T. = Sta. P. C. + $L = 164 + 91.50$.

Offsets.—Tangent offsets vary (approximately) directly with D and with square of the distance. Thus tangent offset for Sta. 158 on above curve is 2.16 ft. found as follows. From Table III tangent offset for 100 ft. = 7.27 ft. Distance = 158 — Sta. P. C. = 54.50, hence offset = $7.27 (54.50 \div 100)^2 = 2.16$ ft. Also square of any distance divided by twice the radius equals (approximately) the distance from tangent to curve. Thus $(54.50)^2 \div (2 \times 688.26) = 2.16$ ft.

Deflections.—Deflection angle = $\frac{1}{2} D$ for 100 ft., $\frac{1}{4} D$ for 50 ft., etc. For c ft. = (in minutes) $.3 \times C \times D^\circ$ or = defl. for 1 ft. from Table III $\times C$. For Sta. 158 of above curve = $.3 \times 54.5 \times 8\frac{1}{2} = 136.2'$ or $2^\circ 16.2'$, or = $2.50 \times 54.5 = 136.2'$ from Table III. For Sta. 159 deflection angle = $2^\circ 16.2' + 8^\circ 20' \div 2 = 6^\circ 26.2'$, etc.

Externals.—May be found in similar manner to tangents. Thus E for curve above is 91.37. For from Table IV for 1° curve $E = 960.6$ for $8^\circ 20' = 960.6 \div 8\frac{1}{2} = 91.27$ and from Table V correction = 10 or $E = 91.37$ ft. Or suppose $\Delta = 32^\circ$ and E is measured and found to be 42 ft. What is D ? From Table IV $E = 230.9$ and $\div 42 = 5.5$ or $D = 5^\circ 30'$.

TABLE I.—MINUTES IN DECIMALS OF A DEGREE.

1'	.0167	11'	.1833	21'	.3500	31'	.5167	41'	.6833	51'	.8500
2	.0333	12	.2000	22	.3667	32	.5333	42	.7000	52	.8667
3	.0500	13	.2167	23	.3833	33	.5500	43	.7167	53	.8833
4	.0667	14	.2333	24	.4000	34	.5667	44	.7333	54	.9000
5	.0833	15	.2500	25	.4167	35	.5833	45	.7500	55	.9167
6	.1000	16	.2667	26	.4333	36	.6000	46	.7667	56	.9333
7	.1167	17	.2833	27	.4500	37	.6167	47	.7833	57	.9500
8	.1333	18	.3000	28	.4667	38	.6333	48	.8000	58	.9667
9	.1500	19	.3167	29	.4833	39	.6500	49	.8167	59	.9833
10	.1667	20	.3333	30	.5000	40	.6667	50	.8333	60	1.0000

TABLE II.—INCHES IN DECIMALS OF A FOOT.

1-16	3-32	1/8	3-16	1/4	5-16	3/8	1/2	5/8	3/4	7/8
.0052	.0078	.0104	.0156	.0208	.0260	.0313	.0417	.0521	.0625	.0729
1	2	3	4	5	6	7	8	9	10	11
.0833	.1667	.2500	.3333	.4167	.5000	.5833	.6667	.7500	.8333	.9167

TABLE III.—RADI, ORDINATES AND DEFLECTIONS.

Deg.	Radius	Mid. Ord.	Tan. Offset	Def. for 1 Foot	Deg.	Radius	Mid. Ord.	Tan. Offset	Def. for 1 Foot
0° 10'	34377.5	.036	.145	0.05'	7°	819.02	1.528	6.105	2.10'
20	17188.8	.073	.291	0.10	20'	781.84	1.600	6.395	2.20
30	11459.2	.109	.436	0.15	30	764.49	1.637	6.540	2.25
40	8594.42	.145	.582	0.20	40	747.89	1.673	6.685	2.30
50	6875.55	.182	.727	0.25	8	716.78	1.746	6.976	2.40
1 10	5729.65	.218	.873	0.30	20	688.16	1.819	7.266	2.50
20	4911.15	.255	1.018	0.35	30	674.69	1.855	7.411	2.55
30	4297.28	.291	1.164	0.40	40	661.74	1.892	7.556	2.60
40	3819.83	.327	1.309	0.45	9	637.28	1.965	7.846	2.70
50	3437.87	.364	1.454	0.50	20	614.56	2.037	8.136	2.80
2 10	3125.36	.400	1.600	0.55	30	603.80	2.074	8.281	2.85
20	2864.93	.436	1.745	0.60	40	593.42	2.110	8.426	2.90
30	2644.58	.473	1.891	0.65	10	573.69	2.183	8.716	3.00
40	2455.70	.509	2.036	0.70	30	546.44	2.292	9.150	3.15
50	2292.01	.545	2.181	0.75	11	521.67	2.402	9.585	3.30
3 10	2148.79	.582	2.327	0.80	30	499.06	2.511	10.02	3.45
20	2022.41	.618	2.472	0.85	12	478.34	2.620	10.45	3.60
3 30	1910.08	.655	2.618	0.90	30	459.28	2.730	10.89	3.75
40	1809.57	.691	2.763	0.95	13	441.68	2.839	11.32	3.90
50	1719.12	.727	2.908	1.00	30	425.40	2.949	11.75	4.05
4 10	1637.28	.764	3.054	1.05	14	410.28	3.058	12.18	4.20
20	1562.88	.800	3.199	1.10	30	396.20	3.168	12.62	4.35
30	1494.95	.836	3.345	1.15	15	383.07	3.277	13.05	4.50
4 30	1432.69	.873	3.490	1.20	30	370.78	3.387	13.49	4.65
5 10	1375.40	.909	3.635	1.25	16	359.27	3.496	13.92	4.80
20	1322.53	.945	3.718	1.30	30	348.45	3.606	14.35	4.95
30	1273.57	.982	3.926	1.35	17	338.27	3.716	14.78	5.10
40	1228.11	1.018	4.071	1.40	18	319.62	3.935	15.64	5.40
50	1185.78	1.055	4.217	1.45	19	302.94	4.155	16.51	5.70
5 10	1146.23	1.091	4.362	1.50	20	287.94	4.374	17.37	6.00
20	1109.33	1.127	4.507	1.55	21	274.37	4.594	18.22	6.30
30	1074.68	1.164	4.653	1.60	22	262.04	4.814	19.08	6.60
40	1042.14	1.200	4.798	1.65	23	250.79	5.035	19.94	6.90
50	1011.51	1.237	4.943	1.70	24	240.49	5.255	20.79	7.20
6 10	982.64	1.273	5.088	1.75	25	231.01	5.476	21.64	7.50
20	955.37	1.309	5.234	1.80	26	222.27	5.697	22.50	7.80
30	929.57	1.346	5.379	1.85	27	214.18	5.918	23.35	8.10
40	905.13	1.382	5.524	1.90	28	206.68	6.139	24.19	8.40
50	881.95	1.418	5.669	1.95	29	199.70	6.360	25.04	8.70
6 30	859.92	1.455	5.814	2.00	30	193.18	6.583	25.88	9.00

Note. Chord Deflection=2 times tangent deflection.

TABLE IV.—TANGENTS AND EXTERNALS TO A 1° CURVE.

Central Angle	Tangent	External	Central Angle	Tangent	External	Central Angle	Tangent	External
1°	50.00	.22	11°	551.70	26.50	21°	1061.9	97.57
10'	58.34	.30	10'	560.11	27.31	10'	1070.6	99.16
20	66.67	.39	20	568.53	28.14	20	1079.2	100.75
30	75.01	.49	30	576.95	28.97	30	1087.8	102.35
40	83.34	.61	40	585.36	29.82	40	1096.4	103.97
50	91.68	.73	50	593.79	30.68	50	1105.1	105.60
2 10	100.01	.87	12	602.21	31.56	22	1113.7	107.24
20	108.35	1.02	10	610.64	32.45	10	1122.4	108.90
30	116.68	1.19	20	619.07	33.35	20	1131.0	110.57
40	125.02	1.36	30	627.50	34.26	30	1139.7	112.25
50	133.36	1.55	40	635.93	35.18	40	1148.4	113.95
3 10	141.70	1.75	50	644.37	36.12	50	1157.0	115.66
10	150.04	1.96	13	652.81	37.07	23	1165.7	117.38
20	158.38	2.19	10	661.25	38.03	10	1174.4	119.12
30	166.72	2.43	20	669.70	39.01	20	1183.1	120.87
40	175.06	2.67	30	678.15	39.99	30	1191.8	122.63
50	183.40	2.93	40	686.60	40.99	40	1200.5	124.41
4 10	191.74	3.21	50	695.06	42.00	50	1209.2	126.20
20	200.08	3.49	14	703.51	43.03	24	1217.9	128.00
30	208.43	3.79	10	711.97	44.07	10	1226.6	129.82
40	216.77	4.10	20	720.44	45.12	20	1235.3	131.65
50	225.12	4.42	30	728.90	46.18	30	1244.0	133.50
5 10	233.47	4.76	40	737.37	47.25	40	1252.8	135.35
20	241.81	5.10	50	745.85	48.34	50	1261.5	137.23
30	250.16	5.46	15	754.32	49.44	25	1270.2	139.11
40	258.51	5.83	10	762.80	50.55	10	1279.0	141.01
50	266.86	6.21	20	771.29	51.68	20	1287.7	142.93
6 10	275.21	6.61	30	779.77	52.89	30	1296.5	144.85
20	283.57	7.01	40	788.26	53.97	40	1305.3	146.79
30	291.92	7.43	50	796.75	55.13	50	1314.0	148.75
7 10	300.28	7.86	16	805.25	56.31	26	1322.8	150.71
20	308.64	8.31	10	813.75	57.50	10	1331.6	152.69
30	316.99	8.76	20	822.25	58.70	20	1340.4	154.69
40	325.35	9.23	30	830.76	59.91	30	1349.2	156.70
50	333.71	9.71	40	839.27	61.14	40	1358.0	158.72
8 10	342.08	10.20	50	847.78	62.38	50	1366.8	160.76
20	350.44	10.71	17	856.30	63.63	27	1375.6	162.81
30	358.81	11.22	10	864.82	64.90	10	1384.4	164.86
40	367.17	11.75	20	873.35	66.18	20	1393.2	166.95
50	375.54	12.29	30	881.88	67.47	30	1402.0	169.04
9 10	383.91	12.85	40	890.41	68.77	40	1410.9	171.15
20	392.28	13.41	50	898.95	70.09	50	1419.7	173.27
30	400.66	13.99	18	907.49	71.42	28	1428.6	175.41
40	409.03	14.58	10	916.03	72.76	10	1437.4	177.55
50	417.41	15.18	20	924.58	74.12	20	1446.3	179.72
10 10	425.79	15.80	30	933.13	75.49	30	1455.1	181.89
20	434.17	16.43	40	941.69	76.86	40	1464.0	184.08
30	442.55	17.07	50	950.25	78.26	50	1472.9	186.29
11 10	450.93	17.72	19	958.81	79.67	29	1481.8	188.51
20	459.32	18.38	10	967.38	81.09	10	1490.7	190.74
30	467.71	19.06	20	975.96	82.53	20	1499.6	192.99
40	476.10	19.75	30	984.53	83.97	30	1508.5	195.25
50	484.49	20.45	40	993.12	85.43	40	1517.4	197.53
12 10	492.88	21.16	50	1001.7	86.90	50	1526.3	199.82
13 10	501.28	21.89	20	1010.3	88.39	30	1535.3	202.12
20	509.68	22.62	10	1018.9	89.89	10	1544.2	204.44
30	518.08	23.38	20	1027.5	91.40	20	1553.1	206.77
40	526.48	24.14	30	1036.1	92.92	30	1562.1	209.12
50	534.89	24.91	40	1044.7	94.46	40	1571.0	211.48
14 10	543.29	25.70	50	1053.3	96.01	50	1580.0	213.86

TABLE IV.—TANGENTS AND EXTERNALS TO A 1° CURVE.

Central Angle	Tangent	External	Central Angle	Tangent	External	Central Angle	Tangent	External
31°	1589.0	216.3	41°	2142.2	387.4	51°	2732.9	618.4
10'	1598.0	218.7	10'	2151.7	390.7	10'	2743.1	622.8
20	1606.9	221.1	20	2161.2	394.1	20	2753.4	627.2
30	1615.9	223.5	30	2170.8	397.4	30	2763.7	631.7
40	1624.9	226.0	40	2180.3	400.8	40	2773.9	636.2
50	1633.9	228.4	50	2189.9	404.2	50	2784.2	640.7
32°	1643.0	230.9	42°	2199.4	407.6	52°	2794.5	645.2
10	1652.0	233.4	10	2209.0	411.1	10	2804.9	649.7
20	1661.0	235.9	20	2218.6	414.5	20	2815.2	654.3
30	1670.0	238.4	30	2228.1	418.0	30	2825.6	658.8
40	1679.1	241.0	40	2237.7	421.4	40	2835.9	663.4
50	1688.1	243.5	50	2247.3	425.0	50	2846.3	668.0
33°	1697.2	246.1	43°	2257.0	428.5	53°	2856.7	672.7
10	1706.3	248.7	10	2266.6	432.0	10	2867.1	677.3
20	1715.3	251.3	20	2276.2	435.6	20	2877.5	682.0
30	1724.4	253.9	30	2285.9	439.2	30	2888.0	686.7
40	1733.5	256.5	40	2295.6	442.8	40	2898.4	691.4
50	1742.6	259.1	50	2305.2	446.4	50	2908.9	696.1
34°	1751.7	261.8	44°	2314.9	450.0	54°	2919.4	700.9
10	1760.8	264.5	10	2324.6	453.6	10	2929.9	705.7
20	1770.0	267.2	20	2334.3	457.3	20	2940.4	710.5
30	1779.1	269.9	30	2344.1	461.0	30	2951.0	715.3
40	1788.2	272.6	40	2353.8	464.6	40	2961.5	720.1
50	1797.4	275.3	50	2363.5	468.4	50	2972.1	725.0
35°	1806.6	278.1	45°	2373.3	472.1	55°	2982.7	729.9
10	1815.7	280.8	10	2383.1	475.8	10	2993.3	734.8
20	1824.9	283.6	20	2392.8	479.6	20	3003.9	739.7
30	1834.1	286.4	30	2402.6	483.3	30	3014.5	744.6
40	1843.3	289.2	40	2412.4	487.2	40	3025.2	749.6
50	1852.5	292.0	50	2422.3	491.0	50	3035.8	754.6
36°	1861.7	294.9	46°	2432.1	494.8	56°	3046.5	759.6
10	1870.9	297.7	10	2441.9	498.7	10	3057.2	764.6
20	1880.1	300.6	20	2451.8	502.5	20	3067.9	769.7
30	1889.4	303.5	30	2461.7	506.4	30	3078.7	774.7
40	1898.6	306.4	40	2471.5	510.3	40	3089.4	779.8
50	1907.9	309.3	50	2481.4	514.3	50	3100.2	784.9
37°	1917.1	312.2	47°	2491.3	518.2	57°	3110.9	790.1
10	1926.4	315.2	10	2501.2	522.2	10	3121.7	795.2
20	1935.7	318.1	20	2511.2	526.1	20	3132.6	800.4
30	1945.0	321.1	30	2521.1	530.1	30	3143.4	805.6
40	1954.3	324.1	40	2531.1	534.2	40	3154.2	810.9
50	1963.6	327.1	50	2541.0	538.2	50	3165.1	816.1
38°	1972.9	330.2	48°	2551.0	542.2	58°	3176.0	821.4
10	1982.2	333.2	10	2561.0	546.3	10	3186.9	826.7
20	1991.5	336.3	20	2571.0	550.4	20	3197.8	832.0
30	2000.9	339.3	30	2581.0	554.5	30	3208.8	837.3
40	2010.2	342.4	40	2591.0	558.6	40	3219.7	842.7
50	2019.6	345.5	50	2601.1	562.8	50	3230.7	848.1
39°	2029.0	348.6	49°	2611.2	566.9	59°	3241.7	853.5
10	2038.4	351.8	10	2621.2	571.1	10	3252.7	858.9
20	2047.8	354.9	20	2631.3	575.3	20	3263.7	864.3
30	2057.2	358.1	30	2641.4	579.5	30	3274.8	869.8
40	2066.6	361.3	40	2651.5	583.8	40	3285.8	875.3
50	2076.0	364.5	50	2661.6	588.0	50	3296.9	880.8
40°	2085.4	367.7	50°	2671.8	592.3	60°	3308.0	886.4
10	2094.9	371.0	10	2681.9	596.6	10	3319.1	892.0
20	2104.3	374.2	20	2692.1	600.9	20	3330.3	897.5
30	2113.8	377.5	30	2702.3	605.3	30	3341.4	903.2
40	2123.3	380.8	40	2712.5	609.6	40	3352.6	908.8
50	2132.7	384.1	50	2722.7	614.0	50	3363.8	914.5

TABLE IV.—TANGENTS AND EXTERNALS TO A 1° CURVE.

Central Angle	Tangent	External	Central Angle	Tangent	External	Central Angle	Tangent	External
61°	3375.0	920.2	71°	4086.9	1308.2	81°	4893.6	1805.3
10'	3386.3	925.9	10'	4099.5	1315.6	10'	4908.0	1814.7
20	3397.5	931.6	20	4112.1	1322.9	20	4922.5	1824.1
30	3408.8	937.3	30	4124.8	1330.3	30	4937.0	1833.6
40	3420.1	943.1	40	4137.4	1337.7	40	4951.5	1843.1
50	3431.4	948.9	50	4150.1	1345.1	50	4966.1	1852.6
62°	3442.7	954.8	72°	4162.8	1352.6	82°	4980.7	1862.2
10	3454.1	960.6	10	4175.6	1360.1	10	4995.4	1871.8
20	3465.4	966.5	20	4188.5	1367.6	20	5010.0	1881.5
30	3476.8	972.4	30	4201.2	1375.2	30	5024.8	1891.2
40	3488.3	978.3	40	4214.0	1382.8	40	5039.5	1900.9
50	3499.7	984.3	50	4226.8	1390.4	50	5054.3	1910.7
63°	3511.1	990.2	73°	4239.7	1398.0	83°	5069.2	1920.5
10	3522.6	996.2	10	4252.6	1405.7	10	5084.0	1930.4
20	3534.1	1002.3	20	4265.6	1413.5	20	5099.0	1940.3
30	3545.6	1008.3	30	4278.5	1421.2	30	5113.9	1950.3
40	3557.2	1014.4	40	4291.5	1429.0	40	5128.9	1960.2
50	3568.7	1020.5	50	4304.6	1436.8	50	5143.9	1970.3
64°	3580.3	1026.6	74°	4317.6	1444.6	84°	5159.0	1980.4
10	3591.9	1032.8	10	4330.7	1452.5	10	5174.1	1990.5
20	3603.5	1039.0	20	4343.8	1460.4	20	5189.3	2000.6
30	3615.1	1045.2	30	4356.9	1468.4	30	5204.4	2010.8
40	3626.8	1051.4	40	4370.1	1476.4	40	5219.7	2021.1
50	3638.5	1057.7	50	4383.3	1484.4	50	5234.9	2031.4
65°	3650.2	1063.9	75°	4396.5	1492.4	85°	5250.3	2041.7
10	3661.9	1070.2	10	4409.8	1500.5	10	5265.6	2052.1
20	3673.7	1076.6	20	4423.1	1508.6	20	5281.0	2062.5
30	3685.4	1082.9	30	4436.4	1516.7	30	5296.4	2073.0
40	3697.2	1089.3	40	4449.7	1524.9	40	5311.9	2083.5
50	3709.0	1095.7	50	4463.1	1533.1	50	5327.4	2094.1
66°	3720.9	1102.2	76°	4476.5	1541.4	86°	5343.0	2104.7
10	3732.7	1108.6	10	4489.9	1549.7	10	5358.6	2115.3
20	3744.6	1115.1	20	4503.4	1558.0	20	5374.2	2126.0
30	3756.5	1121.7	30	4516.9	1566.3	30	5389.9	2136.7
40	3768.5	1128.2	40	4530.4	1574.7	40	5405.6	2147.5
50	3780.4	1134.8	50	4544.0	1583.1	50	5421.4	2158.4
67°	3792.4	1141.4	77°	4557.6	1591.6	87°	5437.2	2169.2
10	3804.4	1148.0	10	4571.2	1600.1	10	5453.1	2180.2
20	3816.4	1154.7	20	4584.8	1608.6	20	5469.0	2191.1
30	3828.4	1161.3	30	4598.5	1617.1	30	5484.9	2202.2
40	3840.5	1168.1	40	4612.2	1625.7	40	5500.9	2213.2
50	3852.6	1174.8	50	4626.0	1634.4	50	5517.0	2224.3
68°	3864.7	1181.6	78°	4639.8	1643.0	88°	5533.1	2235.5
10	3876.8	1188.4	10	4653.6	1651.7	10	5549.2	2246.7
20	3889.0	1195.2	20	4667.4	1660.5	20	5565.4	2258.0
30	3901.2	1202.0	30	4681.3	1669.2	30	5581.6	2269.3
40	3913.4	1208.9	40	4695.2	1678.1	40	5597.8	2280.6
50	3925.6	1215.8	50	4709.2	1686.9	50	5614.2	2292.0
69°	3937.9	1222.7	79°	4723.2	1695.8	89°	5630.5	2303.5
10	3950.2	1229.7	10	4737.2	1704.7	10	5646.9	2315.0
20	3962.5	1236.7	20	4751.2	1713.7	20	5663.4	2326.6
30	3974.8	1243.7	30	4765.3	1722.7	30	5679.9	2338.2
40	3987.2	1250.8	40	4779.4	1731.7	40	5696.4	2349.8
50	3999.5	1257.9	50	4793.6	1740.8	50	5713.0	2361.5
70°	4011.9	1265.0	80°	4807.7	1749.9	90°	5729.7	2373.3
10	4024.4	1272.1	10	4822.0	1759.0	10	5746.3	2385.1
20	4036.8	1279.3	20	4836.2	1768.2	20	5763.1	2397.0
30	4049.3	1286.5</						

TABLE IV.—TANGENTS AND EXTERNALS TO A 1° CURVE.

Central Angle	Tangent	External	Central Angle	Tangent	External	Central Angle	Tangent	External
91°	5830.5	2444.9	101°	6950.6	3278.1	111°	8336.7	4386.1
10'	5847.5	2457.1	10'	6971.3	3294.1	10'	8362.7	4407.6
20	5864.6	2469.3	20	6992.0	3310.1	20	8388.9	4429.2
30	5881.7	2481.5	30	7012.7	3326.1	30	8415.1	4450.9
40	5898.8	2493.8	40	7033.6	3342.3	40	8441.5	4472.7
50	5916.0	2506.1	50	7054.5	3358.5	50	8468.0	4494.6
92	5933.2	2518.5	102	7075.5	3374.9	112	8494.6	4516.6
10	5950.5	2531.0	10	7096.6	3391.2	10	8521.3	4538.8
20	5967.9	2543.5	20	7117.8	3407.7	20	8548.1	4561.1
30	5985.3	2556.0	30	7139.0	3424.3	30	8575.0	4583.4
40	6002.7	2568.6	40	7160.3	3440.9	40	8602.1	4606.0
50	6020.2	2581.3	50	7181.7	3457.6	50	8629.3	4628.6
93	6037.8	2594.0	103	7203.2	3474.4	113	8656.6	4651.3
10	6055.4	2606.8	10	7224.7	3491.3	10	8684.0	4674.2
20	6073.1	2619.7	20	7246.3	3508.2	20	8711.5	4697.2
30	6090.8	2632.6	30	7268.0	3525.2	30	8739.2	4720.3
40	6108.6	2645.5	40	7289.8	3542.4	40	8767.0	4743.6
50	6126.4	2658.5	50	7311.7	3559.6	50	8794.9	4766.9
94	6144.3	2671.6	104	7333.6	3576.8	114	8822.9	4790.4
10	6162.6	2684.7	10	7355.6	3594.2	10	8851.0	4814.1
20	6180.2	2697.9	20	7377.8	3611.7	20	8879.3	4837.8
30	6198.3	2711.2	30	7399.9	3629.2	30	8907.7	4861.7
40	6216.4	2724.5	40	7422.2	3646.8	40	8936.3	4885.7
50	6234.6	2737.9	50	7444.6	3664.5	50	8965.0	4909.9
95	6252.8	2751.3	105	7467.0	3682.3	115	8993.8	4934.1
10	6271.1	2764.8	10	7489.6	3700.2	10	9022.7	4958.6
20	6289.4	2778.3	20	7512.2	3718.2	20	9051.7	4983.1
30	6307.9	2792.0	30	7534.9	3736.2	30	9080.9	5007.9
40	6326.3	2805.6	40	7557.7	3754.4	40	9110.3	5032.0
50	6344.8	2819.4	50	7580.5	3772.6	50	9139.8	5057.6
96	6363.4	2833.2	106	7603.5	3791.0	116	9169.4	5082.7
10	6382.1	2847.0	10	7626.6	3809.4	10	9199.1	5107.9
20	6400.8	2861.0	20	7649.7	3827.9	20	9229.0	5133.3
30	6419.5	2875.0	30	7672.9	3846.5	30	9259.0	5158.8
40	6438.4	2889.0	40	7696.3	3865.2	40	9289.2	5184.5
50	6457.3	2903.1	50	7719.7	3884.0	50	9319.5	5210.3
97	6476.2	2917.3	107	7743.2	3902.9	117	9349.9	5236.2
10	6495.2	2931.6	10	7766.8	3921.9	10	9380.5	5262.3
20	6514.3	2945.9	20	7790.5	3940.9	20	9411.3	5288.6
30	6533.4	2960.3	30	7814.3	3960.1	30	9442.2	5315.0
40	6552.6	2974.7	40	7838.1	3979.4	40	9473.2	5341.5
50	6571.9	2989.2	50	7862.1	3998.7	50	9504.4	5368.2
98	6591.2	3003.8	108	7886.2	4018.2	118	9535.7	5395.1
10	6610.6	3018.4	10	7910.4	4037.8	10	9567.2	5422.1
20	6630.1	3033.1	20	7934.6	4057.4	20	9598.9	5449.2
30	6649.6	3047.9	30	7959.0	4077.2	30	9630.7	5476.5
40	6669.2	3062.8	40	7983.5	4097.1	40	9662.6	5504.0
50	6688.8	3077.7	50	8008.0	4117.0	50	9694.7	5531.7
99	6708.6	3092.7	109	8032.7	4137.1	119	9727.0	5559.4
10	6728.4	3107.7	10	8057.4	4157.3	10	9759.4	5587.4
20	6748.2	3122.9	20	8082.3	4177.5	20	9792.0	5615.5
30	6768.1	3138.1	30	8107.3	4197.9	30	9824.8	5643.8
40	6788.1	3153.3	40	8132.3	4218.4	40	9857.7	5672.3
50	6808.2	3168.7	50	8157.5	4239.0	50	9890.8	5700.9
100	6828.3	3184.1	110	8182.8	4259.7	120	9924.0	5729.7
10	6848.5	3199.6	10	8208.2	4280.5	10	9957.5	5758.6
20	6868.8	3215.1	20	8233.7	4301.4	20	9991.0	5787.7
30	6889.2	3230.8	30	8259.3	4322.4	30	10025.0	5817.0
40	6909.6	3246.5	40	8285.0	4343.6	40	10059.0	5846.5
50	6930.1	3262.3	50	8310.8	4364.8	50	10093.0	5876.1

TABLE V.—CORRECTIONS FOR TANGENTS AND EXTERNALS.
These corrections are to be added to the approximate values, found by dividing the angle, or external, for a 1° curve (Table IV) by the degree of curve, in order to obtain the true tangents, or externals. Intermediate values may be obtained by interpolation.

FOR TANGENTS ADD														
Central Angle	DEGREE OF CURVE													
	5°	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	65°	70°
10°	.03	.06	.09	.13	.16	.19	.22	.25	.28	.31	.34	.38	.42	.46
15°	.04	.10	.14	.19	.24	.29	.34	.39	.45	.51	.53	.58	.63	.68
20°	.06	.13	.19	.26	.32	.39	.45	.51	.58	.65	.72	.79	.84	.90
25°	.08	.16	.24	.33	.40	.49	.58	.67	.75	.83	.90	.99	1.06	1.14
30°	.10	.19	.29	.39	.49	.59	.69	.79	.89	.99	1.09	1.20	1.29	1.39
35°	.11	.22	.34	.47	.58	.69	.81	.92	1.04	1.15	1.26	1.37	1.48	1.59
40°	.13	.26	.40	.53	.67	.80	.93	1.06	1.20	1.34	1.49	1.64	1.79	1.94
45°	.15	.30	.44	.60	.76	.91	1.06	1.21	1.37	1.52	1.70	1.87	2.04	2.21
50°	.17	.34	.51	.68	.85	1.02	1.19	1.36	1.54	1.72	1.91	2.10	2.29	2.48
55°	.19	.38	.57	.76	.95	1.14	1.32	1.52	1.72	1.92	2.14	2.35	2.56	2.77
60°	.21	.42	.63	.84	1.05	1.27	1.49	1.71	1.94	2.17	2.38	2.60	2.83	3.07
65°	.23	.46	.69	.93	1.16	1.40	1.64	1.88	2.13	2.38	2.63	2.88	3.13	3.39
70°	.25	.51	.76	1.02	1.28	1.54	1.80	2.06	2.33	2.60	2.88	3.16	3.44	3.72
75°	.27	.56	.83	1.12	1.40	1.69	1.98	2.27	2.57	2.87	3.16	3.47	3.78	4.09
80°	.30	.61	.91	1.22	1.53	1.84	2.15	2.46	2.78	3.10	3.44	3.78	4.12	4.46
85°	.33	.66	1.00	1.33	1.68	2.02	2.36	2.70	3.05	3.40	3.77	4.14	4.55	4.89
90°	.36	.72	1.09	1.45	1.83	2.20	2.57	2.94	3.32	3.70	4.10	4.50	4.91	5.32
95°	.39	.79	1.19	1.55	2.00	2.40	2.80	3.20	3.61	4.02	4.40	4.85	5.33	5.83
100°	.43	.86	1.30	1.74	2.18	2.62	3.06	3.50	3.95	4.40	4.88	5.37	5.85	6.34
110°	.51	1.03	1.56	2.08	2.61	3.14	3.67	4.21	4.76	5.31	5.86	6.43	7.01	7.60
120°	.62	1.25	1.93	2.52	3.16	3.81	4.45	5.11	5.77	6.44	7.12	7.80	8.50	9.22
FOR EXTERNALS ADD														
Central Angle	DEGREE OF CURVE													
	5°	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	65°	70°
10°	.001	.003	.004	.006	.007	.008	.009	.011	.012	.014	.015	.017	.018	.020
15°	.003	.007	.010	.014	.018	.023	.027	.032	.037	.042	.047	.053	.057	.061
20°	.006	.011	.017	.022	.028	.034	.038	.045	.051	.057	.063	.070	.076	.083
25°	.009	.018	.027	.036	.046	.056	.065	.074	.083	.093	.106	.120	.127	.135
30°	.013	.025	.038	.051	.065	.078	.090	.103	.116	.129	.149	.170	.179	.188
35°	.018	.035	.054	.072	.086	.109	.131	.153	.175	.197	.219	.230	.247	.264
40°	.023	.046	.070	.093	.117	.141	.172	.203	.234	.265	.277	.290	.315	.341
45°	.030	.060	.090	.119	.153	.184	.216	.254	.289	.325	.351	.378	.411	.445
50°	.037	.075	.116	.151	.189	.227	.266	.305	.345	.384	.425	.467	.508	.550
55°	.046	.093	.142	.188	.236	.283	.332	.381	.420	.479	.530	.582	.641	.700
60°	.055	.112	.168	.225	.283	.340	.398	.457	.516	.575	.636	.697	.774	.851
65°	.067	.135	.204	.273	.343	.412	.483	.554	.625	.697	.771	.845	.922	1.01
70°	.080	.159	.240	.321	.403	.485	.568	.652	.735	.819	.906	.994	1.08	1.17
75°	.095	.182	.266	.353	.430	.518	.608	.697	.787	.877	.971	1.07	1.18	1.29
80°	.110	.220	.332	.445	.558	.671	.787	.903	1.02	1.13	1.25	1.38	1.50	1.62
85°	.128	.259	.391	.524	.657	.790	.926	1.06	1.20	1.34	1.47	1.62	1.76	1.91
90°	.149	.299	.450	.603	.756									

TABLE VI.—CORRECTIONS FOR SUB-CHORDS AND LONG CHORDS.

FOR SUB-CHORDS ADD										Excess of arc per 100 ft.	LONG CHORDS				
D	10	20	30	40	50	60	70	80	90		D	200	300	400	500
4°	.00	.00	.01	.01	.01	.01	.01	.01	.01	.02	1	199.99	299.97	399.92	499.85
6	.00	.01	.01	.02	.02	.02	.02	.02	.01	.05	2	199.97	299.88	399.70	499.39
8	.01	.02	.02	.03	.03	.03	.03	.03	.02	.08	3	199.93	299.73	399.32	498.63
10	.01	.02	.03	.04	.05	.05	.05	.04	.02	.13	4	199.88	299.51	398.78	497.57
12	.02	.04	.05	.06	.07	.07	.07	.05	.03	.18	5	199.81	299.24	398.10	496.20
14	.02	.05	.07	.08	.09	.10	.09	.07	.04	.25	6	199.73	298.90	397.26	494.53
16	.03	.06	.09	.11	.12	.12	.12	.09	.05	.33	7	199.63	298.51	396.28	492.57
18	.04	.08	.11	.14	.15	.16	.15	.12	.07	.41	8	199.51	298.05	395.14	490.31
20	.05	.10	.14	.17	.19	.20	.18	.15	.09	.51	9	199.38	297.54	393.86	487.75
22	.06	.12	.17	.21	.23	.24	.22	.18	.10	.62	10	199.24	296.96	392.42	484.90
24	.07	.14	.20	.25	.28	.28	.26	.21	.12	.74	12	198.90	295.63	389.12	478.34
26	.09	.17	.24	.29	.32	.33	.31	.25	.15	.86	14	198.51	294.06	385.22	470.65
28	.10	.19	.27	.34	.37	.38	.36	.29	.17	1.00	16	198.05	292.25	380.76	461.86
30	.11	.22	.31	.39	.43	.44	.41	.33	.19	1.15	18	197.54	290.21	375.74	452.02
32	.13	.25	.36	.44	.49	.50	.47	.38	.22	1.31	20	196.96	287.94	370.17	441.15
34	.15	.28	.40	.50	.55	.57	.53	.43	.25	1.48	22	196.32	285.44	364.06	429.30
36	.17	.32	.45	.56	.62	.64	.60	.48	.28	1.66	24	195.63	282.71	357.43	416.53
38	.18	.36	.51	.62	.70	.71	.66	.53	.31	1.80	26	194.87	279.76	350.30	402.89
40	.21	.40	.56	.69	.77	.79	.73	.59	.35	2.00	28	194.06	276.59	342.69	388.43
42	.23	.44	.62	.76	.85	.87	.81	.65	.38	2.28	30	193.18	273.20	334.61	373.20
44	.25	.48	.68	.84	.94	.96	.89	.72	.42	2.50	32	192.25	269.61	326.08	357.28
46	.27	.52	.75	.92	1.02	1.05	.98	.78	.46	2.74	34	191.26	265.81	317.12	340.73
48	.30	.57	.81	1.00	1.12	1.14	1.06	.86	.50	2.99	36	190.21	261.80	307.77	323.61
50	.32	.62	.89	1.09	1.21	1.24	1.15	.93	.55	3.24	38	189.10	257.60	298.03	305.99
52	.35	.67	.96	1.18	1.31	1.35	1.25	1.01	.59	3.52	40	187.94	253.21	287.94	287.94
54	.38	.73	1.04	1.28	1.42	1.46	1.35	1.09	.64	3.80	42	186.72	248.63	277.51	269.54
56	.41	.78	1.12	1.38	1.53	1.57	1.46	1.17	.69	4.09	44	185.44	243.87	266.78	250.85
58	.44	.84	1.20	1.48	1.65	1.69	1.57	1.26	.74	4.40	46	184.10	239.93	255.78	231.95
60	.47	.91	1.29	1.59	1.76	1.81	1.68	1.35	.80	4.72	48	182.71	233.83	244.51	212.92

NOTE.—When a chord of less than 100 ft. is used the corrections given in the above table should be added to the nominal length of chord to get the length which should be used in order that the 100 ft. points will check with those obtained by using the standard 100 ft. chord. Thus in locating a 14° curve by 25 ft. chords measure 257.06 for each chord. Long chords are useful in passing obstacles.

TABLE VII.—MIDDLE ORDINATES FOR RAILS IN FEET.


Deg. of Curve	LENGTH OF RAILS							Deg. of Curve	LENGTH OF RAILS.						
	32	30	28	26	24	22	20		32	30	28	26	24	22	20
1°	.022	.020	.016	.013	.011	.009	.008	16°	.356	.313	.273	.236	.200	.170	.139
2	.045	.038	.034	.029	.025	.021	.017	17	.378	.333	.290	.252	.213	.180	.148
3	.067	.058	.051	.044	.037	.031	.026	18	.400	.351	.306	.265	.225	.190	.156
4	.089	.079	.069	.060	.050	.042	.035	19	.423	.371	.324	.280	.238	.201	.165
5	.112	.099	.086	.074	.063	.053	.044	20	.445	.392	.341	.296	.250	.212	.174
6	.134	.117	.102	.088	.076	.064	.052	21	.466	.410	.357	.309	.262	.222	.182
7	.156	.137	.120	.104	.088	.074	.061	22	.487	.430	.375	.325	.275	.233	.191
8	.179	.158	.137	.119	.100	.085	.070	23	.509	.450	.390	.338	.287	.243	.199
9	.201	.175	.153	.133	.112	.095	.078	24	.531	.469	.408	.354	.299	.253	.208
10	.223	.196	.171	.148	.125	.106	.087	25	.552	.486	.424	.367	.311	.263	.216
11	.245	.216	.188	.163	.139	.117	.096	26	.573	.506	.441	.382	.323	.274	.225
12	.268	.236	.206	.179	.151	.128	.105	27	.594	.524	.457	.396	.335	.284	.233
13	.290	.254	.222	.192	.163	.138	.113	28	.618	.545	.475	.411	.348	.294	.242
14	.312	.275	.239	.207	.175	.148	.122	29	.638	.564	.491	.424	.361	.308	.250
15	.334	.295	.257	.223	.188	.159	.131	30	.660	.583	.508	.438	.374	.313	.259

SLOPE REDUCTIONS.

When distances are measured on a slope they may be reduced to the equivalent horizontal distance by the following approximate rule:— subtract from the slope distance the square of the rise divided by twice the slope distance. Thus for a slope distance of 250.3 ft. and a rise of 15 ft. correction=15²÷2×250.3=.45 (by slide rule) or horizontal distance=250.3—.45=249.85. When vertical angle=V. A. is measured horizontal distance=slope distance—slope distance (1—Cos. V. A.). Thus for slope distance of 248.7 ft. and V. A. of 4° 20' from Table VIII Cos=.99714 and correction=1—.99714=.00286 per foot or total of .286×2½ (near enough)=.57 and horizontal distance=248.7—.57=248.13 ft.

See fig. (a). TRIGONOMETRICAL FORMULAS.

sin. $A = \frac{a}{c}$
 cos. $A = \frac{b}{c}$
 tan. $A = \frac{a}{b}$
 cot. $A = \frac{b}{a}$
 sec. $A = \frac{c}{b}$
 cosec. $A = \frac{c}{a}$



FORMULA FOR SOLVING TRIANGLES.

Given	Sought.	Right triangles. See fig. (a).
a, c	A, B, b	sin. $A = \frac{a}{c}$, cos. $B = \frac{a}{c}$, $b = \sqrt{(c+a)(c-a)}$
a, b	A, B, c	tan. $A = \frac{a}{b}$, cot. $B = \frac{a}{b}$, $c = \sqrt{a^2 + b^2}$
A, a	B, b, c	$B = 90^\circ - A$, $b = a \cot. A$, $c = \frac{a}{\sin. A}$
A, b	B, a, c	$B = 90^\circ - A$, $a = b \tan. A$, $c = \frac{b}{\cos. A}$
A, c	B, a, b	$B = 90^\circ - A$, $a = c \sin. A$, $b = c \cos. A$
Given	Sought.	Oblique triangles. See fig. (b).
A, B, a	b	$b = \frac{a \sin. B}{\sin. A}$
A, a, b	B	sin. $B = \frac{b \sin. A}{a}$
a, b, C	A — B	tan. $\frac{1}{2}(A - B) = \frac{(a - b) \tan. \frac{1}{2}(A + B)}{a + b}$
a, b, c	A	$\left\{ \begin{array}{l} \text{If } s = \frac{1}{2}(a + b + c), \sin. \frac{1}{2}A = \sqrt{\frac{(s-b)(s-c)}{bc}} \\ \cos. \frac{1}{2}A = \sqrt{\frac{s(s-a)}{bc}}, \tan. \frac{1}{2}A = \sqrt{\frac{(s-b)(s-c)}{s(s-a)}} \\ \sin. A = \frac{2\sqrt{s(s-a)(s-b)(s-c)}}{bc} \end{array} \right.$
A, B, C, a	area	area = $\frac{a^2 \sin. B \sin. C}{2 \sin. A}$
A, b, c	area	area = $\frac{1}{2}bc \sin. A$
a, b, c	area	$s = \frac{1}{2}(a + b + c)$, area = $\sqrt{s(s-a)(s-b)(s-c)}$

TABLE VIII.—NATURAL TRIGONOMETRICAL FUNCTIONS.

Angle	Sine.	Tan.	Cotg.	Cosin.	Angle	Sine.	Tan.	Cotg.	Cosin.
0	0	0	∞	1	90	1	∞	0	0
10	.0029	.0029	343.8	.99985	50	.7660	.7660	1.2843	.6428
20	.0058	.0058	171.9	.99988	40	.6428	.6428	1.5557	.7660
30	.0087	.0087	114.6	.99996	30	.5196	.5196	1.9280	.8660
40	.0116	.0116	85.94	.99993	20	.3919	.3919	2.5574	.9397
50	.0145	.0145	68.75	.99989	10	.2618	.2618	3.8371	.9945
1	.0175	.0175	57.29	.99985	89	.9802	.9802	0.1583	.1392
10	.0204	.0204	49.10	.99979	50	.7660	.7660	1.2843	.6428
20	.0233	.0233	42.96	.99973	40	.6428	.6428	1.5557	.7660
30	.0262	.0262	38.19	.99966	30	.5196	.5196	1.9280	.8660
40	.0291	.0291	34.37	.99958	20	.3919	.3919	2.5574	.9397
50	.0320	.0320	31.24	.99949	10	.2618	.2618	3.8371	.9945
2	.0349	.0349	28.64	.99939	88	.9802	.9802	0.1583	.1392
10	.0378	.0378	26.43	.99929	50	.7660	.7660	1.2843	.6428
20	.0407	.0407	24.54	.99917	40	.6428	.6428	1.5557	.7660
30	.0436	.0437	22.90	.99905	30	.5196	.5196	1.9280	.8660
40	.0465	.0466	21.47	.99892	20	.3919	.3919	2.5574	.9397
50	.0494	.0495	20.21	.99878	10	.2618	.2618	3.8371	.9945
3	.0523	.0524	19.08	.99863	87	.9802	.9802	0.1583	.1392
10	.0552	.0553	18.07	.99847	50	.7660	.7660	1.2843	.6428
20	.0581	.0582	17.17	.99831	40	.6428	.6428	1.5557	.7660
30	.0610	.0612	16.35	.99813	30	.5196	.5196	1.9280	.8660
40	.0640	.0641	15.60	.99795	20	.3919	.3919	2.5574	.9397
50	.0669	.0670	14.92	.99776	10	.2618	.2618	3.8371	.9945
4	.0698	.0699	14.30	.99756	86	.9802	.9802	0.1583	.1392
10	.0727	.0729	13.73	.99736	50	.7660	.7660	1.2843	.6428
20	.0756	.0758	13.20	.99714	40	.6428	.6428	1.5557	.7660
30	.0785	.0787	12.71	.99692	30	.5196	.5196	1.9280	.8660
40	.0814	.0816	12.25	.99668	20	.3919	.3919	2.5574	.9397
50	.0843	.0846	11.83	.99644	10	.2618	.2618	3.8371	.9945
5	.0872	.0875	11.43	.99619	85	.9802	.9802	0.1583	.1392
10	.0901	.0904	11.06	.99594	50	.7660	.7660	1.2843	.6428
20	.0929	.0934	10.71	.99567	40	.6428	.6428	1.5557	.7660
30	.0958	.0963	10.39	.99540	30	.5196	.5196	1.9280	.8660
40	.0987	.0992	10.08	.99511	20	.3919	.3919	2.5574	.9397
50	.1016	.1022	9.788	.99482	10	.2618	.2618	3.8371	.9945
6	.1045	.1051	9.514	.99452	84	.9802	.9802	0.1583	.1392
10	.1074	.1080	9.255	.99421	50	.7660	.7660	1.2843	.6428
20	.1103	.1110	9.010	.99390	40	.6428	.6428	1.5557	.7660
30	.1132	.1139	8.777	.99357	30	.5196	.5196	1.9280	.8660
40	.1161	.1169	8.556	.99324	20	.3919	.3919	2.5574	.9397
50	.1190	.1198	8.345	.99290	10	.2618	.2618	3.8371	.9945
7	.1219	.1228	8.144	.99255	83	.9802	.9802	0.1583	.1392
10	.1248	.1257	7.953	.99219	50	.7660	.7660	1.2843	.6428
20	.1276	.1287	7.770	.99182	40	.6428	.6428	1.5557	.7660
30	.1305	.1317	7.596	.99144	30	.5196	.5196	1.9280	.8660
40	.1334	.1346	7.429	.99106	20	.3919	.3919	2.5574	.9397
50	.1363	.1376	7.269	.99067	10	.2618	.2618	3.8371	.9945

TABLE VIII.—NATURAL TRIGONOMETRICAL FUNCTIONS.

Angle	Sine.	Tan.	Cotg.	Cosin.	Angle	Sine.	Tan.	Cotg.	Cosin.
16	.2756	.2867	3.487	.96126	74	.4067	.4452	2.246	.91355
10	.2784	.2899	3.450	.96046	50	.4094	.4487	2.229	.91236
20	.2812	.2931	3.412	.95964	40	.4120	.4522	2.211	.91116
30	.2840	.2962	3.376	.95882	30	.4147	.4557	2.194	.90996
40	.2868	.2994	3.340	.95799	20	.4173	.4592	2.177	.90875
50	.2896	.3026	3.305	.95715	10	.4200	.4628	2.161	.90753
17	.2924	.3057	3.271	.95615	73	.4226	.4663	2.145	.90631
10	.2952	.3089	3.237	.95545	50	.4253	.4699	2.128	.90507
20	.2979	.3121	3.204	.95459	40	.4279	.4734	2.112	.90383
30	.3007	.3153	3.172	.95372	30	.4305	.4770	2.097	.90259
40	.3035	.3185	3.140	.95284	20	.4331	.4806	2.081	.90133
50	.3062	.3217	3.108	.95195	10	.4358	.4841	2.066	.90007
18	.3090	.3249	3.078	.95106	72	.4384	.4877	2.050	.89879
10	.3118	.3281	3.048	.95015	50	.4410	.4913	2.035	.89752
20	.3145	.3314	3.018	.94924	40	.4436	.4950	2.020	.89623
30	.3173	.3346	2.989	.94832	30	.4462	.4986	2.006	.89493
40	.3201	.3378	2.960	.94740	20	.4488	.5022	1.991	.89363
50	.3228	.3411	2.932	.94646	10	.4514	.5059	1.977	.89232
19	.3256	.3443	2.904	.94552	71	.4540	.5095	1.963	.89101
10	.3283	.3476	2.877	.94457	50	.4566	.5132	1.949	.88968
20	.3311	.3508	2.850	.94361	40	.4592	.5169	1.935	.88835
30	.3338	.3541	2.824	.94264	30	.4617	.5206	1.921	.88701
40	.3365	.3574	2.798	.94167	20	.4643	.5243	1.907	.88566
50	.3393	.3607	2.773	.94068	10	.4669	.5280	1.894	.88431
20	.3420	.3640	2.747	.93969	70	.4695	.5317	1.881	.88295
10	.3448	.3673	2.723	.93869	50	.4720	.5354	1.868	.88158
20	.3475	.3706	2.699	.93769	40	.4746	.5392	1.855	.88020
30	.3502	.3739	2.675	.93667	30	.4772	.5430	1.842	.87882
40	.3529	.3772	2.651	.93565	20	.4797	.5467	1.829	.87743
50	.3557	.3805	2.628	.93462	10	.4823	.5505	1.816	.87603
21	.3584	.3839	2.605	.93358	69	.4848	.5543	1.804	.87462
10	.3611	.3872	2.583	.93253	50	.4874	.5581	1.792	.87321
20	.3638	.3906	2.560	.93148	40	.4899	.5619	1.780	.87178
30	.3665	.3939	2.539	.93042	30	.4924	.5658	1.767	.87036
40	.3692	.3973	2.517	.92935	20	.4950	.5696	1.756	.86892
50	.3719	.4006	2.496	.92827	10	.4975	.5735	1.744	.86748
22	.3746	.4040	2.475	.92718	68	.4900	.5774	1.732	.86603
10	.3773	.4074	2.455	.92609	50	.4925	.5812	1.720	.86457
20	.3800	.4108	2.434	.92499	40	.4950	.5851	1.709	.86310
30	.3827	.4142	2.414	.92388	30	.4975	.5890	1.698	.86163
40	.3854	.4176	2.394	.92276	20	.4900	.5930	1.686	.86015
50	.3881	.4210	2.375	.92164	10	.4925	.5969	1.675	.85866
23	.3907	.4245	2.356	.92050	67	.4950	.6009	1.664	.85717
10	.3934	.4279	2.337	.91936	50	.4975	.6048	1.653	.85567
20	.3961	.4314	2.318	.91822	40	.5000	.6088	1.643	.85416
30	.3987	.4348	2.300	.91706	30	.5025	.6128	1.632	.85264
40	.4014	.4383	2.282	.91590	20	.5050	.6168	1.621	.85112
50	.4041	.4417	2.264	.91472	10	.5075	.6208	1.611	.84959

TABLE VIII.—NATURAL TRIGONOMETRICAL FUNCTIONS.

Angle	Sine.	Tan.	Cotg.	Cosin.	Angle	Sine.	Tan.	Cotg.	Cosin.
°					°				
32	.5299	.6249	1.600	.84805	58				
10	.5324	.6289	1.590	.84650	50				
20	.5348	.6330	1.580	.84495	40				
30	.5373	.6371	1.570	.84339	30				
40	.5398	.6412	1.560	.84182	20				
50	.5422	.6453	1.550	.84025	10				
33	.5446	.6494	1.540	.83867	57				
10	.5471	.6536	1.530	.83708	50				
20	.5495	.6577	1.520	.83549	40				
30	.5519	.6619	1.511	.83389	30				
40	.5544	.6661	1.501	.83228	20				
50	.5568	.6703	1.492	.83066	10				
34	.5592	.6745	1.483	.82904	56				
10	.5616	.6787	1.473	.82741	50				
20	.5640	.6830	1.464	.82577	40				
30	.5664	.6873	1.455	.82413	30				
40	.5688	.6916	1.446	.82248	20				
50	.5712	.6959	1.437	.82082	10				
35	.5736	.7002	1.428	.81915	55				
10	.5760	.7046	1.419	.81748	50				
20	.5783	.7089	1.411	.81580	40				
30	.5807	.7133	1.402	.81412	30				
40	.5831	.7177	1.393	.81242	20				
50	.5854	.7221	1.385	.81072	10				
36	.5878	.7265	1.376	.80902	54				
10	.5901	.7310	1.368	.80730	50				
20	.5925	.7355	1.360	.80558	40				
30	.5948	.7400	1.351	.80386	30				
40	.5972	.7445	1.343	.80212	20				
50	.5995	.7490	1.335	.80038	10				
37	.6018	.7536	1.327	.79864	53				
10	.6041	.7581	1.319	.79688	50				
20	.6065	.7627	1.311	.79512	40				
30	.6088	.7673	1.303	.79335	30				
40	.6111	.7720	1.295	.79158	20				
50	.6134	.7766	1.288	.78980	10				
38	.6157	.7813	1.280	.78801	52				
10	.6180	.7860	1.272	.78622	50				
20	.6202	.7907	1.265	.78442	40				
	Cosin.	Cotg.	Tan.	Sine.	Angle.				

TABLE IX.—CALCULATION OF EARTHWORK.



Width	HEIGHT														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	.02	.04	.06	.07	.09	.11	.13	.15	.17	.18	.20	.22	.24	.26	.28
2	.04	.07	.11	.15	.18	.22	.26	.30	.33	.37	.41	.44	.48	.52	.56
3	.06	.11	.17	.22	.28	.33	.39	.44	.50	.56	.61	.67	.72	.78	.83
4	.07	.15	.22	.30	.37	.44	.52	.59	.67	.74	.81	.89	.96	1.04	1.11
5	.09	.19	.28	.37	.46	.56	.65	.74	.83	.93	1.02	1.11	1.20	1.30	1.39
6	.11	.22	.33	.44	.56	.67	.78	.89	1.00	1.11	1.22	1.33	1.44	1.55	1.67
7	.13	.26	.39	.52	.65	.78	.91	1.04	1.16	1.30	1.42	1.55	1.68	1.81	1.94
8	.15	.30	.44	.59	.74	.89	1.04	1.19	1.33	1.48	1.63	1.78	1.92	2.08	2.22
9	.17	.33	.50	.67	.83	1.00	1.17	1.33	1.50	1.67	1.83	2.00	2.17	2.33	2.50
10	.18	.37	.56	.74	.93	1.11	1.30	1.48	1.67	1.85	2.04	2.22	2.41	2.59	2.78
11	.20	.41	.61	.82	1.02	1.22	1.43	1.63	1.83	2.04	2.24	2.44	2.65	2.85	3.06
12	.22	.44	.67	.89	1.11	1.33	1.56	1.78	2.00	2.22	2.44	2.67	2.89	3.11	3.33
13	.24	.48	.72	.96	1.20	1.44	1.68	1.92	2.16	2.41	2.65	2.89	3.13	3.37	3.61
14	.26	.52	.78	1.04	1.30	1.55	1.81	2.08	2.33	2.59	2.85	3.11	3.37	3.63	3.89
15	.28	.56	.83	1.11	1.39	1.67	1.94	2.22	2.50	2.78	3.06	3.33	3.61	3.89	4.17
16	.30	.59	.89	1.18	1.48	1.78	2.07	2.37	2.67	2.96	3.26	3.56	3.85	4.15	4.44
17	.31	.63	.94	1.26	1.57	1.89	2.20	2.52	2.83	3.15	3.46	3.78	4.09	4.41	4.72
18	.33	.67	1.00	1.33	1.67	2.00	2.33	2.67	3.00	3.33	3.67	4.00	4.33	4.67	5.00
19	.35	.70	1.06	1.41	1.76	2.11	2.46	2.82	3.17	3.52	3.87	4.22	4.57	4.92	5.28
20	.37	.74	1.11	1.48	1.85	2.22	2.59	2.96	3.33	3.70	4.07	4.44	4.81	5.18	5.56
21	.39	.78	1.17	1.55	1.94	2.33	2.72	3.11	3.50	3.89	4.28	4.67	5.06	5.44	5.83
22	.41	.81	1.22	1.63	2.04	2.44	2.85	3.26	3.67	4.07	4.48	4.89	5.30	5.70	6.11
23	.43	.85	1.28	1.70	2.13	2.56	2.98	3.41	3.83	4.26	4.68	5.11	5.54	5.96	6.39
24	.44	.89	1.33	1.78	2.22	2.67	3.11	3.56	4.00	4.44	4.89	5.33	5.78	6.22	6.67
25	.46	.92	1.39	1.85	2.31	2.78	3.24	3.70	4.17	4.63	5.09	5.56	6.02	6.48	6.94
26	.48	.96	1.44	1.92	2.41	2.89	3.37	3.85	4.33	4.82	5.30	5.78	6.26	6.74	7.24
27	.50	1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00	5.50	6.00	6.50	7.00	7.50
28	.52	1.04	1.55	2.07	2.59	3.11	3.63	4.15	4.67	5.18	5.70	6.22	6.74	7.26	7.78
29	.54	1.07	1.61	2.15	2.68	3.22	3.76	4.30	4.83	5.37	5.91	6.44	6.98	7.52	8.06
30	.56	1.11	1.67	2.22	2.78	3.33	3.89	4.44	5.00	5.55	6.11	6.67	7.22	7.78	8.33
31	.57	1.15	1.72	2.30	2.87	3.44	4.02	4.59	5.17	5.74	6.32	6.89	7.46	8.04	8.61
32	.59	1.18	1.78	2.37	2.96	3.56	4.15	4.74	5.33	5.92	6.52	7.11	7.70	8.30	8.89
33	.61	1.22	1.83	2.44	3.05	3.67	4.28	4.89	5.50	6.11	6.72	7.33	7.94	8.55	9.17
34	.63	1.26	1.89	2.52	3.15	3.78	4.40	5.04	5.67	6.29	6.93	7.56	8.18	8.81	9.44
35	.65	1.30	1.94	2.59	3.24	3.89	4.53	5.18	5.83	6.48	7.13	7.78	8.42	9.08	9.72
36	.67	1.33	2.00	2.67	3.33	4.00	4.66	5.33	6.00	6.67	7.33	8.00	8.67	9.33	10.00
37	.68	1.37	2.06	2.74	3.42	4.11	4.79	5.48	6.17	6.85	7.54	8.22	8.91	9.59	10.28
38	.70	1.41	2.11	2.82	3.52	4.22	4.92	5.63	6.33	7.03	7.74	8.44	9.15	9.85	10.56
39	.72	1.44	2.17	2.89	3.61	4.33	5.05	5.78	6.50	7.22	7.95	8.67	9.39	10.11	10.83
40	.74	1.48	2.22	2.96	3.70	4.44	5.18	5.92	6.67	7.41	8.15	8.89	9.63	10.37	11.11


Table gives cu. yds. in 1 ft. of a triangle of given width and height. Corrections for tenths of width are one tenth the values found under each height considering the widths from 1 to 9 as tenths and similarly the corrections for tenths of height are one tenth the figures opposite width considering the heights from 1 to 9 as tenths. Thus if $w=16.2$ and $h=5.3$, cu. yds. $=1.48+.028+.089=1.597$ cu. yds. or practically 160 cu. yds. per 100 ft. If w exceeds 40 ft., use one half and multiply result by 2, if both w and h are large use one half of each and multiply result by 4. Any cross-section may be divided into triangles by the following rule. To the triangle of the sum of the outside cuts (or fills) $=h$, and $\frac{1}{2}$ the roadbed $=w$, add the triangles formed by taking the distance out to each break in turn ($=w$'s) by the difference between the cuts (or fills) on each side of it ($=h$'s) always subtracting the outer from the inner.

DIAGRAM FOR OBTAINING HORIZONTAL AND VERTICAL DISTANCES FROM STADIA READINGS

Enter on the horizontal scale with the value of the stadia reading or interval times the stadia constant (usually taken as 100) and run vertically upward to intersection with line representing the vertical angle. The location of this point with reference to the dotted line marked "ONE," etc., gives the correction to be subtracted from the entering value and to which "f+c" (usually about 1 ft.) must be added to obtain the Horizontal Distance. The reading on vertical scale plus about 0.1 ft. for each 5° of vertical angle [$-(f+c \text{ Sino})$] is the Vertical Distance.

© 194 BY J.K. FICHL.







Handwritten calculations and notes on the left page:

- 13925
- 66
- 31
- 66
- 79
- 66
- 474
- 434
- 5214
- 4718
- 66
- 48308
- 48308
- 311388

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

Roadway 16 feet wide. Side Slopes 1 on 1½
For Single Track Embankment.

H	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	H
0	8.0	8.2	8.3	8.5	8.6	8.8	8.9	9.1	9.2	9.4	0
1	9.5	9.7	9.8	10.0	10.1	10.3	10.4	10.6	10.7	10.9	1
2	11.0	11.2	11.3	11.5	11.6	11.8	11.9	12.1	12.2	12.4	2
3	12.5	12.7	12.8	13.0	13.1	13.3	13.4	13.6	13.7	13.9	3
4	14.0	14.2	14.3	14.5	14.6	14.8	14.9	15.1	15.2	15.4	4
5	15.5	15.7	15.8	16.0	16.1	16.3	16.4	16.6	16.7	16.9	5
6	17.0	17.2	17.3	17.5	17.6	17.8	17.9	18.1	18.2	18.4	6
7	18.5	18.7	18.8	19.0	19.1	19.3	19.4	19.6	19.7	19.9	7
8	20.0	20.2	20.3	20.5	20.6	20.8	20.9	21.1	21.2	21.4	8
9	21.5	21.7	21.8	22.0	22.1	22.3	22.4	22.6	22.7	22.9	9
10	23.0	23.2	23.3	23.5	23.6	23.8	23.9	24.1	24.2	24.4	10
11	24.5	24.7	24.8	25.0	25.1	25.3	25.4	25.6	25.7	25.9	11
12	26.0	26.2	26.3	26.5	26.6	26.8	26.9	27.1	27.2	27.4	12
13	27.5	27.7	27.8	28.0	28.1	28.3	28.4	28.6	28.7	28.9	13
14	29.0	29.2	29.3	29.5	29.6	29.8	29.9	30.1	30.2	30.4	14
15	30.5	30.7	30.8	31.0	31.1	31.3	31.4	31.6	31.7	31.9	15
16	32.0	32.2	32.3	32.5	32.6	32.8	32.9	33.1	33.2	33.4	16
17	33.5	33.7	33.8	34.0	34.1	34.3	34.4	34.6	34.7	34.9	17
18	35.0	35.2	35.3	35.5	35.6	35.8	35.9	36.1	36.2	36.4	18
19	36.5	36.7	36.8	37.0	37.1	37.3	37.4	37.6	37.7	37.9	19
20	38.0	38.2	38.3	38.5	38.6	38.8	38.9	39.1	39.2	39.4	20
21	39.5	39.7	39.8	40.0	40.1	40.3	40.4	40.6	40.7	40.9	21
22	41.0	41.2	41.3	41.5	41.6	41.8	41.9	42.1	42.2	42.4	22
23	42.5	42.7	42.8	43.0	43.1	43.3	43.4	43.6	43.7	43.9	23
24	44.0	44.2	44.3	44.5	44.6	44.8	44.9	45.1	45.2	45.4	24
25	45.5	45.7	45.8	46.0	46.1	46.3	46.4	46.6	46.7	46.9	25
26	47.0	47.2	47.3	47.5	47.6	47.8	47.9	48.1	48.2	48.4	26
27	48.5	48.7	48.8	49.0	49.1	49.3	49.4	49.6	49.7	49.9	27
28	50.0	50.2	50.3	50.5	50.6	50.8	50.9	51.1	51.2	51.4	28
29	51.5	51.7	51.8	52.0	52.1	52.3	52.4	52.6	52.7	52.9	29
30	53.0	53.2	53.3	53.5	53.6	53.8	53.9	54.1	54.2	54.4	30
31	54.5	54.7	54.8	55.0	55.1	55.3	55.4	55.6	55.7	55.9	31
32	56.0	56.2	56.3	56.5	56.6	56.8	56.9	57.1	57.2	57.4	32
33	57.5	57.7	57.8	58.0	58.1	58.3	58.4	58.6	58.7	58.9	33
34	59.0	59.2	59.3	59.5	59.6	59.8	59.9	60.1	60.2	60.4	34
35	60.5	60.7	60.8	61.0	61.1	61.3	61.4	61.6	61.7	61.9	35
36	62.0	62.2	62.3	62.5	62.6	62.8	62.9	63.1	63.2	63.4	36
37	63.5	63.7	63.8	64.0	64.1	64.3	64.4	64.6	64.7	64.9	37
38	65.0	65.2	65.3	65.5	65.6	65.8	65.9	66.1	66.2	66.4	38
39	66.5	66.7	66.8	67.0	67.1	67.3	67.4	67.6	67.7	67.9	39
40	68.0	68.2	68.3	68.5	68.6	68.8	68.9	69.1	69.2	69.4	40

Example—If point is 22.6 ft. above grade, how far should it be from center line to be a slope stake point? Ans. from Table 41.9. For same slopes but other widths of roadbed correct above figures by one-half difference in width of roadbed; thus in example above for 20 ft. roadbed distance will be $41.9 + (20 - 16) \div 2$ or 2 ft. added to 41.9 = 43.9. For slopes of 1 on 1 see inside of front cover.

EMILY GARDNER

EMILY GARDNER

EMILY GARDNER