







That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

  
Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 30 day of August, 2012.

  
Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Corner to Sec. 9-1/4 M.C. T. 141 N. R. 29 W-5th P.M.

**State of Minnesota,** }  
 COUNTY OF CASS } ss.

I hereby certify that on the 1st day of November  
 I found the N-1/4 M. corner of Sec. 9  
 which was evidenced by Monument. Iron pipe with brass cap.  
~~and I further certify that to perpetuate the location of such corner I did at the exact location thereof place~~  
~~a permanent marker consisting of~~

I further certify that I established Two  
 reference or witness monuments consisting of Trees blazed and gcriped  
 which reference or witness monuments are located in the manner following:

2" Willow S. 47°45' E 485 ft. Var. 7°30'

2" Willow S. 22°45' W 50.6 ft. ..

Dated at Walker this 1st day of November 1921

Buller Smith  
 County Surveyor or Highway Engineer

**OFFICE OF REGISTER OF DEEDS,** }  
 COUNTY OF CASS }

I hereby certify that the within instrument was filed in this office for record on the 1st  
 day of January A. D. 1921 at 4 o'clock 9 M., and was duly  
 Recorded in Book 1 of 900 Con on page .....

Alvin [Signature]  
 Register of Deeds.  
 By [Signature] Deputy.