

A000584070

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/11/2012 9:30:08 AM AS DOC #: A000584070 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

SY<u>SR</u>Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }
ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 6th day of 5th, 20/Z.

ROBERT H. YOCHUM

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner to Sec. 20-21-28-29 T. 142 N

State of Minnesota.

County of Cass

William H. Okerman , being first duly sworn, deposes and says: That I reside at Bemidji Minnesota , and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807 I further depose and say that on the 12th day of March , 19 64 I found the Section corner of sections 20-21-28-29 which was evidenced by remains of the original government survey of 1871 Cedar 16" N20°E 14 links 9.2' - Found cedar stump with scribe "BT" visible.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of 2 inch inside diameter 60 inch long galvanized steel monument filled with T142N R25W concrete and capped with a 3 inch diameter bronze tablet stamped:-S 28 1964 R.L.S. No. 6807

from which reference or witness monuments are located in the manner following:

Cedar 15 inch S49°E 9.1 feet scribed \$ 28 BT Cedar 11 inch N66°W 19.2 feet scribed S 20 BT Cedar 10 inch N65°E 32.3 feet scribed S 21 BT Balsam 8 inch S42°W 26.8 feet scribed S 29 BT

Steel sign post 72 inches long, set 24 inches in ground due south 9.0 feet with signs 54-2 and 54-4 attached.

All reference bearings are true bearings.

(Surveyor's Signature) In the Presence of: Subscribed and sworn to before me at Walker. Minnesot Deputy Register of Deeds

Cass County, Minnesota.

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 20th day of October A.D., 1964

at 9 o'clock A.M.

Register of Deeds



Page 4 of 4 A000584070

