



A000584095

OFFICE OF THE COUNTY RECORDER  
CASS COUNTY, MINNESOTA  
CERTIFIED, FILED, AND/OR  
RECORDED ON

9/11/2012 11:03:30 AM

AS DOC #: A000584095

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY  
CASS COUNTY RECORDER

BY SR Dep

**AFFIDAVIT BY THE CASS COUNTY SURVEYOR  
IN REGARD TO AN AFFIDAVIT AS TO  
LOCATION OF A GOVERNMENT CORNER**

STATE OF MINNESOTA     }  
  }ss  
COUNTY OF CASS         }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

Page 1 of 4

A000584095






-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 6<sup>th</sup> day of SEPT., 20 12

  
Notary Public

This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

**CERTIFICATE OF LOCATION OF GOVERNMENT CORNER**

Center North 1/16

Corner to Sec. 34 T. 142N. R. 30W. No. 755

State of Minnesota, }  
County of Cass } ss.

I hereby certify that on the 2nd day of October 19 70

I found the Center North 1/16 corner of Section 34

which was evidenced by remains of the General Land Office survey of 1918  
and documented in Forest Service Recordand I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place  
a permanent marker consisting of no new monument set as G.L.O. monument is in good conditionI further certify that I established  
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Maple 8 inch N41°W 35.50 feet scribed CN 1/16 S34 BT

Oak 7 inch S60°W 31.20 feet scribed CN 1/16 S34 BT

W. Pine 12 inch S9°E 62.40 feet scribed CN 1/16 S34 BT


Steel sign post 72 inches long due North 1.90 feet with Forest

Service signs 54-2 and 54-1 attached

Steel sign post 72 inches long due West 2.00 feet with Forest

Service sign 54-2 attached

Dated at Cass Lake, Minn., this 6th day of April 19 71


  
County Surveyor or Highway Engineer

WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor No. 6807

**OFFICE OF REGISTER OF DEEDS**

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 29  
day of November 72 at 9 o'clock A. M.  
Register of Deeds.

By Deputy.



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M.

