



-2-


That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.



Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 6th day of SEPT., 2012.





Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Quarter
Corner to Sec. 1s 20 - 29 T. 142N R. 30W No. 580

State of Minnesota, }
County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 25th day of April, 1966, I found the Quarter corner of Sections 20 - 29

which was evidenced by remains of the G.L.O. resurvey of 1917 consisting of 1 inch diameter iron pipe, 3 feet long with brass cap marked:

Found pipe laying along road.

J. Pine 10 inch N40°E 36.30 feet - not found

J. Pine 11 inch S37°E 9.24 feet - not found, falls in road right-of-way

$\frac{1}{4}$ S20
 $\frac{1}{4}$ S29

This corner relocated by survey between the E 1/16 corner and the angle point west of the 1/4 corner.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 6 inch diameter, 2 foot long cylindrical concrete monument set 6 inches below surface of road capped with a 3 inch diameter bronze tablet stamped:

T142N R30W
 $\frac{1}{4}$ S20
 $\frac{1}{4}$ S29
1967
R.L.S. No 6807

from which reference or witness monuments are located in the manner following:

J. Pine 7 inch N55°W 59.70 feet scribed $\frac{1}{4}$ S20 BT

J. Pine 6 inch N44°W 54.60 feet scribed $\frac{1}{4}$ S20 BT

J. Pine 13 inch N10°W 29.65 feet scribed $\frac{1}{4}$ S20 BT with Forest Service sign 54-4 attached.

All reference bearings are true bearings.

William H. Okerman
(Surveyor's Signature)

In the Presence of:

James E. W. [unclear]
Clifford B. Senn

Subscribed and sworn to before me at

Cass Lake, Minnesota

this 3rd day of June, 1970

Gordon E. Close
Notary Public

GORDON E. CLOSE

Notary Public, Cass County, Minn.

My commission expires July 23, 1971

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 5th

day of February A.D., 1971

at 9 o'clock A.M.

Beulah Hendrick
Register of Deeds

By Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

