

A000584106

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/11/2012 11:35:14 AM AS DOC #: A000584106

PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY KF Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

-2-

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 6th day of SEPT. , 20/Z.

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Center	West :	1/16				,
Corner to S	Sec	12	<i>T</i> .	142 N.	R. 31 W.	No. 645

State	of	Minnesota,	(ss.
untu of		Cacc	-	

I hereby certify that on the	19th	day of	October	19 70
I found the East 1/16 c	corner of		Section 12	
which was evidenced by remains of	of the Gener	ral Land Off	ice survey of 193	17 and
documente	ed in Fores	t Service Re	cord,	······ ,
and I further certify that to perpetus	ate the location	of such corner,I	did, at the exact location	on thereof, place
a permanent marker consisting of \mathbb{R}^{k} I further certify that I establish	good condit:	ion.		is in
reference or witness monuments consis	sting of			······
which reference or witness monuments	s are located in t	he manner follou	ving:	
N. Pine 8 inch	S.18° W. 4	8.70 feet sc	ribed CW 1/16 Sl	2 BT
J. Pine 12 inch	n N.20° W.	27.80 feet s	cribed CW 1/16 S	12 BT
Steel sign post	t 72 inches	long due No	rth 1.50 feet wi	th
Forest Service	signs 54-2	and 54-4 at	tached	
	•••••			
			•	
	•••••			
	•••••			•••••
				•••••
				······
Dated at Cass Lake	, Minn.,	this 24th	day of Febr	uary, 19 71

OFFICE OF REGISTER OF DEEDS

County of Cass

Ulliam U Kerman Launty Surveyorxar Highway Engineerx

WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor No. 6807


I hereby certify that the within instrument was filed in this office for record on the 12th

day of April A. D. 19 71 at 9 o'clock A M.

Register of Deeds.

ByDeput

Page 3 of 4 7 A000584



45.