

A000584197

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/12/2012 9:06:36 AM AS DOC #: A000584197 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY SR Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

SSS

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



A0005841

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

-2-

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

LINDA C. HUSBY Notary Public State of Minnesota My Comm. Exp. 1-31-2015

Subscribed and sworn to before me

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

Notary Public

Meander  Corner to Sec. *s	2-3-10-11	T. LULIN	R. 27W	No. 609
State of Minn	resota, $ brace_{ss.}$			
William H. C	)kerman	, bein	ıg first duly sworn, deposes	and says:
			and am registered as a Lan Certificate No. 6807	
I further depose o	and say that on the	e <b>15</b> th	day of October	, 19 68
iron pipe 3 feet 1 J. Pine 6 inch N19 and distance J. Pine 8 inch S31 and distance J. Pine 10 inch S6 J. Pine 10 inch N2 and that to perpetuate	Long with brass 2045'E 44.2 fee e, with part of 1045'E 25.7 fee 63045'W 11.9 fe 20015'W 8.6 fee e the location of su	cap marked t - found windfall a scribe marks visib t - found stump hele et - found rotted s t - found stump hole when corner I did, at the e	of 1919 consisting of at record bearing le. e at record bearing tump at record bearing e at record bearing are exact location thereof, place is in good condition.	T141N R27W S3 S2 S10 S11 1919 and distance d distance a permanent market
R. Pine 8 inch N41 R. Pine 16 inch N1	4 <sup>0</sup> E 88.7 feet <b>s</b> L0 <sup>0</sup> W 32.2 feet		•	
<b>All</b> refe <b>re</b> nce bear	rings are true	bearings		

ALL reference bearings are true bearings
William Of Herma
(Surveyor's Signature)
In the Presence of:
Layer & Broker
Sill oud B. Senn
Subscribed and sworn to before megat.
Cass lake, Miranasahu
and the second s
this /8 day of 19/0
Journ Dintase
Notary Public !
Patricity Public Cass Cavity Men.
My commission expires data 200, 4971

OFFICE OF REGISTER OF DEEDS  County of Cass	Page 3 of 4
I hereby certify that the within instrument was filed in this office for record on the 19th day of February A.D., 19 71	A000
at 2 o'clock A M.	584197
Register of Deeds  By Deputy	

Page 4 of 4 A000584

