

A000584205

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/12/2012 9:06:44 AM AS DOC #: A000584205

REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY SR Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

SSS

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 6 day of Sept, 20/2.

LINDA C. HUSBY
Notary Public
State of Minnesora
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

Subscribed and sworn to before me at CHSS LAXE.

Notary Public

CORDON E. CLOSE Motary 2 Complete Cass County Minney CARS Complete Captres tray 28, 1971

CORDON E. CLOSE

Center East 1/16 Corner to Sec7	T. 141N	R.	27W	No. 503
State of Minnesota,  County of Cass				
William H. Okerman  That I reside at Bemidji  aws of the State of Minnesota, having Surv  I further depose and say that on the	Minnesota, a veyor's Registration ( hth	nd am regis Certificate N day of	tered as a Land S o. 6807 October	Surveyor under the
found the Center East 1/16 corner of				
which was evidenced by remains of the G.L.O. resurvey of 1919. marked by a 1 inch diameter iron pipe with brass cap stampe				
			E 1/16 G S7 1919	
and that to perpetuate the location of such consisting of No new monument set as t				
from which reference or witness monuments o	are located in the m	anner folloi	ving:	
N Pine 18 inch N79°E 15.6 feet scr	ibed CE 1/16 S7	BT		
N Pine 17 inch S12°E 29.3 feet scr	ibed CE 1/16 S7	BT		
All reference bearings are true bea	ring <b>s.</b>			
(Surveyor's Signature)		ICE OF RE	GISTER OF DE	EEDS
In the Presence of:	I .	hereby certi	fy that the withi	n instrument was

Register of Deeds .....Deputy *By*.....

Page 4 of 4 A000584205

