

A000584241

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/12/2012 11:10:01 AM
AS DOC #: A000584241
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY\_KF\_\_\_\_\_Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

Sss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 6 day of Sept , 20/2

Notary Public

LINDA C. HUSBY
Notary Public
State of Minnesota
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

Corner to Sec 's 26 - 27	4		1 0 1/
COTTO TO SCOTT MANAGEMENT AND	T. lhin.	R. 27W.	No. 624
State of Minnegata			
State of Minnesota, ess.			
County of Cass			
William H. Okerman	being	first duly sworn, depo	ses and says:
That I reside at Bemidji	Minnesota , and	d am registered as a L	and Surveyor under th
laws of the State of Minnesota, having	g Surveyor's Registration Ce	rtificate No. 6807	•
I further depose and say that on	the 20th	lay of June	, 19 68
I found the Quarter co	orner of Section's 26 -	• 27	
which was evidenced by Cass Count Set 2 inch X 48 inch iron month	y survey of 1920, surve	by record #443, Bo	ok C, page 378.
Doo 2 Mich & do Mich Mond	alciio - Ioula as descrit	,ou•	
W. Oak 8 inch $$35_{4}^{10}$ W 36.4 feet	- now 12 inch at recor	d bearing and dis	tance.
W. Ash 6 inch S45°E 26.3 feet	- found stumm hale at r	ecord bearing and	distance
as ASH O LINE SUP E 2017 1000	- Tourd Somit Hote as I	ecord bearing and	urstance.
and that to perpetuate the location of	such corner I did, at the exa	ct location thereof, pla	ce a permanent marke
consisting of a pipe with 3 inch d	$such\ corner\ I\ did,\ at\ the\ exa$ liameter brass tablet <b>s</b> t		
			T141 R27W
			T141 R27W
			T141 R27W S27 S26 1968
consisting of a pipe with 3 inch d	liameter brass tablet <b>s</b> t	amped	T141 R27W S27 S26
from which reference or witness monu W.Oak 6 inch Sh2OW 10.0 feet s	ments are located in the man	amped	T141 R27W S27 S26 1968
from which reference or witness monu W.Oak 6 inch Sh2OW 10.0 feet s	ments are located in the man	amped	T141 R27W S27 S26 1968
consisting of a pipe with 3 inch of from which reference or witness monu	ments are located in the man	amped	T141 R27W S27 S26 1968
from which reference or witness monu W.Oak 6 inch Sh2°W 10.0 feet s W. Oak 14 inch N54°E 76.15 fee W. Oak 14 inch N20°W 51.25 fee Cedar post with red top 4x 4 X	ments are located in the mand cribed \(\frac{1}{4}\) S27 BT et scribed \(\frac{1}{4}\) S26 BT et scribed \(\frac{1}{4}\) S27 BT	amped  ner following:	T141 R27W S27 S26 1968
from which reference or witness monu W.Oak 6 inch Sh2°W 10.0 feet s W. Oak 14 inch N54°E 76.15 fee W. Oak 14 inch N20°W 51.25 fee	ments are located in the mand cribed \(\frac{1}{4}\) S27 BT et scribed \(\frac{1}{4}\) S26 BT et scribed \(\frac{1}{4}\) S27 BT	amped  ner following:	T141 R27W S27 S26 1968
from which reference or witness monu W.Oak 6 inch Sh2°W 10.0 feet s W. Oak 14 inch N54°E 76.15 fee W. Oak 14 inch N20°W 51.25 fee Cedar post with red top 4x 4 X	ments are located in the mand cribed \(\frac{1}{4}\) S27 BT et scribed \(\frac{1}{4}\) S26 BT et scribed \(\frac{1}{4}\) S27 BT	amped  ner following:	T141 R27W S27 S26 1968
from which reference or witness monu W.Oak 6 inch Sh2°W 10.0 feet s W. Oak 14 inch N54°E 76.15 fee W. Oak 14 inch N20°W 51.25 fee Cedar post with red top 4x 4 X	ments are located in the mand cribed \(\frac{1}{4}\) S27 BT et scribed \(\frac{1}{4}\) S26 BT et scribed \(\frac{1}{4}\) S27 BT	amped  ner following:	T141 R27W S27 S26 1968

All reference bearings are true bearings.
William O Okerman
(Surveyor's Signature)
In the Presence of:
Jane & Mighe
Clifford & Senn
Subscribed and sworn to before me at
Cass like, Monnesota
this 1319 byy of May 1970.
Joseph Bloom
Notary Public
The state of the s
10 5 m. 1 10 m. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Manual Commence of the Commenc

OFFICE OF REGISTER OF DEE	EDS
County of Cass	
I hereby certify that the within filed in this office for record on the	instrument wa 19th
day of February	
at9o'clock AM.	

Register of Deeds

By.....Deputy



Page 4 of 4 A000584241

