






That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 6 day of Sept, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner to Sec.'s 28-29-32-33 T.141N R.27W No. 565

State of Minnesota, }  
County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 20th day of June, 1968, I found the Section corner of Sections 28-29-32-33 which was evidenced by remains of the G.L.O. resurvey of 1919 consisting of 2 inch diameter iron post, 3 feet long with brass cap  
Post not found

Spruce 8 inch N57°E 39.6 feet - found stump at record bearing and distance.

W. Oak 16 inch S5°E 71.9 feet - not found

Tamarack 10 inch S81°15'W 61.3 feet - found stump at record bearing and distance with scribe marks visible.

Tamarack 16 inch N41°45'W 47.5 feet - found stump at record bearing and distance.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 6 inch diameter, 2 foot long cylindrical concrete monument, capped with a 3 inch diameter brass tablet stamped:

T141N R27W  
S29|S28  
S32|S33  
1968  
R.L.S. No. 6807

from which reference or witness monuments are located in the manner following:

Tamarack 7 inch N20°W 155.76 feet scribed S29 BT

Tamarack 10 inch N16°E 173.82 feet scribed S28 BT

W. Oak 10 inch S31°E 61.19 feet scribed S33 BT

W. Oak 10 inch S48°W 116.98 feet scribed S32 BT

Cedar post 4 x 4 x 72 inches due east 20.20 feet

All reference bearings are true bearings.

William H. Okerman  
(Surveyor's Signature)

In the Presence of:

Ray E. Mykes  
Clifford B. SennSubscribed and sworn to before me at  
Cass Lake, Minnesota

this 4th day of June, 1970

Gordon E. Close  
Notary PublicNotary Public, Cass County, Minn.  
My commission expires July 28, 1971

## OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 5th day of February, A.D., 1971

at 9 o'clock A.M.

Randal Hendricks  
Register of Deeds

By Deputy



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

