

A000584307

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

9/12/2012 3:48:39 PM AS DOC #: A000584307

PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;





That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this <u>b</u> day of <u>Sept</u>, 20/2.

Notary Public

LINDA C. HUSBY
Notary Public
State of Minnesota
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER Corner to Sec. 15 17-20 T. 142N. R. 30W. State of Minnesota, County of Cass I hereby certify that on the 13th day of October I found the Quarter corner of Sections 17-20 which was evidenced by remains of the General Land Office Survey of 1918 and documented in Forest Service Record and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place a permanent marker consisting of $5\frac{1}{2}$ inch x $5\frac{1}{2}$ inch x 60 inch concrete monument with brass cap I further certify that I established reference or witness monuments consisting of which reference or witness monuments are located in the manner following: Elm 11 inch S88⁰E 113.70 feet scribed 1/4 S20 BT Oak 6 inch S600% 106.70 feet scribed 1/4 S20 BT Elm 26 inch S2°E 77.40 feet scribed 1/4 S20 3T Cedar post 6 inches x 6 inches x 96 inches due East 2.50 feet with Forest Service signs 54-2 and 54-4 attached Dated at Cass La ke , Minn., this

OFFICE OF REGISTER OF DEEDS

County of Cass

WILLIAM H. OKERMAN
Minnesota Registered Land Surveyor No. 6807

I hereby certify that the within instrument was filed in this office for record on the day of November A. D. 19⁷² at 9 o'clock A. M.

Register of Deeds.



Page 4 of 4 A000584307

40 "


60 "

80 "

60 "

40 "

20 "



" 60

" 60

" 20