

A000587653

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR **RECORDED ON**

12/26/2012 1:52:24 PM AS DOC #: A000587653 PAGES: 4 **REC FEES: 0.00**

KATHRYN M. NORBY CASS COUNTY RECORDER

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }ss COUNTY OF CASS

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

Page 2 of 4 A000587653

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this $26^{\frac{1}{2}}$ day of $12^{\frac{1}{2}}$, 20/2.

Notary Public

ROBERT H. YOCHUM
Notory Public
State of Minnesion
My Comm. Exp. 1 31 2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Angle Point 6					- «
Corner to Sec17	T	141N	R.	29W	No. 508
					•

State of Minnesota,

County of Cass

William H. Okerman , being first duly sworn, deposes and says:

That I reside at Bemidji , Minnesota , and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807 ...

I further depose and say that on the 15th day of February , 1963 ...,

I found the Angle Point 6 corner of section 17 ...

which was evidenced by remains of the G.L.O. resurvey of 1918

corner was found to be marked by a 1 inch diameter iron pipe with brass cap stamped

\$17 T141NR29W

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as the G.L.O. brass cap is in good condition.

from which reference or witness monuments are located in the manner following:

Maple 7 inch N1°E 14.5 feet scribed AP 6 BT

Maple 13 inch S56°W 18.15 feet scribed AP 6 BT

steel sign post 72 inches long set 24 inches in ground with signs 54-2 and 54-4 attached S75°E 2.6 feet

All reference bearings are true bearings.

William D Oberman
(Surveyor's Signature)
In the Presence of: L. Layrel & Cretch
Jadon & Brown
Subscribed and sworn to before the at CASS LAKE,
MINNESOTA
this 11th dayof Democra, 1967
John States
CHON E. CLOS Cotory Public
Andrew to the Cass County Minner of the second

My commission expires July 28, 1979

OFFICE OF REGISTER OF DEEDS

County of Selection Selection of the Selection of Selection Selecti

Page 3 of 4 A000587653

Page 4 of 4 A000587653

