

4000587654

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/26/2012 1:52:25 PM

AS DOC #: A000587654 PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

SY_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

SSS

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this $\frac{164}{100}$ day of $\frac{1}{100}$, $\frac{1}{100}$, $\frac{1}{100}$.

Notary Public

ROBERT H. YOCHUM
Notary Public
State of Minnesiota
My Comm. Exp. 1 31-2018

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

S.M.C. on the	reestablished	original	meander	line 27.25	chains	north of	the	center	east
1/16 Corner to Sec.		<i>T</i>	אניונר	•••••	R	29 W	No.	236	

State of Minnesota, County of Cass

Peter J. Meyer	Peter J. Meyer , being first duly sworn, de			
That I reside at Cass Lake,	Minnesota , and am regi	istered as a Land Surveyo	or under the	
laws of the State of Minnesota, having Surveyo	r's Registration Certificate.	No. 3628		
I further depose and say that on the 1	5th	February	, 1963,	
I found the special meander corner of which was evidenced by the remains of the Corner was found to be marked by a 1 in	GLO resurvey of 1918. ch diameter iron post	with brass cap stam	S18 S18	
Cedar 12 inch N21°30'E 76 links (50.16' at record bearing and distance.)			E SMC	
Tamarack 9 inch N37045W 65 links (42.9 at record bearing and distance.)	')(Now a decayed stump		1918	

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as the GLO brass cap is in good condition.

from which reference or witness monuments are located in the manner following:

Cedar 7 inch $Nl_12^{O_W}$ 30.3 feet marked SMC BT Cedar 6 inch $N73\frac{1}{2}^{O}E$ 6.67 feet marked SMC BT Steel sign post 72 inches long, set $2l_1$ inches in ground with F.S. signs $5l_1-2$ and $5l_1-l_1$ attached due south 3.8 feet.

All reference bearings are true bearings.

20

File & Muy
(Surveyor's Signature)
In the Presence of: //
Beulah Lendricke
June ann Nelson
Subscribed and sworn to before me at
Walker, Minnesota
this 16 day of September , 19 63
Beulah Gendrick
Wotary Public Deputy Register of Deeds, Cass County, Minn.
Deputy Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS

$County\ of$	Cass		
I hereby filed in this	certify that the soffice for record of	within instrumer on the 16	it was
	September		<i>9</i> 63
at 9	o'clock M.		
Les	nard Poll		
	Register of		
By β	eulah Hen	dricke	Deputy



