



A000587657

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

12/26/2012 1:52:28 PM

AS DOC #: A000587657

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep

Page 1 of 4 A000587657

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-


That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of Dec., 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

K 4

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

North East 1/16
 Corner to Sec. 18 T. 111N R. 29W No. 226

State of Minnesota, }
 County of Cass } ss.

Peter J. Meyer

, being first duly sworn, deposes and says:

That I reside at Cass Lake, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628

I further depose and say that on the 15th day of February, 1963, I found the North east 1/16 corner of Section 18 which was evidenced by the remains of the G.L.O. survey of 1918.

Corner was found to be marked by a 1 inch diameter iron post with brass cap stamped:-

Jack pine 4 inch S20°30'E 35 links (23.1') (Now a 17 inch
 White pine at record bearing and distance with blaze facing corner.) NE 1/16 S18 1918
 Poplar 5 inch N5°W 74 links (48.84') (Now a stump hole at record bearing and distance.)

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as the G.L.O. brass cap is in good condition.

from which reference or witness monuments are located in the manner following:

White pine 17 inch S20°30'E 23.1 feet re-scribed NE 1/16 BT

White/^{pine} 8 inch N34°E 9.2 feet marked NE 1/16 BT

Steel sign post 72 inches long, set 24 inches in ground with standard signs 54-2 and 54-4 attached due North 4.2 feet.

All reference bearings are true bearings.

Peter J. Meyer
 (Surveyor's Signature)

In the Presence of:

Beulah Hendricks
June Ann Nelson

Subscribed and sworn to before me at
 Walker, Minnesota

this 16 day of September, 1963.

Beulah Hendricks
 Notary Public

Deputy Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 16 day of September, A.D., 1963 at 9 o'clock A.M.

Leonard P. Peterson
 Register of Deeds

By *Beulah Hendricks* Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

