

A000587658

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/26/2012 1:52:29 PM
AS DOC #: A000587658
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY

CASS COUNTY RECORDER

BY KF Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 264 day of 12, 20/2.

Notary Public

ROBERT H. YOCHUM
Notary Public
State of Minnesona
My Comm. Exp. 131 2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

North 1/16 Corner to Sec. 15 17 18 T. 1)11N R. 294 No. 220

State of Minnesota,

County of Cass

Peter J. Mayer , being first duly sworn, deposes and says:

That I reside at Cass Lake Minnesota , and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No.....3628

I further depose and say that on the 15th day of February, 19.63, I found the North 1/16 corner of Sections 17 - 18 which was evidenced by the remains of the G.L.O. resurvey of 1918. Corner was found to be marked by a 1 inch diameter iron post with brass cap stamped:-N 1/16Cedar 13 inch Nh6ºE 8links (5.281) (Nov a 13 inch cedar S 18 | S 17 stump scribed "N 1/16 S17 BT" at record bearing and distance.) 1918 Cedar 11 inch S59°30'W 16 links (10.56') (Now a cedar stump partly decayed at record bearing and distance.)

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as the C.L.C. brace cap is in good condition.

from which reference or witness monuments are located in the manner following:

Ash h inch Malon 7.6 feet marked X BT Ash h inch N61°W 6.45 feet marked X BT Cedar 9 inch Sllow 24.3 feet marked N 1/16 Sl7 PT Steel sign post 72 inches long, set 24 inches in ground, with standard signs 5h-2 and 5h-k attached due South h.75 feet.

All reference bearings are true bearings.

Jus muy
(Surveyor's Signature)
In the Presence of:
Deulsh Hendricks

have lina Miles Subscribed and sworn to before me at..... Walker, Minnesota

this 16 day of September 19 63

Wetary Public
Deputy Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS

County of	Cass	
I hereby filed in this	certify that the wit	thin instrument was the 16
-	September	
	o'clock A.M.	
0	Register of D	eeds



Page 4 of 4 A000587658

