

A000587672

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR **RECORDED ON** 

12/26/2012 2:01:27 PM

AS DOC #: A000587672 PAGES: 4 **REC FEES: 0.00** 

KATHRYN M. NORBY CASS COUNTY RECORDER BY\_MW\_\_\_Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }ss COUNTY OF CASS

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this Aday of \_\_\_\_\_\_\_, 20 /Z\_.

ROBERT H. YOCHUM Notary Public State of Minimedata My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER Angle Point 9 Corner to Sec. 17 T. 141N R. 29W State of Minnesota, County of William H. Okerman , being first duly sworn, deposes and says: Minnesota, and am registered as a Land Surveyor under the That I reside at Bemidji laws of the State of Minnesota, having Surveyor's Registration Certificate No......6807...... I further depose and say that on the 25th day of July , 19 63. I found the Angle point 9 corner of section 17 which was evidenced by remains of the G.L.O. resurvey of 1918. corner was found to be marked by a 1 inch diameter iron pipe with brass cap stamped T141NR29W S17 1918 and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as the G.I.O. brass cap is in good condition. from which reference or witness monuments are located in the manner following:

Maple 5 inch N77°W 17.9 feet scribed AP9 BT

Ash 10 inch N24°E 20.5 feet scribed AP 9 BT

steel sign post 72 inches long set 24 inches in ground with signs 54-2 and 54-4 attached N84°W 4.1 feet

All reference bearings are true bearings

William I Okernan
(Surveyor's Signature)
In the Presence of:
Judou E. Close
Subscribed and sworn to before me at CASS LAKE.
MINNESOTA
this 1/4 day of December , 1967
John Blees
COPPONE CLOSE Notary Public

OFFICE OF REGISTER OF DEEDS  County of	e 3 of 4
I hereby certify that the within instrument was filed in this office for record on the A.D., 19 6 & at O'clock A.M.	A000587672
Register of Deeds	
ByDeputy	

Notice Public, Cass County, Mine. A

Page 4 of 4 A000587672

