



A000587680

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

12/26/2012 2:01:35 PM

AS DOC #: A000587680

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY MW Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;





-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of DEC, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

West 1/16 Corner to Sec. s 23 - 26 T. 141N R. 29W No. 517

State of Minnesota, }
 County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 21st day of October, 1964, I found the West 1/16 corner of Sections 23 and 26 which was evidenced by remains of the G.L.O. resurvey of 1918. G.L.O. brass cap iron monument has been removed.

Jack Pine 8 inch N52°E 34.98 feet (Now a pine stump cut flush with ground)

Jack Pine 8 inch S43°W 48.18 feet (Now a 15 inch Jack Pine scribe marks visible)

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 6 inch diameter 2 feet long cylindrical concrete monument capped with a 3 inch diameter bronze tablet stamped

T141N R29W

W 1/16 $\frac{S23}{S26}$

1965

from which reference or witness monuments are located in the manner following:

R.L.S. No. 6807

Jack Pine 11 inch S67°W 47.6 feet scribed W 1/16 S26BT

Jack Pine 6 inch N46°E 18.2 feet scribed W 1/16 S23BT

Red top cedar post 4 inches x 4 inches x 5 feet long with signs 54-2 and 54-4 attached due west 14.1 feet.

All reference bearings are true bearings.

William H. Okerman
 (Surveyor's Signature)

In the Presence of:

E. Farrell Creech
Arthur E. Olson

Subscribed and sworn to before me at CASS COUNTY, MINNESOTA

this 11th day of December, 1967.

Arthur E. Olson
 Notary Public

Notary Public, Cass County, Minn.
 My commission expires July 28, 1971

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 2nd

day of June A.D., 1968

at 9 o'clock A.M.

Beulah Hendricks
 Register of Deeds

By Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

