OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/27/2012 8:40:57 AM AS DOC #: A000587747 PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY\_KF Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }ss **COUNTY OF CASS** 

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this  $\mathcal{C}^{h}$  day of  $\mathbb{Z}^{C}$ ,  $20/\mathbb{Z}$ .

Notary Public


ROBERT H. YOCHUM
Notary Public
State of Minnesola
My Comm. Exp. 1 31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF COVERNMENT CORNER

Corner to Sec. s. 24-25-19-30	т. 1) <sub>1</sub> 1N	R. 30W-29W	No. 5-43
State of Minnesota, $S_{ss.}$			
County of Cass			
William H. Okerman	, bein	g first duly sworn, depose	es and says:
That I reside at Bemidji	, Minnesota , a	and am registered as a La	and Surveyor under the
laws of the State of Minnesota, having St	urveyor's Registration	Certificate No6807	•
I further depose and say that on the			
I found the section corner	r of Sections 24-2	25-19-30	
which was evidenced by remains of o	riginal Government	survey of 1873.	
Squared post.  Tamarack 7 inch N42½°E 5.94 feet Tamarack 6 inch N19°W 44.22 feet Tamarack 5 inch N55°W 43.56 feet	- now decayed stum	p at bearing and dis-	tance.
and that to perpetuate the location of such consisting ofa_2_inch_inside_diameter and capped with a 3 inch diameter	er 5 feet long gal	vanized steel pipe f	•
from which reference or witness monumen	its are located in the m	anner following:	R.L.S. No. 6807
Aspen 8 inch Sl:7°E 70.0 feet scril Aspen 7 inch N711°W 78.0 feet scril Tamarack 7 inch N60°E 77.3 feet s	.bed S24 BT		
Steel sign post 72 inches long se signs 54-4 attached.	t 24 inches in grou	and S64°W 5.5 feet w	ith Forest Service
Steel sign post 72 inches long se All reference bearings are true be	et 24 inches in groearings.		rith Forest Service 54-2 attached.
William Of Okama -	A77	NOT OF PROCESSOR ASSESSED.	, DEED C
19 1 Similar	OFF	TICE OF REGISTER OF	DEEDS



County of \_\_\_\_\_ I hereby certify that the within instrument was filed in this office for record on the 5 72 Register of Deeds By......Deputy

Page 4 of 4 A000587747

