



A000587756
OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON
12/27/2012 9:42:41 AM
AS DOC #: A000587756
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER
BY KF Dep

**AFFIDAVIT BY THE CASS COUNTY SURVEYOR
IN REGARD TO AN AFFIDAVIT AS TO
LOCATION OF A GOVERNMENT CORNER**

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-


That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of DEC, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner to Sec's 25 - 36 T. 141N R. 30W No. 628

State of Minnesota, }
County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 1st day of October, 1964, I found the Quarter corner of Section's 25 - 36 which was evidenced by a 2 inch diameter iron pipe and capped at corner location.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 2 inch inside diameter 5 foot long galvanized steel pipe filled with concrete and capped with a 3 inch diameter bronze tablet stamped:

T141N, R30W

 $\frac{1}{4}$ S25
S36

1965

R.L.S. No. 6807

from which reference or witness monuments are located in the manner following:

Maple 4 inch N36°W 22.8 feet scribed $\frac{1}{4}$ S25 BT.
Maple 5 inch S44°E 11.2 feet scribed $\frac{1}{4}$ S36 BT.
N.Pine 12 inch S86°E 39.8 feet scribed $\frac{1}{4}$ S36 BT.

Steel sign post 72 inches long set 24 inches in ground with Forest Service signs 54-2 and 54-4 attached due West 7.4 feet.

All reference bearings are true bearings.

William H. Okerman
(Surveyor's Signature)

In the Presence of:

Milton E. Hansen
Norman A. Johnson

Subscribed and sworn to before me at

Cass Lake, Minnesota
this 8th day of August, 1969.Gordon E. Close
Notary Public
GORDON E. CLOSE

Notary Public, Cass County, Minn.

My commission expires July 23, 1971

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 19th

day of February, A.D., 1971

at 9 o'clock AM

Berwick Hendrick
Register of Deeds

By Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

