

A000587758

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/27/2012 9:42:43 AM AS DOC #: A000587758 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this $\frac{1}{16}$ day of $\frac{1}{$

Notary Public

ROBERT H. YOCHUM
Notary Public
Statu of Milmesoda
My Comm. Exp. 1 31 2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

Notary Public GORBON E CLOSE

GORDON E. CLOSE Notary Public Cass County Minn.
My commission expires July 28, 1971

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner	to Sec. S.	35 - 36	T.	1);1N		No. 641
State County of	of Minnesi	ota, $\left.\begin{array}{c} \\ \\ \end{array}\right\}_{ss.}$				
$That\ I$	$reside\ at$	Bemidji	,Mi	innesota, and am Registration Certifica	registered as a Lan	d Surveyor under the
found the	N 1/16	corn	ner of	Section's 35 -	36	, ₁₉ 6ų ,
vhich was e	videnced bya	, 2 inch diam	neter iron	pipe at corner	location.	
onsisting of in c h	. a 6 inch diameter br	diameter 5 f onze tablet	eet long o	ylindrical conc	rete monument ca T11:1N, R30V N 1/16 S35 S36 1965 Ralasa No	I
N. Pi N. Pi	ne 11 inch ne 12 inch	n N67°E 44. n S66°E 24.	4 feet scr 0 feet scr	ted in the manner for the side of the side	BT.	
		72 inches lo 54-4 attached		inches in groun 8.3 feet.	d with Forest Se	ervice
All r	eference be	earings are t	rue bearin	ngs•		
In the Prese	ence of the second of the second seco	Okesma 's Signature) Orsect human before me at	/	County of I hereby filed in this day ofFe	office for record on	thin instrument was
his 8		Prigist	, 1969	12200	Cah Server Register of I	Deeds

Page 3 of 4 A000587758

Page 4 of 4 A000587758

