



A000587793

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR

RECORDED ON

12/27/2012 10:33:46 AM

AS DOC #: A000587793

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY MW Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }

}ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 2012.

Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

South 1/16
 Corner to Sec's 13 - 14 T. 141 North R. 28 West No. 856

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 23rd day of June 1972
 I found the South 1/16 corner of Sections 13 - 14
 which was evidenced by remains of the General Land Office survey of 1918 and documented in
 Forest Service Record.

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
 a permanent marker consisting of no new monuments set as G.L.O. monument is in good condition.

I further certify that I established
 reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Steel sign post 72 inches long due North 1.80 feet with Forest Service sign 54-4 attached.

Now a 31" W. Pine at bearing and distance scribe overgrown.

Now a 17" W. Oak at bearing and distance scribe overgrown.

Dated at Cass Lake, Minn., this 3rd day of March 1973

OFFICE OF REGISTER OF DEEDS

County of Cass

~~MINNESOTA SURVEYOR OF HIGHWAY ENGINEER~~

William H. Okerman
 Minnesota Registered Land Surveyor No 6807

I hereby certify that the within instrument was filed in this office for record on the 5th
 day of February A. D. 1973 at 9 o'clock A. M.

Beulah Hendricks
 Register of Deeds.
 By BJK Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

