



A000587815

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

12/27/2012 11:18:00 AM

AS DOC #: A000587815

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep

Page 1 of 4 A000587815

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

North West 1/16

Corner to Sec. 21 T. 141 N. R. 28 W. No. 942

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 28th day of March 1973

I found the North West 1/16 corner of Section 16

which was evidenced by remains of the General Land Office survey of 1918 and documented in Forest Service record

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place a permanent marker consisting of 2 inch x 60 inch galvanized steel pipe with brass cap

I further certify that I established reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

J. Pine 11 inch N24° E 144.50 feet scribed NW 1/16 S 20 BT

J. Pine 10 inch N48° E 121.70 feet scribed NW 1/16 S 21 BT

Steel sign post 72 inches long due East 4.30 feet with Forest Service signs 54-2 and 54-4 attached

Dated at Cass Lake, Minn., this 4th day of April 1974

William H. Okerman
 County Surveyor or Highway Engineer.

OFFICE OF REGISTER OF DEEDS

County of Cass

WILLIAM H. OKERMAN
 Minnesota Registered Land Surveyor No. 6807

I hereby certify that the within instrument was filed in this office for record on the 4th day of March A. D. 1975 at 9 o'clock A. M.

Beulah Hendricks
 Register of Deeds.
 By *BPH* Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

