



A000587820

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

12/27/2012 11:18:05 AM

AS DOC #: A000587820

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep



A000587820

Page 1 of 4

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

734

 $\frac{1}{4}$ Corner to Sec. 20 and 21 T. 141N R. 28W No. 5th P.M.

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 9th day of September 1971
 I found the quarter corner of Sections 20 and 21
 which was evidenced by REMAINS OF THE GENERAL LAND OFFICE RESURVEY OF 1918

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
 a permanent marker consisting of existing G.L.O. monument

I further certify that I established
 reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Oak 7 inch S26°E 5.6 feet scribed 1/4 S21 BT
 Oak 10 inch N74°E 22.4 feet scribed 1/4 S21 BT
 Power Pole N27°W 42.4 feet
 Steel sign post 72 inches long set due north 2.1 feet with Forest Service signs
 54-4 and 54-2 attached.

Dated at Bemidji, Minn., this 10th day of September 1971

William J. Helman
 Beltrami County Surveyor ~~and Highway Engineer~~

OFFICE OF REGISTER OF DEEDS

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 8th
 day of October A. D. 19 71 at 9 o'clock A. M.

Paul H. Hendricks
 Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

