



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of December, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER 736

 $\frac{1}{4}$ Corner to Sec. 28 and 27 T. 141N R. 28W No 5th PMState of Minnesota, }
County of Cass } ss.

I hereby certify that on the 9th day of September 1971

I found the quarter corner of Sections 28 and 27
which was evidenced by remains of the General Land Office resurvey of 1918and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of Existing G.L.O. monumentI further certify that I established
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Red pine 22 inch S48 $\frac{1}{2}$ °E 17.8 feet (G.L.O. BT)

Red oak 15 inch N11°W 128.7 feet (G.L.O. BT)

Oak 5 inch N34°E 30.2 feet scribed 1/4 S27 BT

Birch 7 inch N04°E 30.7 feet scribed 1/4 S27 BT

Steel sign post 72 inches long set due north 2.1 feet with Forest Segns 5404 and
54-2 attached.

Dated at Benidji, Minn., this 10th day of September 1971

William O. Sherman
Beltrami County Surveyor

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 8th
day of October A. D. 19 71 at 9 o'clock A. M.Gerald Hendricks
Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

