

A000587857

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/27/2012 12:42:41 PM

AS DOC #: A000587857 PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY MW Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }

ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 26th day of December, 20/2.

SUSANNE GRAY

Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)
My term is indeterminate

Notary Public

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

	Mile	r-Davis Company, Minneapolis
•		
		19.73
the General Lan	d Office survey of 1918 and	
no new monument s		
	21st Section of set the General Language ate the location of set 1.	LOCATION OF GOVERNMENT T. 141 N. R. 28 W. 21st day of February Corner of Section 27 C. the General Land Office survey of 1918 and ate the location of such corner, I did, at the exact land no new monument set as G.L.O. monument is in

reference of activess monuments consisting of
which reference or witness monuments are located in the manner following:
R. Oak 8 inch N40°E 29.10 feet scribed CW 1/16 S 27 BT
R. Oak 8 inch N85 E 31.00 feet scribed CW 1/16 S 27 BT
R. Oak 10 inch S19 E 16.70 feet scribed CW 1/16 S 27 BT
Steel sign post 72 inches long due South 6.90 feet with Forest Service signs 54-2 and
54-4 attached
•

Minn., this..

OFFICE OF REGISTER OF DEEDS County of Cass

WILLIAM H. OKERMAN Minnesota Registered Land Surveyor No. 6807

I hereby certify that the within instrument was filed in this office for record on the day of the ary.

A. D. 1974 at o'clock

Page 4 of 4 A000587857

