

A000587864

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/27/2012 1:06:19 PM
AS DOC #: A000587864
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 26th day of December, 20/2.

Notary Public

Deputy Auditor Case County Minnesota Notarial Officer (ex-officio notary public) My term is indeterminate

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

County of Cass

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER Angle Point 1 of Allotment 1635 Corner to Sec. 27 7 141N R. 28W State of Minnesota. County of I hereby certify that on the 21st day of February 1973.

Angle Point 4 of corner of Section 27 I found the Allotment 1635 which was evidenced by remains of the General Land Office survey of 1918 and documented in Forest Service record and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place a permanent marker consisting of no new monument set as G.I.O. monument is in good condition I further certify that I established reference or witness monuments consisting of which reference or witness monuments are located in the manner following: R_{\bullet} Oak 16 inch $Sl_{1}8^{O}\mathrm{E}$ 22.30 feet scribed AP4 S27 BT R. Oak 16 inch N24 $^{\rm O}$ W 38.30 feet scribed AP4 S27 BT R. Oak 10 inch N8° 144.70 feet scribed AP4 S27 BT Steel sign post 72 inches long N880W 6.60 feet with Forest Service signs 54-2 and 54-4 attached OFFICE OF REGISTER OF DEEDS WILLIAM H. OKERMAN

MILLIAM H. OKERMAN
Minnesota Registered Land Surveyor No. 6807

I hereby certify that the within instrument was filed in this office for record on the 4th day of March A. D. 1975 at 9 o'clock A. M.

Undrioles Register of Deed

By BJK

....Deputy



Page 4 of 4 A000587864

