



A000587880

OFFICE OF THE COUNTY RECORDER  
CASS COUNTY, MINNESOTA  
CERTIFIED, FILED, AND/OR  
RECORDED ON

12/27/2012 1:40:48 PM

AS DOC #: A000587880

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY  
CASS COUNTY RECORDER

BY KF Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA     }  
  }ss  
COUNTY OF CASS         }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-


That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 26<sup>th</sup> day of DEC, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

A 8

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

East 1/16

Corner to Sec.'s 5-32 T. 141 - 142 N R. 31 W No. 113

State of Minnesota, }  
 County of Cass } ss.

Peter J. Meyer

, being first duly sworn, deposes and says:

That I reside at Cass Lake, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628

I further depose and say that on the 29th day of June, 1962, I found the East 1/16 corner of Sections 5 - 32 which was evidenced by a 2" x 48" iron pipe set by Cass County Surveyor John M. Green in 1925. A plat of his survey is filed in the Cass County Courthouse. The pipe monument was found alongside a very old fence corner.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 2 inch inside diameter, 5 foot long galvanized wrought iron pipe filled with concrete and capped with a 3 inch diameter bronze tablet stamped:-

T142N R31W  
 E 1/16 S 32  
 S 5  
 T141N  
 R.L.S. No. 3628

from which reference or witness monuments are located in the manner following:

Oak 7" S74°E 10.1' MKD E 1/16 S 5 BT

Oak 6" S38 1/2°W 14.55' MKD E 1/16 S 5 BT

Steel sign post 72" long set 24" in ground North 2.8 feet

All reference bearings are true bearings.

*Peter J. Meyer*  
 (Surveyor's Signature)

In the Presence of:

*Berulah Jewett*  
*Jane Ann Nelson*

Subscribed and sworn to before me at

Walker, Minnesota

this 10 day of December, 1962

*Berulah Jewett*  
 -Notary Public-

Deputy Register of Deeds, Cass Co., Minn.

## OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 10 day of December, A.D., 1962 at 9 o'clock A.M.

*R. P. Peterson*  
 Register of Deeds

By *B. K.* Deputy



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M. \_\_\_\_\_

