A000587881

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR **RECORDED ON** 

12/27/2012 1:40:49 PM AS DOC #: A000587881

PAGES: 4 REC FEES: 0.00

**KATHRYN M. NORBY** CASS COUNTY RECORDER

BY KF Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }ss **COUNTY OF CASS** 

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this Hay of Age, 20/Z.

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCA	ATION OF GO	VERNMENT (	CORNER
Corner to Sec. 1 s 4-5-32-33	141 - 142 N	R. 31 W	No. ' . 7
State of Minnesota,  County of Cass			
Peter J. Meyer	, being fir	st duly sworn, depose:	s and saus:
That I reside at Cass Lake,	Minnesota , and a	ım registered as a Lar	nd Surveyor under the
laws of the State of Minnesota, having Survey	or's Registration Certi	ificate No. 3628	••••
I further depose and say that on the	27th day	y of June	, 19 62
I found the Section corner of which was evidenced by notes of Cass Cour Cass County record book "C" page 113.			
Iron monument 2" x 48" (found in place	marking corner be	eside an old fence	e line).
and that to perpetuate the location of such correconsisting of a 2" inside diameter, 5' 1 concrete and capped with a 3" diameter	ong galvanized wro bronze tablet sta	ought iron pipe fi amped:- Tlh2N S 32 S 5	R31W S 33 S 4
from which reference or witness monuments are	e located in the manne		No. 3628
Elm 6" N50°W 25.8' MKD S32 BT			
Oak 7" N24°E 56.3' MKD S33 BT			
Rock 3.0' x 2.5' x 1.0' high $562\frac{1}{2}$ °E 6 steel sign post 72" long set $2\mu$ " in gr	0.0' to top center. Cound West 1.8'		
All reference bearings are true bearing	g <b>s</b> •		
File meyer	OFFICE	OF REGISTER OF	DEEDS
(Surveyor's Signature)	County of	-	<b>~</b>

La Chris
(Surveyor's Signature)
In the Presence of:
Inne ann Nelson
Subscribed and sworn to before me at
Walker, Minnesota
this 10 day of December 1962
Butch Levaier
-Notary Pablic

	lisedelight	إسرائية	7			
- Notary Pablic						
	Deputy Register	of	Deeds,	Cass	Co.,	Minn.
					-	

I hereby certify that the within instrument was filed in this office for record on the 10 day of December A.D., 1962 at 9 s'clockA.M.

Literan

Register of Deeds

By 13 R



Page 4 of 4 A000587881

