



A000587908

**OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON**

12/27/2012 2:25:45 PM

AS DOC #: A000587908

PAGES: 4

REC FEES: 0.00

**KATHRYN M. NORBY
CASS COUNTY RECORDER**

BY MW Dep

**AFFIDAVIT BY THE CASS COUNTY SURVEYOR
IN REGARD TO AN AFFIDAVIT AS TO
LOCATION OF A GOVERNMENT CORNER**

STATE OF MINNESOTA }

}ss


COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;






-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of DEC, 2012.

Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Corner to Sec. 7 T. 141 R. 31 No. 8

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 24th day of Dec 1958
 I found the Center corner of Sec 7
 which was evidenced by a 2 1/2 x 48" Capped Galv iron Monument.

and I further certify that to perpetuate the location of such corner I did, at the exact location thereof, place
 a permanent marker consisting of a 2 1/2 x 48" Capped Galv iron Monument Mkd C. S. 7- 141- 31

I further certify that I established
 reference or witness monuments consisting of 2 White Oak trees 1 Jack Pine tree
 which reference or witness monuments are located in the manner following:

a White Oak tree 9 inches in diam bears N 6°50'E 14.00 ft Mkd S.7 T. 141 R. 31
 a Jack Pine tree 10 inches in diam bears S 73°51' E 35.35 ft Mkd S.7 T. 141 R. 31
 a White Oak tree 14 inches in diam bears S 54°22' W 22.62 ft Mkd S.7 T. 141 R. 31

Dated at Walker, Minn., this 24th day of Dec 1958

Harold Curo
 County Surveyor or Highway Engineer.

OFFICE OF REGISTER OF DEEDS

County of _____

I hereby certify that the within instrument was filed in this office for record on the 22
 day of March A. D. 1960 at 9 o'clock a M.

L. P. Peterson
 Register of Deeds.

By Beulah Revoier Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

