A000587939

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/28/2012 8:07:39 AM AS DOC #: A000587939 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

}

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 26% day of 48%, 20/2.

Notary Public

ROBERT H. YOCHUM
Notary Public
State of Milenerates
My Comm. Eq. 1.41-2019

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS	S TO LOC	CATION C	F GOVER	NMENT (CORNER	
Corner to Sec. 's 8-9-16	- 37	T. Ilil N	<i>1</i>	R. 31 W		
State of Minnesota,	1					
State of Minnesota, County of Cass	\int_{0}^{88}					
Peter J.	. Meyer		being first duly	y sworn, depose	s and says:	
That I reside at Cass La						the
laws of the State of Minnesota						_
I further depose and say t	hat on the	lst	day of	May	, 19	5 2 .,
found the Section						
which was evidenced by	iginal Gover -	mment BT's.				prsi
and that to perpetuate the loca consisting ofa_2" inside with concrete and capped	diameter 5 with a 3 in	foot long g noh diameter	alvanized wro bronze table	ought iron protest stamped:- S S S		rker
from which reference or withes	s monuments (are iocaiea in	ine manner jou	owing. HLS	NO• 3020	
Oak 7" Nhlow 82.2' Mar	ked S 8 BT					
Oak 10" S55°E 58.2' Mar	ked S 16 BT					
Rock 6.0' x 2.0' x 1.4'	high N33 <mark>10</mark> 1	E 60.7 to c	ross chisled	in top.		
Cedar post 4" x 4" x 72"	penta-trea	ted with red	1 top S550W]	1.871		
All reference bearings a	re true bear	rings.	OFFICE OF I	REGISTER OF	DEEDS	
(Surveyor's Si	gnature)	••	α	_		

OFFICE OF REGISTER OF DEED	פע	
County ofCass		
I hereby certify that the within filed in this office for record on the	instrument 3rd	was
day of July		63
at o'clock M.		
Leonard P. Peterson Register of Deeds		······
By Beulah Lendre	cks De	puty

Page 4 of 4 A000587939

