



A000587944

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

12/28/2012 8:07:44 AM

AS DOC #: A000587944

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep



Page 1 of 4 A000587944

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-


That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 27th day of DEC, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Northwest 1/16 18 T. 141 N R. 31 W No. 77
 Corner to Sec.....

State of Minnesota, }
 County of Cass } ss.

Peter J. Meyer

, being first duly sworn, deposes and says:

That I reside at Cass Lake, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628

I further depose and say that on the 24th day of August, 1962, I found the Northwest 1/16 corner of Section 18 which was evidenced by a 2" diameter iron pipe set by Cass County Surveyor John Curo

in 1915. A plat of his survey is filed in the Cass County Courthouse.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 6" diameter 5' Long cylindrical concrete monument capped with a

3" diameter bronze tablet stamped: -

T 141N R 31W

NW 1/16 S 18
 1962

from which reference or witness monuments are located in the manner following:

RLS No. 3628

Jack Pine 10" N 4° E 93.3' MKD NW 1/16 S18 BT

Jack Pine 12" N 54° E 68.4' MKD NW 1/16 BT

Steel sign post 72" Long set 24" in ground south 2.86'

All reference bearings are true bearings.

Peter J. Meyer

(Surveyor's Signature)

In the Presence of:

Paulah Lewicki

Gene Ann Nelson

Subscribed and sworn to before me at

Walker, Minnesota

this 10 day of December, 19 62

Paulah Lewicki

Notary Public

Deputy Register of Deeds, Cass Co., Minn.

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 10

day of December, A.D., 19 62

at 9 o'clock A.M.

R. V. Peterson

Register of Deeds

By *B. R.* Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M.

