



A000587976

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

12/28/2012 9:31:02 AM

AS DOC #: A000587976

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep



Page 1 of 4 A000587976

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

-2-


That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.



Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of DEC, 2012.


Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

1/4 Corner to Sec. 27-28 T. 141 N R. 31 W No. 35

State of Minnesota, }
 County of Cass } ss.

Peter J. Meyer, being first duly sworn, deposes and says:

That I reside at Cass Lake, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628

I further depose and say that on the 29th day of March, 1961, established 1/4 corner of Sections 27-28

~~which was not located by~~ by single proportionate measurement between the section corner common to Sections 21-22-27-28, and the Section corner common to Sections 27-28-33-34, T141N, R31W. The 1/4 corner location was determined by transit traverse methods. The field notes of this survey are in field book "Boundry Surveys - field book No. 2" on file in U.S.F.S, Supervisor's Office, Cass Lake, Minnesota.

A check showed no evidence of original Government corner or accessories.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 2" inside diameter 5' long galvanized wrought iron pipe filled with concrete and capped with a 3" diameter bronze tablet stamped:

T141N, R31W
 1/4
 S 28 | S 27
 1961
 R.L.S. No. 3628

from which reference or witness monuments are located in the manner following:

Red Pine 18" S44W 69.9' MKD 1/4 S28 BT
 Oak 6" N60W 6.1' MKD 1/4 S28 BT
 Oak 9" S75E 45.8' MKD 1/4 S27 BT

All reference bearings are true bearings.

Peter J. Meyer
 (Surveyor's Signature)

In the Presence of:

Birulah Hoover
Jane Ann Nelson

Subscribed and sworn to before me at Walker, Minnesota

this 2nd day of February, 1962

Birulah Hoover
 Notary Public
 Deputy Register of Deeds
 Cass County, Minnesota

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 2nd day of February, A.D., 1962 at 9 o'clock A.M.

Leonard P. Peterson
 Register of Deeds
 By *Birulah Hoover* Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

