



-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of DEC, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Corner to Sec. 26 T. 141 R. 31 No. 2

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 17 day of July 19 58
 I found the iron pipe corner of Center of Section 26
 which was evidenced by a 2x4x8" Boiler flue

and I further certify that to perpetuate the location of such corner I did, at the exact location thereof, place
 a permanent marker consisting of a 2 3/4 x 60" Capped Monument filled with concrete

I further certify that I established This corner from old survey records
 reference or witness monuments consisting of 3 4x4x100" cedar post in swamp
 which reference or witness monuments are located in the manner following:

a 4x4x100" cedar post bears N 450 E 29.20 ft Marked Sec. 26- T. 141 R. 31

a 4x4x100" cedar post bears S 450 W 30.15 ft Marked Sec. 30 T. 141 R. 31

a 4x4x100" cedar post bears N 450 W 32.04 ft Marked Sec. 30 T. 141 R. 31

Dated at Walker, Minn., this 17th day of July 19 58

Harold Curo
 County Surveyor or Highway Engineer.

OFFICE OF REGISTER OF DEEDS

County of }
 Cass }

I hereby certify that the within instrument was filed in this office for record on the 22
 day of March A. D. 19 60 at 9 o'clock A. M.

L. P. Peterson
 Register of Deeds.
 By *Berulah Devaier* Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

