

000587996

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/28/2012 10:14:33 AM AS DOC #: A000587996 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

Y_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

SSS

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

-2-

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this day of ______, 20/

Notary Public

ROBERT H. YOCHUM
Notory Public
Stote of Minnesota
My Comm. Exp. 1-31-2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

West 1/16
Corner to Sec. 27 - 34 T. 1/1 N R. 31 W No. 240

State of Minnesota,

County of Cass

Peter J. Meyer , being first duly sworn, deposes and says:

That I reside at Cass Lake , Minnesota , and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628

I further depose and say that on the 25th day of April , 1962 ,

I found the West 1/16 corner of Sections 27 - 31:

which was evidenced by a survey of Cass County Surveyor John M. Greene in 1928.

Iron monument (found a 2" outside diameter iron pipe marking corner)

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 6 inch diameter, 5 foot long cylindrical concrete monument capped with a 3 inch diameter bronze tablet stamped:—

TIAIN R3IW

from which reference or witness monuments are located in the manner following:

Red pine 9" $S20^{\circ}E$ 10.15 feet MKD W 1/16 S34 BT Red pine 12" $N73\frac{1}{2}^{\circ}W$ 21.6 feet MKD W 1/16 S27 BT 72" steel sign post $N25^{\circ}E$ 4.4" With sign 54-4 attached

All reference bearings are true bearings.

(Surveyor's Signature)

In the Presence of:

(Surveyor's Signature)

In the Presence of:

(Subscribed And Sworn to before me at Walker, Minnesota

this 16 day of Setpember 1963

Notary Public
Deputy Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS County of Cass

I hereby certify that the within instrument was filed in this office for record on the 16 day of September A.D., 19 63 at 9 o'clock A.M.

Register of Deeds

Page 4 of 4 A000587996

