



-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 27th day of Dec, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Corner to Sec. 27-34 T. 141 R. 31 No. 22

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 14th day of April 19 59
 I found the 1/4 corner of Sec's 27-34
 which was evidenced by a 2x48 inch boiler flue

and I further certify that to perpetuate the location of such corner I did, at the exact location thereof, place
 a permanent marker consisting of 2 3/4 x 60 inch capped monument

I further certify that I established Witness trees
 reference or witness monuments consisting of Trees
 which reference or witness monuments are located in the manner following:

White Oak tree 5 inches in diam bears N 52°57' W 36.65 ft Mkd S.27 T.141 R.31

Jack Pine tree 10 inches in diam bears N 15°11' E 43.20 ft Mkd S.27 T.141 R. 31

White Oak tree 5 inches in diam bears S 33°00' W 35.1 ft Mkd S.34 T.141 R.31

Dated at Walker, Minn., this 14th day of April 19 59

Harold Curo
 County Surveyor or Highway Engineer.

OFFICE OF REGISTER OF DEEDS }

County of

I hereby certify that the within instrument was filed in this office for record on the 22
 day of March A. D. 19 60 at 9 o'clock A. M.

L. P. Peterson
 Register of Deeds.
 By *Beulah Hewner* Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

