

A000588099

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

12/28/2012 2:28:13 PM

AS DOC #: A000588099 PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

Y_KF____Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

SSS

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this day of LEC

, 20<u>/2</u>

Notary Public

ROBERT H. YOCHUM
Notary Public
State of Minnesola
My Comm. Exp. 1 31 2015

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

West 1/16 Standard Corner to Sec. 31	T.	ון בולב N	R	31 W	
State of Minnesota,					

State of Minnesota, County of Cass

Peter J. Meyer , being first duly sworn, deposes and says:

That I reside at Cass Lake , Minnesota , and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628

I further depose and say that on the 27th day of July , 19 62,

I found the West 1/16 Standard corner of Section 31

which was evidenced by a 1-3/4 " diameter iron pipe set by Cass County Surveyor

E. B. Horst in 1921.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of a 2" inside diameter, 5' long galvanized wrought iron pipe filled with concrete and capped with a 3" diameter bronze tablet stamped:
Thin R31W

S. C.

W 1/16 S 31

1962

from which reference or witness monuments are located in the manner following:

White pine 24" Nll20W 72.4' MKD W 1/16 S31 BT
Oak 6" N600E 31.1' MKD W 1/16 S31 BT

Steel sign post 72" long set 24" in ground N88°E 2.9'

All reference bearings are true bearings.

(Surveyor's Signature)

In the Presence of:

Sulsh Acadese

Subscribed and sworn to before me at

Walker, Minnesota

this 3rd day of July , 19 63

Sulsh Acadese

Notary Public

Deputy Register of Deeds

Cass County, Minnesota

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 3rd day of July A.D., 19 63 at 9 o'clock AM.

Leonard P. Peterson Register of Deeds

By Beulsh Jenduck Deputy

RIS No. 3628



Page 4 of 4 A000588099

