






That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 26th day of DEC, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Corner to Sec. 26-27 T. 141 R. 31 No 24

State of Minnesota, }  
COUNTY OF CASS } ss.

I hereby certify that on the 16th day of April 1959  
I found the 1/4 corner of Sec's 26-27  
which was evidenced by 2x48 inch boiler flue  
and I further certify that to perpetuate the location of such corner I did at the exact location thereof place  
a permanent marker consisting of a 2 3/4 x 60 inch capped Monument filled with concrete  
I further certify that I established Witness trees  
reference or witness monuments consisting of Trees  
which reference or witness monuments are located in the manner following:


- a White Oak tree 6 inches in diam bears N 37°43' E 10.90 ft Mkd S.26 T.141 R.31
- a White Oak tree 5 inches in diam bears N 83°20' W 33.70 ft Mkd S.27 T.141 R.31
- a Red Oak tree 7 inches in diam bears S 35°00' W 34.60 ft Mkd S.27 T.141 R.31

Dated at Walker this 16<sup>th</sup> day of April 1959

Harold Curo  
County Surveyor or Highway Engineer

OFFICE OF REGISTER OF DEEDS, }  
COUNTY OF CASS }

I hereby certify that the within instrument was filed in this office for record on the 22  
day of March A. D. 1960 at 9 o'clock A. M., and was duly  
Recorded in Book of on page



L. P. Peterson  
Register of Deeds.  
By Beulah Dewar Deputy.