



A000588234

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

1/2/2013 12:15:21 PM

AS DOC #: A000588234

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY KF Dep

Page 1 of 4 A000588234

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }
 }ss
COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;




-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.


Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 31st day of Dec., 2012.


Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Section Sec's 1-2

T111N

R28W

Corner to Sec. 's 35-36

T1142N

R. 28W

No. 791

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 26th day of June 1972
 I found the Section corner of Sections 1-2-35-36
 which was evidenced by remains of the General Land Office survey of 1919 and documented in
 Forest Service Record
 and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
 a permanent marker consisting of no new monument set as G.L.O. monument is in good condition.

I further certify that I established
 reference or witness monuments consisting of
 which reference or witness monuments are located in the manner following:

N. Pine 17 inch N73°E 16.20 feet scribed S36 BT

N. Pine 19 inch S44°E 18.10 feet scribed S1 BT

N. Pine 20 inch S51°W 70.50 feet scribed BT

Steel sign post 72 inches long due West 6.80 feet with Forest Service signs

54-2 and 54-4 attached

Dated at Cass Lake, Minn., this 15th day of November 1972

OFFICE OF REGISTER OF DEEDS

County of Cass

~~County Surveyor or Highway Engineer~~

WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor

No. 6807

I hereby certify that the within instrument was filed in this office for record on the 10th
 day of January A. D. 1973 at 9 o'clock A. M.

Beulah Hendrick

Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

