

A000588244

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON 1/2/2013 12:55:56 PM

AS DOC #: A000588244
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER

BY\_MW\_\_\_Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 312t day of Dec.

Deputy Auditor, Cass County Minnesota Notarial Officer (ex-officio notary public) My term is indeterminate

Notary Public

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484


| State | of         | Minnesota, | 88 |
|-------|------------|------------|----|
|       | <b>a</b> - |            | •  |

| solate of Intimesola, ss.   |
|---|
| County of Cass  |
| I hereby certify that on the 6th day of February 19 73 Angle Point 2 of Allotment 1532 and Angle Point 3 of I found the Allotment 1533 corner of Section 1  |
| which was evidenced by remains of the General Land Office survey of 1919 and documented   |
| in Forest Service record.   |
| and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place   |
| a permanent marker consisting of no new monument as G.L.O. monument is in good condition  |
| I further certify that I established  |
| reference or witness monuments consisting of  |
| which reference or witness monuments are located in the manner following:  Elm 6 inch S51 W 32.00 feet scribed AP BT  |
| W. Oak 10 inch S80°W 64.40 feet scribed AP BT   |
| W. Oak 6 inch N10 <sup>0</sup> W 94,00 feet scribed AP BT   |
| Steel sign post 72 inches long due East 2.80 feet with Forest Service signs 54-2  |
| and 54-4 attached.  |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
| Dated at Cass Lake , Minn., this Tolk day of Much 197   |
| OFFICE OF REGISTER OF DEEDS WILLIAM H. OKERMAN  |
| Minnesota Registered Land Surveyor No.6807  |
| I hereby certify that the within instrument was filed in this office for record on the  |
| 1 nerently cereally atom the manager appearance and breeze at along others for record on along the manager and a processing the processing and the processing and the processing and the processing are processed as a processing and the processing are processed as a processing and the processing are processed as a process of the processing are processed as a processing are processed as a processing and the processing are processed as a processing and the processing are processed as a |

A. D. 19 73 at

Hendrichs
Register of Deeds.

Page 4 of 4 A000588244



e jega 11