



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 2nd day of Jan., 2013.

Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

North East 1/16

Corner to Sec. 9 T. 141 N. R. 28 W. No. 814

State of Minnesota, }
County of Cass } ss.

I hereby certify that on the 18th day of November 1971

I found the North East 1/16 corner of Section 9
which was evidenced by remains of the General Land Office survey of 1918 and documented in
Forest Service Record.and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of 2 inch x 60 inch galvanized steel pipe with brass capI further certify that I established
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Birch 10 inch N54°W 33.80 feet scribed NE 1/16 S9 BT

Birch 11 inch S62°W 37.80 feet scribed NE 1/16 S9 BT

Birch 7 inch S33°W 29.95 feet scribed NE 1/16 S9 BT


Steel sign post 72 inches long due North 8.50 feet with Forest Service signs 54-2
and 54-4 attached.

Dated at Cass Lake, Minn., this 15 day of November 1972


~~County Surveyor or Highway Engineer~~WILLIAM H. OKERMAN
Minnesota Registered Land Surveyor No. 6807

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 10th
day of January A. D. 19 73 at 9 o'clock A. M.
Beulah Hendricks
Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

