



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 2nd day of Jan., 2013.

Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

South West 1/16

Corner to Sec. 9 T. 141 N. R. 28 W. No. 512

State of Minnesota, }
County of Cass } ss.

I hereby certify that on the 21st day of January 1972
I found the South West 1/16 corner of Section 9
which was evidenced by remains of the General Land Office survey of 1918 and documented in
Forest Service Record
and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of no new monument set as G.L.O. monument is in good condition.

I further certify that I established
reference or witness monuments consisting of
which reference or witness monuments are located in the manner following:

J. Pine 10 inch N35°E 34.50 feet scribed SW 1/16 S9 BT
Ash 11 inch S37°E 56.90 feet scribed SW 1/16 S9 BT
J. Pine 18 inch N24°W 81.80 feet rescribed SW 1/16 S9 BT
Steel sign post 72 inches long due East 16.70 feet with Forest Service sign 54-4 attached.

Dated at Cass Lake, Minn., this 1st day of November 1972

William H. Okerman
County Surveyor or Highway Engineer

WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor No. 6807

OFFICE OF REGISTER OF DEEDS

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 10th
day of January A. D. 1973 at 9 o'clock A. M.

Beulah Hendrick

Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

