



A000588326

OFFICE OF THE COUNTY RECORDER
CASS COUNTY, MINNESOTA
CERTIFIED, FILED, AND/OR
RECORDED ON

1/2/2013 3:25:24 PM

AS DOC #: A000588326

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY
CASS COUNTY RECORDER

BY SR _____ Dep

**AFFIDAVIT BY THE CASS COUNTY SURVEYOR
IN REGARD TO A CERTIFICATE OF LOCATION
OF GOVERNMENT CORNER**

STATE OF MINNESOTA }

}ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;






-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.


Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 2nd day of Jan, 2013.


Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

West 1/16

Corner to Sec. 11 and 14 T. 141N R. 28W No. 5th PM

State of Minnesota, }
County of Cass } ss.

I hereby certify that on the 9th day of September 1971

I found the west 1/16 corner of Sections 11 and 14

which was evidenced by remains of the General Land Office resurvey of 1918

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place a permanent marker consisting of existing G.L.O. monument

I further certify that I established reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Oak 1 1/4 inch N64 3/4°E 38.3 feet scribed overgrown (G.L.O. BT)

Oak 7 inch N68°W 13.7 feet scribed 1/16 S11 BT

Oak 4 inch S58°E 17.3 feet scribed 1/16 S14 BT

Oak 5 inch S19°W 31.6 feet scribed 1/16 S14 BT

Steel sign post 72 inches long set due south 3.9 feet with Forest Service signs
54-2 and 54-4 attached

Dated at Bemidji, Minn., this 10th day of September 1971

Beltrami County Surveyor ~~XXXXXXXXXXXX~~

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 8th day of October A. D. 19 71 at 9 o'clock A. M.

Beverly Hendricks
Register of Deeds.

By Deputy.

SECTION _____ TOWNSHIP _____ RANGE _____ P.M.

