

A000588333

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

1/2/2013 3:43:06 PM

AS DOC #: A000588333 PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA } }ss **COUNTY OF CASS**

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota:

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



Page 2 of 4

-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 2nd day of

Notary Public

SUSANNE GRAY
Deputy Auditor, Cass County Minnesota Notarial Officer (ex-officio notary public)
My term is indeterminate

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

CERTIFICATE	OF	LOCATION	OF	GOVERNMENT	CORNER
--------------------	----	----------	----	-------------------	--------

Witness Corner for the Center North 1/16

Corner to Sec. 18 T.141 N. R. 28 W.

State of Minnesota,

County of Cass
I hereby certify that on the 12th day of April 197. Witness Corner for the
Witness Corner for the I found the Center North 1/16 corner of Section 18
which was evidenced by remains of the General Land Office survey of 1918 and documented in
Forest Service record
and I further certify that to perpetuate the location of such corner, I ${ m did},\ { m at}$ the exact location thereof, pla
a permanent marker consisting of no new monument set as G.L.O. monument is in good condition
I further certify that I established
reference or witness monuments consisting of
which reference or witness monuments are located in the manner following:
N. Pine 19 inch S72°W 87.70 feet scribed WC S 18 BT
Birch 9 inch Sl ₁ 20W 9.30 feet scribed WC S 18 BT
J. Pine 15 inch N54°E 91.08 feet rescribed WC S 18 BT
Steel sign post 72 inches long due South 6.40 feet with Forest Service sign 54-4 attach
Dated at Case hake , Minn., this 10 th day of Securber 19
William I Cherna
OFFICE OF REGISTER OF DEEDS WILLIAM H. OKERMAN WILLIAM H. OKERMAN

Minnesota Registered Land Surveyor No. 6807

I hereby certify that the within instrument was filed in this office for record on the day of February A. D. 1974 at 90'clock

SECTION_ TOWNSHIP_ RANGE P.M. rods 20 20 rods " 40 40 " " 60 60 " " 80 80 " *"* 60 60 " 40 " 20 " " 20 20 " " 40 40 " " 60 60 " 80 " 60 " " 40 40 " 20 "