

A000588345

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

1/2/2013 3:44:17 PM AS DOC #: A000588345 PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

Y_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA }

ss

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this day of

, 20<u>/3</u>

SUSANNE GRAY
Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)
My term is indeterminate

Notary Public

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

CERTIFICATE	OF	LOC	ATIO	N O	F G	OVE	RNMEN	1 T	CORN	ER
Angle Point 1 of Al	7 otmo	nt 1563	and a	point	on th	ne West	boundary	$\circ f$	Allotment	155

Angle Point 1 of	'Allotment 156	3 and a	point on	the West	boundary of .	Allotment	,1554
Corner to Sec. 18					28. W.	No	68

State	of	Minnesota,	(s
ntuof	~		(

County of Cass	
I hereby certify that on the 11th. Angle Point 1 of Allotment 1563 and I found the of Allotment 1554 corner of Sect	a point the West boundary ion 18
which was evidenced by remains of the General L	and Office survey of 1918 and documented in
Forest Service record	<u></u> ,
and I further certify that to perpetuate the location o	f such corner, I did, at the exact location thereof, place
a permanent marker consisting of no new monumen	t set as G.L.O. monument is in good condition
I further certify that I established	
reference or witness monuments consisting of	
which reference or witness monuments are located in th	ne manner following:
N. Pine 18 inch $N19^{\circ}W$ 89.10 feet scribed AP.	S 18 BT
Aspen 8 inch N80°W 19.70 feet scribed AP S 1	8 BT
Aspen 8 inch S48°W.13.00 feet scribed AP S.1	8.BT
Steel sign post 72 inches long due North 5.4	O. feet with Forest Service signs 54-2 and
54-4 attached	,
	-
Dated at Cass hake , Minn., t	his Ell day of Systemby 1973
	William Of Operan
OFFICE OF REGISTER OF DEEDS	Gounty Surveyor or Highway Engineer. With tam use Chedman
County of Cass	WILLIAM H. OKERMAN Minnesota Registered Land Surveyor No. 6807
Thereby consider that the middle is	a filed in this affect for married to the

that the within instrument was filed in this office for record on the 9. м.

Register of Deeds.

..Deputy.



