

A000589981

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

TATE OF MINNESOTA	}
	}ss
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this **26** day of **Jeb**. , 20_

SUSANNE GRAY
Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)
My term is indeterminate

Notary Public

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CODNED

	T. 144 N		No. 3/7
State of Minnesota,			
county of Cass $county of Cass$			
William H. Oker	man being	first duly sworn, deposes an	d ease.
That I reside at Bemidji	Minnesota a	$nd\ am\ registered\ as\ a\ Land\ Si$	u says: urvevor under th
nws of the State of Minnesota, havin	ng Surveyor's Registration (Certificate No. 6807	in eego, wilder with
I further depose and say that on	the 20th	day of August	₁₉ 64
found the Special Meander c	orner of Section 23		
hich was evidenced by the rema	ins of the G.L.O. resu	rvey of 1926.	
nd that to perpetuate the location of	such corner I did, at the ex	act location thereof, place a pe	ermanent marker
nsisting of No new monument was	set as G.L.O. brass ca	ap was in good condition	•
rom which reference or witness monu	ments are located in the mo	inner following:	
		nner following:	
ngle Point #5 N64°02'W 1.29	chains or (85.14')	nner following:	
ngle Point #5 N64°02'W 1.29 edar 19" S65°W 25.3 feet scri	chains or (85.14')	nner following:	
ngle Point #5 N64°02'W 1.29 edar 19" S65°W 25.3 feet scri sh 5" N50°W 15.2 feet scribed	chains or (85.14') libed SMC S23 BT		
ngle Point #5 N64°02'W 1.29 edar 19" S65°W 25.3 feet scri sh 5" N50°W 15.2 feet scribed seel sign post N64°W 40.2 fee	chains or (85.14') libed SMC S23 BT d SMC S23 BT et with signs 54-2 and	54-4 attached	
ngle Point #5 N64°02'W 1.29 edar 19" S65°W 25.3 feet scri sh 5" N50°W 15.2 feet scribed teel sign post N64°W 40.2 feet teel sign post due south 61.1	chains or (85.14') libed SMC S23 BT d SMC S23 BT et with signs 54-2 and feet with signs 54-2 a	54-4 attached	
edar 19" S65°W 25.3 feet scrish 5" N50°W 15.2 feet scribed teel sign post N64°W 40.2 feet scribed teel sign post due south 61.1	chains or (85.14') libed SMC S23 BT d SMC S23 BT et with signs 54-2 and feet with signs 54-2 a e bearings. OFFI	54-4 attached and 54-4 attached	
rom which reference or witness monungle Point #5 N64°02'W 1.29 edar 19" S65°W 25.3 feet scribed sh 5" N50°W 15.2 feet scribed teel sign post N64°W 40.2 feet teel sign post due south 61.1 11 reference bearings are frue (Surveyor's Signature)	chains or (85.14') libed SMC S23 BT d SMC S23 BT et with signs 54-2 and feet with signs 54-2 a e bearings. OFFI	54-4 attached and 54-4 attached CE OF REGISTER OF DEE	
edar 19" S65°W 25.3 feet scrish 5" N50°W 15.2 feet scribed teel sign post N64°W 40.2 feet teel sign post due south 61.1	chains or (85.14') libed SMC S23 BT d SMC S23 BT et with signs 54-2 and feet with signs 54-2 a e bearings. OFFI Count	54-4 attached and 54-4 attached CE OF REGISTER OF DEE	EDS
edar 19" S65°W 25.3 feet scribed sh 5" N50°W 15.2 feet scribed teel sign post N64°W 40.2 feet teel sign post due south 61.1 11 reference bearings are fine (Surveyor's Signature)	chains or (85.14') libed SMC S23 BT d SMC S23 BT et with signs 54-2 and feet with signs 54-2 a e bearings. OFFI Count	54-4 attached and 54-4 attached CE OF REGISTER OF DEE	EDS

Subscribed and sworn to before me at Walker, Minnesota Deputy Register of Deeds Cass County, Minn.

9 dock M. Register of Deeds



Page 4 of 4 A000589981

