




That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of Feb., 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner to Sec's 19 - 20 - 29 - 30 T. 144 N. R. 29 W. No. 180

State of Minnesota, }
 County of Cass } ss.

Peter J. Meyer, being first duly sworn, deposes and says:

That I reside at Cass Lake, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 3628.

I further depose and say that on the 23rd day of May, 1963, I found the Section corner of sections 19 - 20 - 29 - 30 which was evidenced by the remains of the GLO resurvey of 1926 and original Government survey of 1873

(Original) Tamarack 10" (Now a tamarack stub 9" S50°E 15.84' with scribing visible.)
 (Original) Tamarack 8" (Now a 12" tamarack N20°E 13.86 feet with scribe overgrown.)
 (New) Spruce 6" S31°45'W 26 links (17.16') (Now a decayed stump at record bearing and distance.)
 Iron post 1 inch diameter with brass cap stamped:- T144N R29W

S19	S20
S30	S29
1926	

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as the G.L.O. brass cap is in good condition

from which reference or witness monuments are located in the manner following:

Tamarack (Original) 12 inch N20°E 13.86 feet marked S20 BT

Tamarack 6 inch S63°E 32.1 feet marked S29 BT

Ash 6 inch S80°W 20.85 feet marked S30 BT

Ash 7 inch N30°W 17.4 feet marked S19 BT

Steel sign post 72 inches long, set 24 inches in ground with standard signs 54-2 and 54-4 attached due South 4.55 feet.

All reference bearings are true bearings.

Peter J. Meyer
 (Surveyor's Signature)

In the Presence of:

Beulah Hendrick
June Ann Nelson

Subscribed and sworn to before me at

Walker, Minnesota

this 9 16 day of September, 1963

Beulah Hendrick
 Deputy Register of Deeds, Cass County, Minn.

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 16 day of September, A.D., 1963 at 9 o'clock A.M.

Leonard P. Peterson
 Register of Deeds

By *Beulah Hendrick* Deputy



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

