

A000590032

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/26/2013 1:04:25 PM
AS DOC #: A000590032
PAGES: 4
REC FEES: 0.00
KATHRYN M. NORBY
CASS COUNTY RECORDER

BY MW Dep

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO AN AFFIDAVIT AS TO LOCATION OF A GOVERNMENT CORNER

STATE OF MINNESOTA }

}

COUNTY OF CASS }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me

this 26 day of Jeb.

, 20\_(3

SUSANNE GRAY
Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)
My term is indeterminate

Notary Public

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

## AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

North 1/16 Corner to Sec. 8 - 9	<i>T</i> . 1եկո	 No. 373
htate of <b>M</b> innegota		

## State of Minnesota, County of Cass

William H. Okerman , being first duly sworn, deposes and says:

That I reside at Bemidji , Minnesota , and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 2nd day of June , 19 64, I found the North 1/16 corner of Sections 8 - 9

which was evidenced by 1th iron pipe set by Chippewa National Forest Engineer Meyer in 1956 and verified by survey by myself.

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of 2 inch inside diameter 60 inch long galvanized steel monument

filled with concrete and capped with a 3 inch diameter bronze tablet marked -

T144N R27W N 1/16 S8 | S9 1964 RLS No. 6807

from which reference or witness monuments are located in the manner following:

Red Pine 22inch S24°E 291.0 feet scribed N 1/16 S9BT

Steel sign post 72 inches long due south 9.0 feet with sign 54-2 attached

Steel sign post 72 inches long due north 10.4 feet with sign 54-2 and 54-4 attached.

All bearings are true bearings.

Welliam I Derman
(Surveyor's Signature)
In the Presence of:
Beulah Sendricks

Subscribed and sworn to before me at

Walker, Minnesota

this 2nd day offebruary

Beulsh Sendricks

-- Notary Public

Register of Deeds

## OFFICE OF REGISTER OF DEEDS

County of Cass

Beulah Lundrucks Register of Deeds

By.....Deput $ar{v}$ 



Page 4 of 4 A000590032

