



A000590063

OFFICE OF THE COUNTY RECORDER CASS COUNTY, MINNESOTA CERTIFIED, FILED, AND/OR RECORDED ON

2/26/2013 2:12:35 PM

AS DOC #: A000590063 PAGES: 4

PAGES: 4 REC FEES: 0.00

KATHRYN M. NORBY CASS COUNTY RECORDER

BY_KF___Dep

AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA	}
	} ss
COUNTY OF CASS	}

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;

-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me this 26th day of Jeb. , 20

, 20<u>13</u>

Notary Public

SUSANNE GRAY

Deputy Auditor, Cass County Minnesota
Notarial Officer (ex-officio notary public)
My term is indeterminate

This instrument was drafted by:

Robert Kovanen Cass County Surveyor P.O. Box 579 Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Quarter Corner to Sec. '8 3-4	T. 144 N.		No. 746
State of Minnesota,) ss.			
unty of Cass			
I hereby certify that on the	2nd day of	September	19.70
ound the Quarter			
ich was evidenced by remains of	i .		ocumented in
d I further certify that to perpeti permanent marker consisting of 5	•		
I further certify that I establish	hed		· · · · · · · · · · · · · · · · · · ·
ference or witness monuments cons	isting of	<u> </u>	
nich reference or witness monumen	ts are located in the manner	r following:	
ak 5 inch S25°E 38.50 feet	scribed 1/4 S3 BT		
ak 7 inch S59°W 49.70 feet	scribed 1/4 S4 BT		P
spen 9 inch N55°E 60.70 fe			
teel sign post 72 inches lo	**************************************	with Forest Service	signs 54-2
nd 54-4 attached			
reated post 4 inch due sout	h 1.90 feet with Fores	t Service sign 54-2	attached
Dated at Bemidji	, Minn., this	12th day of	October 1971
FFICE OF REGISTER OF DEEDS)	CONTRACTOR H. OKERMAN	Sharayo Emgianean.
ounty of Cass	}	Minnesota Registrat	ion No. 6807
I hereby certify that the with	in instrument was filed in	this office for record on	the 26
ay of Nowember			

*age 3 of 4 A000590063

Bu.....

....Deputy.

Register of Deeds.

